

Foot



MARTY Sports



Presentation

MARTY Sports is a French company specialized in **Manufacturing, Design, Marketing** and **Installation** of sports equipment and furniture mainly intended for local authorities.

A **100% family-owned company**, it was created in **October 1979** by Raymond and Jeanne Martinez to exploit innovations in the world of athletics, designed by Raymond Martinez, who was a technical executive at the Fédération Française d'Athlétisme.

Their twin sons Laurent and Stéphane took over in 1986 and quickly added their skills in Team Sports and sports hall equipment. Since February 2019 Laurent Martinez has been managing the company.

MARTY Sports Athletics products are **IAAF** certified (International Athletics Federation), **Basketball** recommended by the **FFBB** (French Basketball Federations), **Badminton** classified **FFBAD** (French Badminton Federation).

Football goals are approved by **FIFA** (International Football Federation).



Designing

The emergence of European Standards at the end of the 1990s, and also the French decree of June 1996 on the safety of sports equipment (now integrated into the Sports Code), forced **MARTY Sports** to create its own Design Office, which over the years has become a real asset for the company and its customers. The total integration of the design allows us to constantly innovate and support the development of sports, particularly in Athletics, Football, Badminton, Tennis or Basketball, where we work in support of their federations. This also allows us to make a difference from our competitors by offering **MARTY** products. We were also able to integrate eco-design following the completion of our first carbon footprint in 2009



Fabrication


MARTY Sports has been manufacturing since 1981. In order to control quality, we have constantly improved our production resources with modern machines and tools that respect not only working conditions but also the environment, as our factory is located in the countryside. Almost the entire production chain is integrated, from digital cutting of metal or aluminium profiles, manual or automated welding, and finally powder painting on a conveyor.

Commercialization

It is good to design and manufacture, but it is also necessary to commercialize. Since the early 2000s, we have chosen to sell almost everything directly or in very close contact with a network of distributors and installers. MARTY sells MARTY, which allows us to be in direct contact with customers, to be as close as possible to users' expectations and requirements.

For this purpose, our team of technical sales representatives employed by the company is at your disposal with the support of a strong organization administrative staff composed of sales assistants, accountants, a purchasing department and also a shipping department.

The export is done in relation with national distributors, able to provide the same services as MARTY Sports do in France.



Installation




We have our own specialized and experienced installation teams. Very well equipped, we have our own nacelles.




By 1 click on this icon you will send an e-mail to us. Ask for more infos, a quote...

Web

Our website is completely renewed every 4 years to benefit from the latest developments. You can consult the product sheets and assembly plans, request a quote, place an order...



martysports.com



By clicking on the map, find the contact details the sales representative of your region if you are in France.

Catalogues

Our digital catalogues are interactive (Foot, Basket, Hand, Team Sport, Rugby, etc...), Each product reference is a link to the page of this product on our web. Following this link, you will have access to more information, price, the technical sheet, and more photos... and you could ask for a quote or order online. A marketing department (catalogues, documents, newsletters, photos) is fully integrated into **MARTY Sports** since 2013.

Foot



SENIOR GOALS	page 5
ADJUSTMENT SYSTEM	page 6
NET HOLDER POST-FOAM PROTECTION	page 7
GROUND SOCKETS TO SEAL - NET HOOKS - EARS	page 7
JUNIOR GOALS TO SEAL	page 8
FUTSAL	page 8
MOBILE GOALS	page 9
BALLAST AND TRANSPORT SYSTEM FOR MOBILE GOALS	page 10
FOLDABLE GOALS	page 11
NETS	page 12
FOOTSAL NETS	page 13
TEAM SHELTERS	page 14
TEAM SHELTERS 1m63 or 2m00	page 15
FOAM PROTECTIONS TEAM SHELTERS	page 15
TEAM SHELTERS - OPTIONS	page 16
SEATS BIG STADIUMS	page 17
TUNNELS	page 18
BALL STOP	page 19
HANDRAIL	page 20
ABRISTADE	page 21
ACCESSORIES	page 22
BENCHES	page 24
INFIRMARY	page 27
LOCKERS	page 27
GENERAL CONDITIONS OF SALE	page 28



SUMMARY

SENIOR GOALS

SENIOR ALUMINIUM FOOTBALL GOAL EURO

F8040

**IN CONFORMITY
WITH EN748
and SPORTS CODE**

NEW and VERY NICE model 2016 version made for EURO. Used for the 2017 CAN in GABON.

In place in many LIGUE 1 stadiums. Inspired from the previous version already used for the 10 stadiums in SOUTH AFRICA in 2010.

ALUMINIUM profile ovoid section of 120 x 100mm. WHITE powdered after pickling. MONOBLOCK crossbar assembled to the vertical uprights by welded metallic brackets placed inside the profile, allowing a perfect conformity to FIFA and UEFA regulations.

White rubber seals are placed in the angles to control the cutting thickness.

New double net hooks, fixed every 20 cm. Very resistant, allowing a very fast assembling/dismounting and a good position of the net.

Delivered with ground sockets TO SEAL and tops.

The pair.



SENIOR FOOTBALL GOAL EURO WITH ADAPTERS

F8041

Same goal as reference F8040 but equipped, at the base, with our ADAPTER PATENTED n°16-50541,

allowing to install our goals

in existing ground sockets of diameter or shape included between 100 and 120mm. This system also

includes a very precise height adjustment.

Delivered without ground sockets because using the existing ones.

The pair.



HEIGHT ADJUSTMENT DEVICE

F8047

Adapts itself to the base of our football goals F8040.
Allows to adjust very precisely the goals height but also to rise them at +5cm from the initial ground level.
The set of 4.



NET HOLDER POST EURO

F8022

SPECIFIC Aluminium profile.
Diameter 90mm. Finishing powdered black mat.
Delivered with net tension system with double tension halyard, guided on a wide nylon roller, fixed in the slider.
Delivered with ground sockets and tops.
The set of 4 posts.


Our digital catalogs are interactive.
Each product reference is a link to the page of this product on our web.
Following this link, you will have access to more information, price, the technical sheet, and more photos.
You will be able to request a quotation or place an order online.



SENIOR NET RISER EURO

F8034

White specific aluminium profile, half cylinder.
Fixed depth of 2m00.
With goal fixation stirrups fixed directly in the post groove.
The pair.



NET HOLDER POSTS

Model with halyard, guided on a nylon roller.
Metallic. Diameter 50mm.
Delivered with ground sockets TO SEAL and tops.

GALVANIZED FINISHING

F8021 Set of 4 posts.

F8020 Set of 6 posts.

GALVANIZED FINISHING

+ BLUE POWDERING.

(Possible in WHITE on request).

F8021P Set of 4 posts.

F8020P Set of 6 posts.



SENIOR NET RISER

F8035

Conform to FFF
(French Football Federation)
regulation.
GALVANIZED metallic frame
maintaining perfectly the net
on the ground.
Allows the lifting along
the goal for grass cutting.
Adjustable depth from
1m50 to 2m40 for use
with all kind of net.
Delivered with articulation packet.
With maintaining rope in
folded position.
The pair



FOAM PROTECTION FOR NET HOLDER POST EURO

For protection of the net holder
posts, EURO range.
Foam thickness 20mm with PVC
black cover, fixed by Velcro.
The set of 4.

F8022M Height 40cm for
protection of the
tension system.

F8022M2 Height 2m00.



EARS

F8103

Metallic. For aluminium goals F8040. Depth 0m80.
WHITE powdered.
The set of 4 (for one pair of goals).



GROUND SOCKETS TO SEAL for net holder posts

For net holder posts.

F8024 The set of 4 for net holder posts STEEL.

F8026 The set of 6 for net holder posts STEEL.

F8025 The set of 4 for net holder posts

GROUND SOCKETS TO SEAL for goals

F8325

For MARTY Sports senior goals Ref F8040 in ALUMINIUM 120 x 100mm.
Delivered with tops for one pair of goals.
The set of 4.

NET HOOKS

F8104

MARTY Sports EXCLUSIVE MODEL.
SPECIFIC net hooks screwed in the
rear groove.



**NETS ARE
PAGES 12 & 13**



MINI GOALS TO SEAL

JUNIOR ALUMINIUM FOOTBALL GOAL TO SEAL

ALUMINIUM profile round section of 90mm. WHITE powdered after pickling. MONOBLOCK crossbar assembled to the vertical uprights by welded metallic brackets placed inside the profile, allowing a perfect conformity to international regulations.

White rubber seals are placed in the angles to control the cutting thickness. New double net hooks. Very resistant, allowing a very fast assembling/dismounting and a good position of the net. Delivered with ground sockets TO SEAL and tops. The pair.

F8105 8 a side football. 6m00 x 2m10.

F8097 3m00 x 2m00.

F8098 4m00 x 1m50.



INTERNATIONAL MINI FOOT GOAL

F8099

Similar model to ref F8097 but in ovoid section of 120 x 100mm. In conformity with the Mini Football International Federation Regulation. The pair.

GROUND SOCKETS TO SEAL

For one pair of goals. With tops. The set of 4.

F8340 For our goals F8097/F8098/F8105 in aluminium Diam 90mm. With tops. The set of 4.

F8325 For goals F8099 In aluminium 120 x 100mm. With tops. The set of 4.

EARS

F8103

Metallic. For aluminium goals F8040. Depth 0m80. WHITE powdered.

JUNIOR NET RISER

GALVANIZED metallic frame maintaining perfectly the net on the ground. Allows the lifting along the goal for grass cutting. Delivered with articulation planket for adaptation in our aluminium goals slider. With maintaining rope in folded position. The pair .

F8036 For goals width 6m00. Adjustable depth from 1m50 to 2m40.

F8037 For goals width 4m00. Fixed depth 1m50.

F8038 For goals width 3m00. Fixed depth 1m00.

FUTSAL GOALS

FUTSAL GOALS

F8110

SPECIFIC model for indoor soccer. Front face in aluminium profile SPECIFIC FUTSAL section 80 x 80mm but with rounded edges. WHITE powdered with blue stripes. Metallic rear cages. Foldable and adjustable in spacing and in depth. Combined with the rear cages spacing, these new goals can be installed on almost every existing ground sockets, notably of handball goals. The complete pair of goals with anchorages.

GALVANIZATION OF THE REAR FRAMES

F8111

For outdoor use of the futsal goals. For one pair.



MOBILE GOALS

MOBILE FOOTBALL GOALS

Aluminium white powdered after pickling.
With galvanized metallic rear cage.
New double net hooks, fixed in the rear groove of the posts, allowing a good position of the net and a very fast assembling.
Delivered with 2 anchorages, tops, hooks and tightening wheel.
(CAUTION: Make sure you take the option BALLAST AND WHEELS for a use without goals anchorage for a perfect conformity to the decree n°2016-481 dated 18 April 2016).
The unit.


F8050 SENIOR: 7m32 x 2m44.
Depth of the base 2m00.
SPECIFIC ovoid section of 120 x 100mm
(front face and rear base). Weight 108 kg.
The unit.

F8102 JUNIOR : 6m00 x 2m10.
Depth of the base 2m00.
Strengthened round section of 90mm
(front face and rear base). Weight 82 kg.
The unit.

F8101 MINI: 4m00 x 1m50.
Depth of the base 2m00.
Strengthened round section of 90mm
(front face and rear base)
The unit.



**IN CONFORMITY
WITH EN748
and SPORTS CODE**



BALLAST AND TRANSPORT SYSTEM FOR MOBILE GOALS

For MARTY mobile goals allowing to use the goals without anchorages, for a perfect conformity to the decree n°2016-481 dated 18 April 2016.*

IMPORTANT :

- The transport of the goal is made easily in the game position without having to carry it or swing it.
- This system has been developed for a use on synthetic field. The transport on a muddy grass ground can be difficult.

Composed of :

- One rigid counterweight placed inside the rear base.
- 44 wheels diameter 260mm mounted on the metallic frames and fixed to the rear frames of the goal.
- 1 manipulation handle.

The set for 1 goal.

F8055

For SENIOR GOAL ref F8050.
Including the 2 counterweights of 3m00 and the 4 wheels.
For 1 goal.

F8056

For JUNIOR GOAL ref F8102.
Including the 2 counterweights of 3m00 and the 4 wheels.
For 1 goal.

F8057

For MINI GOAL ref F8101.
Including the 2 counterweights of 2m00 and the 4 wheels.
For 1 goal.

**IN CONFORMITY
WITH EN748
and SPORTS CODE**



MOBILE GOALS ANCHORAGE SYSTEM

F8346

To fix quickly and without sealing a mobile goal F8050 or F8102.

Composed of :

- 2 base plates with stirrups 80/90 and 100/120mm.
- 2 anchorage poles, 1 winder, 1 key mix 13mm.
- 2 protection caps.

The set for 1 goal.

FIXATION SYSTEM

F8345

In J shape with tightening wheel.

To fix the goals anchorages with the rear cages.

And for our goals F8050/F8126, F8110 and F8102.

The set of 4

ANCHORAGES TO SEAL

F8335

For one pair of goals F8050/F8126 and F8102 and mobile goals with rear cages. With tops.

The set of 4.

NET HOOKS

F8104

MARTY Sports EXCLUSIVE MODEL
SPECIFIC net hooks screwed in
the rear groove.

The set of 100.



FOLDABLE GOALS

JUNIOR FOLDABLE GOALS

NEW MODEL OF FOLDABLE GOAL in 4 versions:

- Fixed projection 2m50.
- Adjustable projection from 2m00 to 3m50.
- Projection TAILOR MADE, fixed lower at 2m50 (minimum 1m00).
- Projection TAILOR MADE, fixe upper at 2m50 (maximum 5m00).
- FRONT face in SPECIFIC STRENGTHENED aluminium diameter 90mm WHITE powdered with groove for fixation of new PVC net hooks. MONOBLOCK with 2 welded angle returns.
- New rear cages
 - ◻ Galvanized metallic round sections (natural finishing – paint in option)
 - ◻ MONOBLOCK (except with adjustable projection) for a best resistance and lifetime.
 - ◻ The rear cages pivot on mats TO SEAL at the rear.
 - ◻ The nets are maintained in high position by the pivots serving also of net holder post like on the senior goals, allowing the use of traditional nets.


IMPORTANT : The folding procedure is absolutely safe because goal pivot on mats sealed at the rear and by the crossbar which is monoblock.

F8112 Fixed projection 2m50. The pair.

F8113 Adjustable projection from 2m00 to 3m50. The pair.


F8118 Tailor-made projection lower at 2m50 (Minimum 1m00). The pair.

F8119 Tailor-made projection upper at 2m50 (Maximum 5m00). The pair.



**IN CONFORMITY
WITH SPORTS CODE**

IMPORTANT : For the goals F8118 and F8119 please specify when passing the order, the specific projection you need (multiple of 10cm)...



REAR ARTICULATION POSTS

F8125

For new foldable junior FOOTBALL goals:
Ref F8112/F8113/F8118 and F8119
TO SEAL. GALVANIZED
The set of 4.

MAINTAINING CABLES

F8229

EXCLUSIVE

For low maintain of the nets on the foldable football goals.
To fix between the 2 foldable rear parts.
Steel WHITE length 6m10.
The set of 2 for one pair of goals.

PAINT ON GALVANIZATION

Extra for painting by polyester powdering of one pair of foldable goals rear cages.

F8120B WHITE 9016.

F8120BL BLUE 5015.

F8120N BLACK 9005

martysports.com



FILETS

Conformes à la norme EN748 et Code du Sport
FILETS SANS NŒUDS en polypropylène.



EUROPEANS.

Rear shape 2m00/2m00.

	Mesh	Diam	Color
F8540N	SQUARE 100mm	4mm	BLACK
F8540V	SQUARE 100mm	4mm	GREEN
F8540B	SQUARE 100mm	4mm	WHITE
F8540R	SQUARE 100mm	4mm	RED
F8540BL	SQUARE 100mm	4mm	BLUE
F8550N	SQUARE 100mm	5mm	BLACK

Exclusive gamme nets range in
polypropylene without knots.
Very high quality SPANISH production.

TRADITIONAL.

Rear shape 0m80/2m00.

ADAPTABLE TO TRANSPORTABLE GOALS F8050.

	MESH	Diam	Color
F8430	SQUARE 100mm	3mm	BLACK
F8440N	SQUARE 100mm	4mm	BLACK
F8440B	SQUARE 100mm	4mm	WHITE

EUROPEANS BI COLOR.

Rear shape 2m00/2m00.

	MESH	Diam	Color
F8540BB	SQUARE 100mm	4mm	
F8540BR	SQUARE 100mm	4mm	

JUNIORS.

6m00 x 2m10. For goals to seal, transportable and foldable
of our range. Per pair.

	REAR SHAPE	Diam	Color
F8324	0m80 / 2m	4mm	BLACK
F8324B	0m80 / 2m	4mm	WHITE
F8324BL	0m80 / 2m	4mm	BLUE

MINI.







4m00 x 1m50. Rear shape 0m80 / 1m50. The pair.

	MESH	Diam	Color
F8300	SQUARE 100mm	3mm	BLACK

SPECIFIC SENIOR – EUROPEANS.

Rear shape 0m80/2m00.

	MESH	Diam	Color
F8640B	HONEY COMB	4mm	WHITE
F8740B	SQUARE 45mm	4mm	WHITE



BEACH SOCCER.

5m50 x 2m20. Rear shape 0m80 / 1m50 . The pair.

	MESH	Diam	Color
F7070	SQUARE 100mm	3mm	WHITE

FILETS FOOTSAL & HAND

NETS WITHOUT KNOTS in polypropylene

Square MESH 100mm, 3m00 x 2m00.
Rear shape 0m80/2m00. The pair.

	MESH	Diam	Color
H4130	SQUARE 100mm	3mm	BLACK
H4140N	SQUARE 100mm	4mm	BLACK
H4140V	SQUARE 100mm	4mm	GREEN
H4140B	SQUARE 100mm	4mm	WHITE
H4140R	SQUARE 100mm	4mm	RED
H4140BL	SQUARE 100mm	4mm	BLUE
H4150N	SQUARE 100mm	5mm	BLACK

SHOCK ABSORBER NETS

Square mesh 100mm. Diameter 4mm. For competition goals.
The pair.

	MESH	Diam	Color
H4111N	SQUARE 100mm	4mm	BLACK
H4111B	SQUARE 100mm	4mm	WHITE
H4111BL	SQUARE 100mm	4mm	BLUE
H4111V	SQUARE 100mm	4mm	GREEN
H4111R	SQUARE 100mm	4mm	RED

FIXATION SANDOW

H4120

For soft fixation of the nets. The roller of 10m00.



Our digital catalogs are interactive. Each product reference is a link to the page of this product on our web. Following this link, you will have access to more information, price, the technical sheet, and more photos. You will be able to request a quotation or place an order online.

NET HOOKS

F8104


MARTY Sports EXCLUSIVE MODEL
SPECIFIC net hooks screwed in the rear groove.
WHITE.
The set of 100.



NET HOOKS

F8109

PVC double hook with a central and unique fixation.
MODEL for metallic goals of our range.
Ideal model to put your equipments up to standards.
WHITE.
The set of 100.



TENSION ROPE

F82091

The set of 6.

TENSION SANDOW

F82092

The set of 6.



On the occasion of **EURO** played in **France**, we especially developed for this competition a team shelter model entirely new from its design to its production.

We developed two aluminium profiles **SPECIFIC, EXCLUSIVE** and property of **MARTY Sports**.

TEAM SHELTERS

- No more rivets neither self-tapping screws, the filling plates are inserted into rabbets adapted in EXCLUSIVE profiles of 60x60mm.
- The whole is "carried" by very resistant aluminium posts allowing their spacing each 3m00 and without congestion because there is no load strut.
- PVC seat with backrest. Choice of 8 colors.

Aluminium frames :

- Sides and intermediate uprights powdered with the color of your choice. Specific color on study.
- Natural aluminium frames. Color of your choice in OPTION.
- Bases for seats, in natural aluminium.



Standard seat (Seat 4)



FINITIONS :

3 possible fillings:

- Polycarbonate alveolar double wall of 6mm.
- Aluminium sheet thickness 2mm. Color of your choice.
- PET 5mm transparent.

COLORS OF THE SEATS

Choice of 8 colors :



COLORS OF THE UPRIGHTS

Choice of 8 colors :




9005 5015 3020 2004 6005 9010 9006 1018

TEAM SHELTERS

SHELTERS HEIGHT 1m63

Width	Places	Ref
1m20	2	F7101
2m20	4	F7102
3m20	6	F7103
4m45	8	F7104
5m45	10	F7105
6m45	12	F7106
8m70	16	F7107
12m90	24	F7109

SPECIFIC SHELTERS ON STUDY



SHELTERS HEIGHT 2m00

Width	Places	Ref
1m20	2	F7201
2m20	4	F7202
3m20	6	F7203
4m45	8	F7204
5m45	10	F7205
6m45	12	F7206
8m70	16	F7207
12m90	24	F7209

FOAM PROTECTIONS

Set of protection fixed on the upper part of the shelter by adhesive bands.

- F7481** For a shelter of 1m20 in 1 part.
- F7482** For a shelter of 2m20 in 1 part.
- F7483** For a shelter of 3m20 in 1 part.
- F7484** For a shelter of 4m45 in 2 parts.
- F7485** For a shelter of 5m45 in 2 parts.
- F7486** For a shelter of 6m45 in 2 parts.
- F7487** For a shelter of 8m70 in 3 parts.
- F7489** For a shelter of 12m90 in 4 parts.



CANVAS PROTECTIONS

Canvas in PVC 650g/m2.
With eyelets for fixation to the shelter.

Length	Shelter height	
	1m63	2m00
1m20	F7511	F7521
2m20	F7512	F7522
3m20	F7513	F7523
4m45	F7514	F7524
5m45	F7515	F7525
6m45	F7516	F7526
8m70	F7517	F7527
12m90	F7519	F7529



TEAM SHELTERS - OPTIONS

- Replacement of the 2 alveolar polycarbonate sides by plates :
 - In Aluminium sheet 2mm. Powdered RAL choice of 8 colors.
 - In Aluminium sheet 2mm. Powdered SPECIFIC RAL to specify.
 - In PET 5mm. Transparent.
- Replacement of the alveolar polycarbonate fillings 6mm by plates :
 - In Aluminium sheet 2mm. Powdered RAL choice of 8 colors.
 - In Aluminium sheet 2mm. Powdered SPECIFIC RAL to specify.
 - In PET 5mm. Transparent.
- Painting by powdering of the sides frames, rears and roofs :
 - RAL choice of 8 standard colors.
 - SPECIFIC RAL to specify.




Standard

TEAM SHELTER HEIGHT : 1m63

		2 sides SHEET		Painting alu frames		Rear and roof		
Width	Side PET 5	RAL 7 choice	Spec Ral	RAL 7 choice	Spec Ral	Sheet Ral 7	Sheet Spec ral	PET 5mm
1m20	F7390	F7391	F7392	F7311	F7321	F7331	F7341	F7351
2m20	F7390	F7391	F7392	F7312	F7322	F7332	F7342	F7352
3m20	F7390	F7391	F7392	F7313	F7323	F7333	F7343	F7353
4m45	F7390	F7391	F7392	F7314	F7324	F7334	F7344	F7354
5m45	F7390	F7391	F7392	F7315	F7325	F7335	F7345	F7355
6m45	F7390	F7391	F7392	F7316	F7326	F7336	F7346	F7356
8m70	F7390	F7391	F7392	F7317	F7327	F7337	F7347	F7357
12m90	F7390	F7391	F7392	F7319	F7329	F7339	F7349	F7359

COLORS OF THE FRAMES
Choice of 8 colors:



Sheet

TEAM SHELTER HEIGHT : 2m00

		2 sides SHEET		Painting alu frames		Rear and roof		
Width	Side PET 5	RAL 7 choice	Spec Ral	RAL 7 choice	Spec Ral	Sheet Ral 7	Sheet Spec ral	PET 5mm
1m20	F7490	F7491	F7492	F7411	F7421	F7431	F7441	F7451
2m20	F7490	F7491	F7492	F7412	F7422	F7432	F7442	F7452
3m20	F7490	F7491	F7492	F7413	F7423	F7433	F7443	F7453
4m45	F7490	F7491	F7492	F7414	F7424	F7434	F7444	F7454
5m45	F7490	F7491	F7492	F7415	F7425	F7435	F7445	F7455
6m45	F7490	F7491	F7492	F7416	F7426	F7436	F7446	F7456
8m70	F7490	F7491	F7492	F7417	F7427	F7437	F7447	F7457
12m90	F7490	F7491	F7492	F7419	F7429	F7439	F7449	F7459




PET 5mm

WRITING SUPPORTS

To install in the shelters with 2 writing supports. 1 left / 1 right. 2 models:

F7496 To fix on the seat support in place of 2 seats. The unit.

F7497 Mobile on wheels. The unit.



SEATS BIG STADIUMS

Very nice model for an optimum comfort and an exceptional aestheticism. Bucket seat with possibility to associate 3 colors on a choice of 140 RAL. Possibility to put the logo of the club or a partner. 5 models, the unit..

IMPORTANT: For the heating and cooling seats, the shelters are equipped with transformers 12V.

F9520	Imitation leather. M2..
F9510	Leather STANDARD.
F9510C	Leather with heated base.
F9510CP	Leather with heated base and backrest.
F9510R	Cooling.



TEAM SHELTERS

- In 2 heights 1m60 and 2m00.
- In 2 widths 2m00 (4 places) and 5m00 (10 places).
- Galvanized metallic frame (without paint)
- Round form. With base and backrest in exotic wood.
- 2 finishing :
 - STANDARD: Sides, rear and roof in alveolar Polycarbonate 6mm.
 - SHEETS: Sides and rear face in galvanized sheets powdered WHITE.

Width	Standard		Sheet	
	Ht :1m60	Ht :2m00	Ht :1m60	Ht :2m00
2m00 / 4 places	F9060	F9802	F9060T	F9802T
5m00 / 10 places	F9100	F9805	F9100T	F9805T



TUNNELS

TUNNELS

In conformity with FFF (French Football Federation) regulation.
Aluminium frame. Movement of opening and closing by means of aluminum scissors mounted on nylon wheels.
Delivered with 4 connecting points for tension of the tunnel from the support.
Effective dimensions (inner dimensions).
Height in the centre 2m30.
3 possible width 1m50, 2m00 or 3m00.
Top cover made of M2 PVC,
11 different colours to be specified when placing the order:
White / Cream / Grey / Black / Dark blue / Light Blue / Dark Green / Light Green / Orange / Yellow/ Red.
The Unit.



	3m54	4m72	5m90	7m08	8m26	9m44	10m62
Width 1m50	F913B	F914B	F915B	F916B	F917B	F918B	F919B
Width 2m00	F923B	F924B	F925B	F926B	F927B	F928B	F929B
Width 3m00	F933B	F934B	F935B	F936B	F937B	F938B	F939B

TUNNEL

F940

Same manufacturing as standards tunnels but with different dimensions.
Precise length, width and height. Price on request.

13 COLORS RAL AVAILABLE :




TUNNEL RIGID TRUNDLE

F950

Conceived with the same aluminium profiles used for our new team shelters.
Rigid. Trundling folding, on wheels.
Filling in alveolar Polycarbonate 6mm, or aluminium sheet 2mm.
8 RAL possible.
On study.

8 couleurs au choix :



BALL STOP

FRAMES AND ACCESSORIES METALLIC POSTS

TO SEAL into concrete massifs. Height from 4m00 to 8m00 (others on request).
GALVANISED steel + Polyester powdered GREEN 6005,
WHITE 9010 or other specific RAL on request.

Posts without welds, according to post selected :
equipped with pulleys, struts, hooks for stiffeners,
cable guide, silent block ring.

Maximum spacing in between posts = 6m00,
from 7m00 size posts, maximum spacing in between posts = 5m00.
Spacing in between posts with straight panels = 5m00



HEAD POST

To be place on each extremity of the ball stop. Equipped with pulleys, struts, hooks for stiffeners, Tension of the net is done from these posts.

IMPORTANT : You should add 1 load strut corresponding to the height of the post.

HEAD POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1704D	D1704S	D1704R
5m. Diam 76mm	D1705D	D1705S	D1705R
6m. Diam 88,9mm	D1706D	D1706S	D1706R
7m. Diam 102mm	D1707D	D1707S	D1707R
8m. Diam 102mm	D1708D	D1708S	D1708R

INTERMEDIATE POST

To be fixed in between head posts and tension posts.
Equipped only with cable guide.

INTERMEDIATE POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1714D	D1714S	D1714R
5m. Diam 76mm	D1715D	D1715S	D1715R
6m. Diam 88,9mm	D1716D	D1716S	D1716R
7m. Diam 102mm	D1717D	D1717S	D1717R
8m. Diam 102mm	D1718D	D1718S	D1718R

TENSION POST

In case length of the Ball Stop is longer than 70m00.

To place in the middle to assure a correct tension of the cables supporting the net. As for the head post, it is equipped with pulleys, load struts, hooks for stiffeners because it is advised to place on nets with an equal distance head post / tension post.

IMPORTANT : You should add 2 load struts corresponding to the height of the post.

TENSION POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1724D	D1724S	D1724R
5m. Diam 76mm	D1725D	D1725S	D1725R
6m. Diam 88,9mm	D1726D	D1726S	D1726R
7m. Diam 102mm	D1727D	D1727S	D1727R
8m. Diam 102mm	D1728D	D1728S	D1728R

RIGHT ANGLED POST

Almost similar to tension post, but to place when we want to form an right-angled post between 2 length of ball stop.

Also equipped with pulleys, load struts, hooks for stiffener because it is advised to place on nets with an equal distance head post / angle post.

IMPORTANT : You should add 2 load struts corresponding to the height of the post.

RIGHT ANGLED POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1744D	D1744S	D1744R
5m. Diam 76mm	D1745D	D1745S	D1745R
6m. Diam 88,9mm	D1746D	D1746S	D1746R
7m. Diam 102mm	D1747D	D1747S	D1747R
8m. Diam 102mm	D1748D	D1748S	D1748R

LOAD STRUTS

In order to strengthen head posts, tension posts and angle posts.

1 for head post and 2 for tension and angle posts.

Metallic galvanized Polyester Powdering WHITE 9010 or GREEN 6005

D1774 For post 4m00 diameter 60mm.

D1775 For post 5m00 diameter 76mm.

D1776 For post 6m00 diameter 76mm.

D1777 For post 7m00 diameter 88,9mm length 7m00
+ 1 spacing bar length 6m00 diameter 60mm.

D1778 For post 8m00 diameter 88,9mm length 7m00
+ 1 spacing bar length 6m00 diameter 60mm.

SUPPLE GRID POSTS

D1735

To be sealed every 2m50 (possible till 3m00) alternating with ball stop to fix on flexible wire fence.
Galvanised steel + Polyester powder painting GREEN 6005 or WHITE 9010.
Height 2m00 over the ground. Ø60mm or Ø50mm.
Delivered with 5 cable guides. 5 intermediates for tension thread.
The unit.

SUPPLE GRID FILLING

Height 2m00. Mesh 50mm Simple twist heavy. Galvanized and laminated wire diameter 3,8mm.
The roller of 25m00.

D1762B WHITE 9010.

D1762V GREEN 6005.



SHEATED STEEL CABLE

Diameter 5mm.
Plan 3 rows on the height of the handrail.
The ml.

D1750B WHITE.

D1750 GREEN.

D1750N BLACK.



TENSION THREAD

Galvanized and laminated wire for tension of the grid on the posts.
Plan 5 rows for a height of 2m00. The roller of 100m.

D1751B WHITE.

D1751 GREEN.

STAPLES PLIERS

D1757

To fix the staples D1756.
The unit.

RIGID GRID POSTS

D1736

To be sealed every 2m50 alternating with ball stop to fix on flexible wire fence.
Galvanised steel + Polyester powder painting GREEN 6005 or WHITE 9010.
Height 2m00 over the ground Ø60mm.
Delivered with 4 silent block rings.
The unit.

RIGID GRID FILLING

Metallic grid double horizontal wire Ø 8mm and simple vertical wire 6mm.
Mesh 200 x 50mm. Height 2m03.
Length 2m50.
Galvanized polyester powdered.

D1957B WHITE 9010. The unit.

D1957V GREEN 6005. The unit.



STIFFENER TENSOR

For tension of the grid's handrails cables.
PLAN 2 tensor per uninterrupted cable.
To be fixed directly on posts with any cable fastener. N°4.

D1753B WHITE.

D1753 GREEN.

SPLIT RINGS

PVC. To fasten nets on tension cables.
Plan 3 rings by linear meter of cable.

D1754B WHITE. The unit.

D1754 GREEN. The unit.

D1754N BLACK. The unit.

STAPLES

D1756

To hang the grid on the tension wire. Fixes itself thanks to a plier D1757. Galvanized Laminated GREEN
The box of 1000.

RIGID GRID FILLING

For filling of the lower part of the handrails.
Metallic grid with double horizontal wire diameter 8mm and simple wire diameter 6mm vertical. Mesh 200 x 50mm.
Galvanized powdered. Polyester Height 0m83.
Length 2m50.
The unit.

SUPPLE GRID FILLING

Simple twist supple resistant.
Mesh 50mm. Wire diameter 3,8mm.
Galvanized laminated steel. Height 1m00.
The roller of 25m00.

HANDRAIL

Galvanised steel frame polyester powdered WHITE 9010 or GREEN 6005.
Precise when order
Posts are Ø60mm. Size 1m10 out of the ground.
Spacing between posts 2m510. TO BE SEALED.
Accessories for assembling are made of aluminium polyester powdered. With or without infill;
Manufacturing on request according to your sketching.

- 4 models of connections in powdered aluminium :
- T for intermediate posts.
- Bend to finish a straight line.
- Fixed angle for right angled-corner.
- Variable for rounded and angle not right.



**ON
STUDY**

ABRISTADE

ABRISTADE is a new model of shelter for small stands on outdoor installations. Adapted when the space is limited. The ABRISTADE has been conceived to be easily mounted and presents all the guarantee in term of security.

Delivered with a standard module of 8m00, it is expandable by sections of 4m00.

- DIMENSIONS :

- Standard module : 8m00 x 2m70 x 2m64.
- Module extension : 4m00 x 2m70 x 2m64.

- TECHNICAL FEATURES :

- Galvanized metallic frame.
- PVC roof (Ondex).
- Fixation on concrete slab (not include).
- Possibility to put advertising on a banner placed at the top of the shelter on all the length.
- Stand possible on 3 rows. On study.

- ADVANTAGE :

- Not needs to have a building permit.
- Expandable.
- Easy assembly.
- Affordable price.
- Security.
- Accommodation comfort.



ACCESSORIES

MICRO FOLDABLE GOAL

F8121

Metallic WHITE powdered 1m00 x 0m80.
Dismountable in 2 parts for storage.
Delivered with net.
The unit.



BLOCKS SET

F8355

Conical blocks height 5cm
Diameter 20cm. 4 Colors.
With place to support crossbars
(F8354 not delivered with this set)
The set of 20.



SPEED LADDER

PP170

8 flat ladders of 0m40 linked
to 2 nylon stripes.
The unit.



DUMMIES

Very flexible material.
Almost unbreakable
Can be fixed individually
into the ground to make
slaloms and adapts itself
to the trolley ref F8261.
Height 1m80. Transparent.



F8260B BLUE. The unit.

F8260R RED. The unit.

FREE-KICK DUMMY WALL

F8261

For dummies F8260.
Metallic trolley 3m00 length
4 points to the ground:
2 feet / 2 wheels of
250mm diameter.
Capacity of 5 dummies.
Delivered without the
dummies.
The unit.



INITIATION RINGS

Round PVC tube. Different colors.
The dozen.

PP129 Ø 500mm.

PP130 Ø 650mm.

PP132 Ø 750mm.

PP131 Ø 850mm.



NET HOOKS

F8104

MARTY Sports EXCLUSIVE MODEL.
SPECIFIC net hooks screwed in the
rear groove.
The set of 100.



NET HOOK

F8109

Double inverted PVC hook with central
and unique fixation.
Model for metallic goals of our range.
Perfect model to put your existing
equipment up to standards.
The set of 100



SLALOM STANDS

F8275

PVC pole diameter 25mm length 1m60
With metallic picket to plant in the ground.
The set of 5.

PLOTS PVC

Square base. STACKABLE.
5 reds and 5 yellows (the set of 10).

PP149 Height 20cm. The set of 10.

PP151 Height 30cm. The set of 10.



RUBBER CONES

PP144

Flexible model. 5 reds and 5 yellows.
Height 15cm.
The set of 10.



BLOCKS SET CROSSBAR

F8354


PVC diameter 25mm.
Length 1m20
The set of 10.



TACTIC BOARD

F3601

Wall fastening. Dimensions 0m90 x
0m60.
With pins, erasable pen and eraser.
NEW MODEL inscription on the
two sides.
1 side FOOTBALL / 1 side RUGBY
The unit.



SUPPORT FOR TACTIC BOARD

F8350

For tactical board of 90mm x 60mm.
Possibility to place it horizontally or
vertically.
Metallic construction on heavy base and
transport wheels.
Delivered without the board.
The unit.



SHOE CLEANER**F8175**

Brush on a galvanised steel support
The unit.

**REFEREE FLAG****F8210**

PVC stick with foam grip.
1 orange and 1 yellow.
The pair.

**PLAYER MANUAL CHANGING BLOC****F8216**

For players substitution.
Manual changing of the numbers.
1 side yellow and one side orange
The unit.

**ELECTRONIC SUBSTITUTE INDICATOR BOARD****F8217**

Affichage :
• Height of the digits : 23,5 cm.
• Readability: 100mm.
• Dimensions : 58,2 x 38,2 x 2,7 cm.

**CORNER POST****F8161**

In conformity with FIFA.
WHITE PVC TUBE Ø40mm
very resistant jointed with
spring coated with zinc.
45cm x 45cm orange/yellow flag.
With ground socket.
The set of 4.

**ELECTRIC PUMP****F8250**

220V electric compressor adapted to all kind of soccer ball.
With gauge, handle, flexible and pump accessories.
The unit.

**TRACING****LINE MARKER****F8241**

For tracing by plaster. Tracing width 5 to 12cm.
Big tank of 35 litres. 3 Wheels.
The unit.

**LINE MARKER****F8240**


To make marking by spraying.
Manual pumping.
Width of marking from 5 to 12cm.
Rubber wheels Ø26cm.
The Unit.

**PLIFIX**

To locate departures lines. Makes line marking easier.
Set of 25.

F8360 WHITE.**F8360R** RED.**F8360J** YELLOW.**F8360B** BLUE.**F83600** ORANGE.**LINE MARKER SPARE BRUSH****F8242**

For plaster's line markers F8241.
The unit.

**PAINT****F8249**


White paint for liquid line marker.
4 to 6 volumes of water for
1 volume of paint.
15kg tin.



LOCKER ROOMS BENCHES

VERY ROBUST manufacturing

- Metallic supports with fixation in the ground or to the wall.
WHITE polyester powdered.
- Polyurethane varnished Fir wood or Exotic wood.
- Delivered with screws but without plugs and bolts for fixation.
- Dimensions : Seat height 40cm.
- Total height when bench is complete : 1m78.



IMPORTANT :
Benches are sold by linear meter.
Minimum 1m00, and then by multiples
of 10cms. Maximum length 4m00.

WOOD SECTION	VARNISHED FIR WOOD	VARNISHED EXOTIC WOOD
SEAT	2 lathes 130 x 28mm	2 lathes 130 x 28mm
BACK	1 lathe 90 x 32mm	1 lathe 90 x 28mm
BAGS LATHES	2 lathes 90 x 32mm	2 lathes 90 x 28mm
PEGS LATHES	1 lathe 90 x 32mm	1 lathe 90 x 28mm

WALL BENCHES WITHOUT PEGS

Quality wood, fir or exotic.

SUPPORTS					
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
SINGLE BENCH. Seat only. 1 wall fixation + 1 ground fixation.					
FIR	S1055	S1055S	S1055G	S1055GB	S1055GS
EXOTIC	S1050	S1050S	S1050G	S1050GB	S1050GS
STRENGTHENED BENCH. Seat Only. 2 ground fixations.					
FIR	S1065	S1065S	S1065G	S1065GB	S1065GS
EXOTIC	S1060	S1060S	S1060G	S1060GB	S1060GS
WALL BENCH. Seat only. 1 wall fixation + 1 fixation very close to the wall.					
FIR	S1069	S1069S	S1069G	S1069GB	S1069GS
EXOTIC	S1068	S1068S	S1068G	S1068GB	S1068GS
WALL BENCH. Seat + back 1 ground fixation + 1 wall fixation.					
FIR	S1075	S1075S	S1075G	S1075GB	S1075GS
EXOTIC	S1070	S1070S	S1070G	S1070GB	S1070GS



WALL BENCHES WITH PEGS

Quality wood, fir or exotic.
2 wall fixations + 1 ground fixation.

SUPPORTS					
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
WALL BENCH. Seat + peg lathes.					
FIR	S1095	S1095S	S1095G	S1095GB	S1095GS
EXOTIC	S1090	S1090S	S1090G	S1090GB	S1090GS
WALL BENCH. Seat + peg lathes + backs.					
FIR	S1135	S1135S	S1135G	S1135GB	S1135GS
EXOTIC	S1130	S1130S	S1130G	S1130GB	S1130GS
WALL BENCH. Seat + peg lathes + bag lathes.					
FIR	S1115	S1115S	S1115G	S1115GB	S1115GS
EXOTIC	S1110	S1110S	S1110G	S1110GB	S1110GS
COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.					
FIR	S1155	S1155S	S1155G	S1155GB	S1155GS
EXOTIC	S1150	S1150S	S1150G	S1150GB	S1150GS



FLOOR BENCHES WITH PEGS

Quality wood, fir or exotic.
2 ground fixations.

SUPPORTS					
	WHITE	RAL SPEC.	GALVA	GALVA WHITE	GALVA RAL SPEC.
WALL BENCH. Seat + peg lathes.					
FIR	S1096	S1096S	S1096G	S1096GB	S1096GS
EXOTIC	S1091	S1091S	S1091G	S1091GB	S1091GS
WALL BENCH. Seat + peg lathes + backs.					
FIR	S1131	S1131S	S1131G	S1131GB	S1131GS
EXOTIC	S1136	S1136S	S1136G	S1136GB	S1136GS
WALL BENCH. Seat + peg lathes + bag lathes.					
FIR	S1111	S1111S	S1111G	S1111GB	S1111GS
EXOTIC	S1116	S1116S	S1116G	S1116GB	S1116GS
COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.					
FIR	S1151	S1151S	S1151G	S1151GB	S1151GS
EXOTIC	S1156	S1156S	S1156G	S1156GB	S1156GS



CENTRAL BENCH

		SUPPORTS			
		WHITE	SPEC RAL	GALVA	GALVA WHITE GALVA SPEC RAL
SIMPLE BENCH. Seat only + 1 wall fixation + 1 ground fixation.					
FIR	S1085	S1085S	S1085G	S1085GB	S1085GS
EXOTIC	S1080	S1080S	S1080G	S1080GB	S1080GS
STRENGTHENED BENCH. Seat only + 2 ground fixations.					
FIR	S1105	S1105S	S1105G	S1105GB	S1105GS
EXOTIC	S1100	S1100S	S1100G	S1100GB	S1100GS
WALL BENCH. Seat only + 1 wall fixation + 1 ground fixation very close to the wall.					
FIR	S1145	S1145S	S1145G	S1145GB	S1145GS
EXOTIC	S1140	S1140S	S1140G	S1140GB	S1140GS
WALL BENCH. Seat + back 1 ground fixation + wall fixation.					
FIR	S1125	S1125S	S1125G	S1125GB	S1125GS
EXOTIC	S1120	S1120S	S1120G	S1120GB	S1120GS
COMPLETE CENTRAL BENCH. Seat + back + bag lathes + peg lathes.					
FIR	S1165	S1165S	S1165G	S1165GB	S1165GS
EXOTIC	S1160	S1160S	S1160G	S1160GB	S1160GS



PORTE PAQUETS

		SUPPORTS			
		WHITE	SPEC RAL	GALVA	GALVA WHITE GALVA SPEC RAL
BAG LATHES.					
FIR	S1175	S1175S	S1175G	S1175GB	S1175GS
EXOTIC	S1170	S1170S	S1170G	S1170GB	S1170GS
COMPLETE BAG LATHES. Wall metallic support + 2 lathes for bag lathes + 1 bag lathes rail.					
FIR	S1195	S1195S	S1195G	S1195GB	S1195GS
EXOTIC	S1190	S1190S	S1190G	S1190GB	S1190GS



RAIL METALLIC PEG LATHES

S1180

Metallic rail 40 x 27 mm. WHITE powdered. With welded pegs S1185.
The linear meter.

RAIL FIR PEG LATHES

S1181

Polyurethane varnished fir rail. 40mm thickness.
With pegs S1185.
The linear meter.

RAIL EXOTIC PEG LATHES

S1182

Rail in Polyurethane varnished exotic wood. 30mm thickness.
With pegs S1185.
The linear meter.

METALLIC PEGS

S1185

Steel bi-pegs VERY ROBUST equipping all our benches.
Gold bi chromate finished. 2 fixations. With finishing tips.
The unit.



INFIRMARY

EXAMINATION COUCH

S1620

Steel base.
Adjustable head.
Foam saddlery 5cm thickness covered with black leatherette.
Dimensions: 1m88 x 0m56.
Height 52 cm.
Delivered dismantled.
The unit.



EXAMINATION STOOL

S1625

PVC frame.
Adjustable in height.
Seat is made of foam covered with leatherette.
The unit.



PHARMACY CABINET

S1630

Metallic, with a safety lock.
2 shelves.
Delivered EMPTY
The unit.



STRETCHER CUPBOARD

S1610

Complete made of metal sheets, lacquered, 2m30 x 0m20 x 0m10 depth. Complete with: 1 stretcher alu foldable in 2 on the length, 2 blankets, 1 safety box + 3 straps.
The unit.

STRETCHER

S1600

Aluminium foldable in 2 on the length.
Very strong plastic coated canvas hygienic.
1m85 x 0m55 x 8cm thickness. Weight 8kg.
The unit.




METALLIC LOCKERS



- Phosphate steel sheet, 6/10th and 8/10th thickness for the frame and 6/10th for doors.
- High and low ventilation.
- Equipped with a fixed shelf.
- Handle for coat hanger.
- Every compartment is equipped with a small mirror and with a coat hook.
- 1 room for labeling on each door.
- Powder painting dried at 180°C.

Choice of 16 COLORS:

- The outside frames and the doors can be of a different color.
- The doors of a locker must be of the same color.



1 BOX PER COLUMN

	Nb of boxes	Locking	Ref.
1 column	1	Key	S1500
		Padlock*	S1501
		Coins	S1502
2 columns	2	Key	S1510
		Padlock*	S1511
		Coins	S1512
3 columns	3	Key	S1530
		Padlock*	S1531
		Coins	S1532
4 columns	4	Key	S1550
		Padlock*	S1551
		Coins	S1552

Total DIMENSIONS :
Height 1m80 without feet.
Depth 50cm.

Width :

- 1 Box 0m30
- 2 Boxes 0m60
- 3 Boxes 0m90
- 4 Boxes 1m20

3 CLOSING:

- By padlock (not provided).
- By key lock.
- By coins.

**padlock not included

2 CASES PAR COLONNE

	Nb of boxes	Locking	Ref.
1 column	1	Key	S1520
		Padlock*	S1521
		Coins	S1522
2 columns	2	Key	S1540
		Padlock*	S1541
		Coins	S1542
3 columns	3	Key	S1560
		Padlock*	S1561
		Coins	S1562
4 columns	4	Key	S1580
		Padlock*	S1581
		Coins	S1582

GENERAL CONDITIONS OF SALES

1. OBJECT AND SCOPE OF APPLICATION.

These general terms and conditions of sale apply to all sales of sporting goods and equipment (excluding France) (hereinafter «the Equipment»), concluded between the company MARTY SPORTS, a public limited company with a board of directors and supervisory board with capital of 408,000 euros, whose registered office is Route de la Meignanne, 49370 Saint Clément de la Place registered with the Registry of Commerce and Companies of Angers under number B 317.121.747 (hereinafter «MARTY SPORTS» and professional purchasers (hereinafter «Buyer).

Any order of Materials implies the acceptance without reserve by the Purchaser of the present general conditions of sale which prevail over any other documents of the Purchaser, and in particular on all general conditions of purchase and this in accordance with article L 441-6 of the commercial register. Any waiver of these general conditions of sale shall be agreed upon in writing between the parties. The special conditions indicated on the quotations and/or the order confirmations addressed by MARTY SPORTS prevail over the present general conditions of sale. Any other document than these general conditions of sale, and in particular the catalogs, pictures, prospectuses, advertisements, notices, have only an informative, indicative and non-contractual value. The material sold may be modified in relation to the texts, descriptions or engravings and prints of the MARTY SPORTS catalogs, without warning in order to take account of the evolutions of the applicable professional and public regulations and this without the Purchaser may consider that the amendments constitute a change of the contract of sale.

2. ORDERS.

The sales are perfect only after the express and written acceptance of the order of the Buyer which will be materialized by an order confirmation issued by MARTY SPORTS. Orders issued by the Buyer are firm and not cancellable unless exceptional and written agreement of MARTY SPORTS. MARTY SPORTS reserves the right to refuse any order issued by a Buyer who has not made the agreed payment and/or with which MARTY SPORTS would have had a dispute of payment in the context of an order and/or any order mentioning a price of equipment not corresponding to the tariff in force on the date of issue of the order and/or any order which would indicate an abnormally long delivery time or a duration of more than 3 months.

3. DELIVERY AND MATERIALS RECEPTION.

3.1 Delivery time and delivery conditions.

MARTY SPORTS will make its best efforts to execute the orders and respect the delivery times it indicates when it accepts the order except in case of force majeure within the meaning of article 1148 of the Civil Code or events such as strikes, lock-out, epidemics, war, requisitioning of fire, flood, interruption or delay in transport or any other cause causing total or partial unemployment of MARTY SPORTS. The delivery times indicated in the quotation and/or acceptance of the order do not constitute a delay of rigor. Accordingly, unless otherwise agreed in writing between MARTY SPORTS and the Purchaser, any delays of delivery shall not give rise to any penalty or indemnity, nor to justify the cancellation or termination of the order. If partial deliveries are requested by the Purchaser, these will be made subject to the prior agreement of the latter concerning the payment of additional transport costs. In case of non-payment of an invoice that has expired, MARTY SPORTS reserves the right to suspend any delivery in progress and/or to come.

3.2 Materials reception.

The Materials delivered comply with the applicable regulation and with the technical standards expressly stated in the quotation. The Buyer shall have five (5) working days from the delivery of the Materials to proceed with the receipt of the Materials and issue, if necessary, by registered letter with acknowledgment of receipt, any reserves to MARTY SPORTS. It shall be the responsibility of the Purchaser to provide all justifications as to the actual defects or deficiencies found. No claim can be accepted in case of non-compliance by the Buyer of these formalities. By explicit agreement, any installation of the Material by the Purchaser shall be without reserve receipt of the Materials. No returns of Materials will be made by the Buyer without the prior express written consent of MARTY SPORTS, obtained in particular by fax or e-mail. The Materials will have to be returned over in the state With their original packaging and have not been used. The costs of return will be borne by MARTY SPORTS by MARTY SPORTS in the case that an apparent defect, or missing, has actually been ascertained by the latter or by its agent. MARTY SPORTS will replace or repair, at its option, within a reasonable time and at its own expense, the non-conforming materials without the Buyer being entitled to any compensation, penalties, damages, or resolution of the order. The claim made by the Buyer under the terms and conditions described in this article shall not suspend payment by the Purchaser of the Materials concerned.

4. TRANSFER OF OWNERSHIP AND RISKS.

In the case of non-payment by the Buyer of all or part of the price of the order, MARTY SPORTS reserves, until the completer payment of the price, in principal and accessories, a right of ownership on the Materials in accordance with article L 624-16 of the French Commercial Code. On the other hand, the transfer of the risk of loss and deterioration of MARTY SPORTS Materials will be realized as soon as the Materials are delivered to the Buyer according to the conditions indicated in article 3.1 hereof. It is the responsibility of the Purchaser to subscribe for the necessary insurance.

5. TARIFF - PRICE.

The MARTY SPORTS tariff applies to all Buyers on the same date and for the duration indicated in the latter. This can be reviewed during the year. Any tariff changes shall be the subject of an information to customers and will be applicable for any order issued as of the date shown of the new tariff. Unless otherwise specified in the quotation, prices are quoted INCOTERMS EXWORKS, excluding tax and customs duties, including packing.

6. PAYMENT CONDITIONS.

Payment terms are:

- For all new Buyers, the payment of the price must be made in totality when placing the order of the Materials.
 - For registered customers, unless written agreement between the parties, the payment of the price must be made in totality when placing the order of the Materials.
- However, if a delay in payment had been previously noted, the payment of the orders should take place in totality when the order is placed.

Payment methods:

- For all Buyers the payment will be made by bank transfer.

Advance payments are made without any discount.

Any delay in payment at maturity will result in penalties equal to 5 times the legal interest rate in effect in France on the due date. These penalties will automatically be paid to MARTY SPORTS without prior formal notice and without prejudice to any other action which MARTY SPORTS may be entitled to institute against the Buyer in this respect. In case of non-compliance with the payment terms set out above, MARTY SPORTS also reserves the right to suspend or cancel the delivery of outstanding orders, to suspend performance of its obligations. Moreover, in case of intervention by our litigation company, the Buyer will also be liable for an indemnity equal to 15% of the unpaid amount of the order, and without prejudice to any other action that MARTY SPORTS shall be entitled to sue the Buyer as such.

7. COMMERCIAL GUARANTEE.

In addition to the legal warranty of latent defects, the Materials delivered by MARTY SPORTS benefit from a warranty of twelve (12) months under normal conditions of use, from delivery as defined in Article 3.1 of these General Sales Conditions against any manufacturing defects rendering them unfit for the purpose of the activity for which they are intended. In order to assert its rights, the Buyer shall, on pain of forfeiture of his rights under this warranty, inform MARTY SPORTS, in writing within the twelve-month period specified above, of the existence of the defect. Under this warranty, MARTY SPORTS undertakes to repair or replace within a reasonable period of time the Equipment which for the defects will satisfy the conditions under which it will benefit from this commercial guarantee, excluding of any other costs, damages and interest and/or indemnities of any kind whatsoever such as, without limitation, penalties, traveling and/or subsistence expenses and/or cost of assembly or disassembly of the Materials. Implementation of the warranty will not extend the warranty period for the replaced or repaired equipment. Any warranty is excluded in the case of misuse or use of the equipment contrary to the instructions for use and/or for the use for which the equipment is intended, negligence or lack of maintenance, lack of surveillance from the Buyer of third party, normal use of the Material or force majeure, of repair and/or modification by the purchaser or a third party, improper installation, false maneuver, deterioration, sabotage, from any accident or damage likely to damage the equipment, such as but not limited to damages caused by weather, water, equipment or devices not supplied by MARTY SPORTS.

8. LIABILITY.

MARTY SPORTS liability for all causes, with the exception of personal injury and gross negligence, shall not exceed the duty-free price of the material and only covers direct material damage caused to the Buyer, who remains alone responsible for any damage caused to third parties, which would result from fault exclusively attributable to MARTY SPORTS in the execution of the order. Under no circumstances will MARTY SPORTS be liable to compensate for any intangible and/or indirect damages such as operating losses, profit, luck, commercial loss or loss of profit. The purchaser warrants the waiver of recourse by its insurers against MARTY SPORTS beyond the limits and exclusions set out above.

9. INTELLECTUAL PROPERTY.

The drawings and pictures, sketches and designs of the catalog as well as the technical documents given to the buyers are the exclusive property of MARTY SPORTS and can not be reproduced, disseminated or used in any way without its express, written and prior authorization.

10. PARTIAL INVALIDITY.

In the case that one of the provisions of these general terms and conditions is held to be invalid or contrary to a provision of public order by a competent court, these general conditions will continue to effects for all other provisions provided that the nullity pronounced does not affect all the contractual stipulations.

11. NON-WAIVER.

Any failure or renunciation by MARTY SPORTS to avail itself of the performance of one of the obligations can not be interpreted as the will of MARTY SPORTS to renounce subsequently the execution of the said obligations.

12. DISPUTE – ATTRIBUTION OF JURISDICTION.

IN THE ABSENCE OF AGREEMENT, ANY DISPUTE RELATING TO THE CONCLUSION, INTERPRETATION, PERFORMANCE OF THE PRESENT GENERAL CONDITIONS AND ORDERS WILL BE SUBMITTED TO THE COMMERCIAL OF ANGERS EXCLUSIVELY COMPETENT, INCLUDING REFERRED, NOTWITHSTANDING THE GUARANTEE CALL OR THE PLURALITY OF DEFENDERS.

13. APPLICABLE LAW.

By express agreement between the parties, this contract is governed and subject to French law. The application of the Vienna Convention of 11 April 1980 is excluded. For convenience, an English translation has been established. However, in case of dispute, only the French text shall prevail.

FOR THE SALES WITH INSTALLATION OF THE MATERIALS BY MARTY SPORTS

14. The installation of material by Marty Sports must be considered as a complementary service to the sale and consequently can not have the effect of modifying the legal nature of the contractual relationship, the order remaining governed by the law applicable to the sale and by the present general conditions of sale. This qualification will be imposed to the judges in case of dispute over the present general conditions of sale.

15. In addition, MARTY SPORTS is not subject to the obligation to join a bad weather of paid vacation fund, to provide individual basic insurance and/or participate in the pro-rata account, the latter being obligations specific to the activity Building not belonging to MARTY SPORTS.

16. Limits of the work of the batch SPORTS EQUIPMENT.

These benefit limits are specified and are those specified in the AFNOR 52-400 standard.

