



EQUIPEMENTS * INDOOR/OUTDOOR

MARTY *S* PORTS

L'INNOVATION PASSE PAR LA CONCEPTION ET LA FABRICATION
INNOVATION REQUIRES THE DESIGN AND MANUFACTURING

Since 1979



EQUIPEMENTS

ABRIS DE TOUCHE

A l'occasion de l'Euro joué en France, nous avons développé spécialement pour cette compétition un modèle d'abri de touche entièrement nouveau de nos formes mais surtout de sa fabrication. Nous avons développé deux nouveaux profils en aluminium SPECIFIQUES, EXCLUSIFS et proposés de MARTY Sports.

Plus de 10m de VLS auto-formes, les places de remplacement sont habillées dans des habillages adhésives dans leur partie SPECIFIQUE de 2000mm.

• L'ensemble est « JUVÉ » sur des supports en acier SPECIFIQUES en fonction de l'équipement sur les 2000 et cette structure est faite de tubes de force.

• Habitat en PVC avec accessoires, il COLLENT au CHAMP.

Distinction absolue :

- Aluminium anodé et inoxydable. Possible sur PVC au choix.
- PVC, épaisseur au choix.
- Cadre aluminium renforcé ALU au choix en OPTION.
- Créer des porte-séjour en aluminium renforcé.

FINITIONS :

- 3 remplissage possible :
- Polypropylène déclinable double parois de 10mm (30 adhésif).
- 700 adhésif en épaisseur 20mm ALU au choix.
- PVC 10mm transparent.

COULEURS DES VLS :

• 20 couleurs au choix

COULEURS DES HABILLAGES :

• 20 couleurs au choix

COULEURS DES HABILLAGES :

• 20 couleurs au choix

2000 2015 2020 2025 2030 2035 2040 2045 2050 2055 2060

04 MARTY SPORTS

EN HAUTEUR PAR ENROULEMENT. Manœuvre Électrique.

Manœuvre en hauteur par enroulement sur 7 mètres de hauteur. Permet de monter en hauteur les équipements sur 7 mètres de hauteur et de les faire descendre en douceur et sans choc. Idéal pour les équipements de gymnastique, de basket-ball, de handball, de football, etc.

MANŒUVRE ÉLECTRIQUE :

- 7 mètres de hauteur possible.
- 1000kg max par équipement.
- 1000kg max par équipement.
- 1000kg max par équipement.

21470 21475 21480 21485

ETUDE GRATUITE SUR DEMANDE JOINDEZ LES PLANS CLIMATIQUES

SEPARATIONS

VESTIAIRES + LOCKER ROOMS

BANCS VESTIAIRES

BANCS MANUELS SANS PATENTE

Supports

	BLANC	ALU	GRIS	GRIS ALU	GRIS ALU OPTIC
BANC ENFILÉ	21000	21000	21000	21000	21000
SAPIN	21000	21000	21000	21000	21000
EXOTIQUE	21000	21000	21000	21000	21000
BANC ENFORCÉ	21000	21000	21000	21000	21000
SAPIN	21000	21000	21000	21000	21000
EXOTIQUE	21000	21000	21000	21000	21000
BANC MANUEL	21000	21000	21000	21000	21000
SAPIN	21000	21000	21000	21000	21000
EXOTIQUE	21000	21000	21000	21000	21000
BANQUETTE MANUELLE	21000	21000	21000	21000	21000
SAPIN	21000	21000	21000	21000	21000
EXOTIQUE	21000	21000	21000	21000	21000

04 MARTY SPORTS

Sommaire Contents

FIELDS EQUIPMENTS

TEAM SHELTERSP.64
TUNNELSP.68
ACCESSORIES.....P.69

SEPARATIONS

OUTSIDE SEPARATIONSP.70
INDOOR SEPARATIONSP.73

HALLS EQUIPEMENTS

DANCEP.77
WALL BARS & BENCHESP.79
STORAGEP.80

STANDS

MOBILE STANDSP.82
PVC SEATSP.84
STADIUM SHELTERSP.87

LOCKER ROOMS

BENCHESP.88
LOCKERS + INFIRMARYP.91

SCOREBOARDS

INDOOR SCOREBOARDSP.92
OUTDOOR SCOREBOARDSP.95

MARTIAL ARTS

TATAMISP.96
WALL PROTECTIONSP.97

GYMNASTICS

GYM APPARATUS.....P.98
MATS.....P.99

CLIMBING MATS

CLIMBING MATSP.100

GENERAL CONDITIONS OF SALEP.101



martysports.com



EQUIPEMENTS INDOOR / OUTDOOR



EQUIPMENTS

TEAM SHELTERS

- No more rivets neither self-tapping screws, the filling plates are inserted into rabbets adapted in EXCLUSIVE profiles of 60x60mm.
- The whole is "carried" by very resistant aluminium posts allowing their spacing each 3m00 and without congestion because there is no load strut.
- PVC seat with backrest. Choice of 8 colors.

Aluminium frames :

- Sides and intermediate uprights powdered with the color of your choice. Specific color on study.
- Natural aluminium frames. Color of your choice in OPTION.
- Bases for seats, in natural aluminium.

FINITIONS :

3 possible fillings :

- Polycarbonate alveolar double wall of 6mm.
- Aluminium sheet thickness 2mm. Color of your choice.
- PET 5mm transparent.



Standard seat (Seat 4)

On the occasion of EURO played in France, we especially developed for this competition a team shelter model entirely new from its design to its production.

We developed two new aluminium profiles SPECIFIC, EXCLUSIVE and property of MARTY Sports.

NEW



COLORS OF THE SEATS
Choice of 8 colors:



COLORS OF THE UPRIGHTS
Choice of 8 colors:



9005 5015 3020 2004 6005 9010 9006 1018

NEW

SHELTERS HEIGHT 1m63				SHELTERS HEIGHT 2m00		
Width	Places	Ref		Width	Places	Ref
1m20	2	F7101		1m20	2	F7201
2m20	4	F7102		2m20	4	F7202
3m20	6	F7103		3m20	6	F7203
4m45	8	F7104		4m45	8	F7204
5m45	10	F7105		5m45	10	F7205
6m45	12	F7106		6m45	12	F7206
8m70	16	F7107		8m70	16	F7207
12m90	24	F7109	12m90	24	F7209	

SPECIFIC SHELTERS ON STUDY

FOAM PROTECTIONS

NEW

Set of protection fixed on the upper part of the shelter by adhesive bands.

- F7481** For a shelter of 1m20 in 1 part.
- F7482** For a shelter of 2m20 in 1 part.
- F7483** For a shelter of 3m20 in 1 part.
- F7484** For a shelter of 4m45 in 2 parts.
- F7485** For a shelter of 5m45 in 2 parts.
- F7486** For a shelter of 6m45 in 2 parts.
- F7487** For a shelter of 8m70 in 3 parts.
- F7489** For a shelter of 12m90 in 4 parts.



CANVAS PROTECTIONS

NEW

Canvas in PVC 650g/m2. With eyelets for fixation to the shelter.

Length	Shelter height	
	1m63	2m00
1m20	F7511	F7521
2m20	F7512	F7522
3m20	F7513	F7523
4m45	F7514	F7524
5m45	F7515	F7525
6m45	F7516	F7526
8m70	F7517	F7527
12m90	F7519	F7529



TEAM SHELTERS - OPTIONS

- Replacement of the 2 alveolar polycarbonate sides by plates :
 - In Aluminium sheet 2mm. Powdered RAL choice of 8 colors.
 - In Aluminium sheet 2mm. Powdered SPECIFIC RAL to specify.
 - In PET 5mm. Transparent.
- Replacement of the alveolar polycarbonate fillings 6mm by plates :
 - In Aluminium sheet 2mm. Powdered RAL choice of 8 colors.
 - In Aluminium sheet 2mm. Powdered SPECIFIC RAL to specify.
 - In PET 5mm. Transparent.
- Painting by powdering of the sides frames, rears and roofs :
 - RAL choice of 8 standard colors.
 - SPECIFIC RAL to specify.

TEAM SHELTER HEIGHT : 1m63

Width	2 sides SHEET			Painting alu frames		Rear and roof		
	Sides PET 5	Ral 7 choice	Spec Ral	Ral 7 choice	Spec Ral	Sheet Ral 7	Sheet spec ral	PET 5mm
1m20	F7390	F7391	F7392	F7311	F7321	F7331	F7341	F7351
2m20	F7390	F7391	F7392	F7312	F7322	F7332	F7342	F7352
3m20	F7390	F7391	F7392	F7313	F7323	F7333	F7343	F7353
4m45	F7390	F7391	F7392	F7314	F7324	F7334	F7344	F7354
5m45	F7390	F7391	F7392	F7315	F7325	F7335	F7345	F7355
6m45	F7390	F7391	F7392	F7316	F7326	F7336	F7346	F7356
8m70	F7390	F7391	F7392	F7317	F7327	F7337	F7347	F7357
12m90	F7390	F7391	F7392	F7319	F7329	F7339	F7349	F7359

TEAM SHELTERS HEIGHT : 2m00

Width	2 sides SHEET			Painting alu frames		Rear and roof		
	Sides PET 5	Ral 7 choice	Spec Ral	Ral 7 choice	Spec Ral	Sheet Ral 7	Sheet spec ral	PET 5mm
1m20	F7490	F7491	F7492	F7411	F7421	F7431	F7441	F7451
2m20	F7490	F7491	F7492	F7412	F7422	F7432	F7442	F7452
3m20	F7490	F7491	F7492	F7413	F7423	F7433	F7443	F7453
4m45	F7490	F7491	F7492	F7414	F7424	F7434	F7444	F7454
5m45	F7490	F7491	F7492	F7415	F7425	F7435	F7445	F7455
6m45	F7490	F7491	F7492	F7416	F7426	F7436	F7446	F7456
8m70	F7490	F7491	F7492	F7417	F7427	F7437	F7447	F7457
12m90	F7490	F7491	F7492	F7419	F7429	F7439	F7449	F7459

COLORS OF THE FRAMES
Choice of 8 colors :




NEW




Standard

NEW



Sheet

NEW



PET 5mm


WRITING SUPPORTS

NEW

To install in the shelters with 2 writing supports.
1 left / 1 right.
2 models:

F7496 To fix on the seat support in place of 2 seats. The unit.

F7497 Mobile on wheels. The unit.



SEATS BIG STADIUMS

NEW

Very nice model for an optimum comfort and an exceptional aestheticism. Bucket seat with possibility to associate 3 colors on a choice of 140 RAL. Possibility to put the logo of the club or a partner. 5 models, the unit.

IMPORTANT : For the heating and cooling seats, the shelters are equipped with transformers 12V.

- F9520** Imitation leather. M2.
- F9510** Leather STANDARD.
- F9510C** Leather with heated base.
- F9510CP** Leather with heated base and backrest.
- F9510R** Cooling.



SPECIFIC SHELTER ON STUDY.

TEAM SHELTERS

- In 2 heights 1m60 and 2m00.
- In 2 width 2m00 (4 places) and 5m00 (10 places).
- Galvanized metallic frame (without paint)
Round form. With base and backrest in exotic wood.
- 2 finishing :
 - STANDARD: Sides, rear and roof in alveolar Polycarbonate 6mm.
 - SHEETS: Sides and rear face in galvanized sheets powdered WHITE.

Width	Standard		Sheet	
	Ht:1m60	Ht:2m00	Ht:1m60	Ht:2m00
2m00 / 4 places	F9060	F9802	F9060T	F9802T
5m00 / 10 places	F9100	F9805	F9100T	F9805T



TUNNELS

TUNNELS

In conformity with FFF (French Football Federation) regulation.
 Aluminium frame. Movement of opening and closing by means of aluminum scissors mounted on nylon wheels.
 Delivered with 4 connecting points for tension of the tunnel from the support.
 Effective dimensions (inner dimensions).
 Height in the centre 2m30.
 3 possible width 1m50, 2m00 or 3m00.
 Top cover made of M2 PVC,
 11 different colours to be specified when placing the order :
 White / Cream / Grey / Black / Dark blue / Light Blue /
 Dark Green / Light Green / Orange / Yellow/ Red.
 The Unit.

	3m54	4m72	5m90	7m08	8m26	9m44	10m62
Width 1m50	F913B	F914B	F915B	F916B	F917B	F918B	F919B
Width 2m00	F923B	F924B	F925B	F926B	F927B	F928B	F929B
Width 3m00	F933B	F934B	F935B	F936B	F937B	F938B	F939B




TUNNEL

F940

Same manufacturing as standards tunnels but with different dimensions.
 Precise length, width and height. Price on request.

13 COLORS RAL AVAILABLE :




TUNNEL RIGID TRUNDLE

NEW

F950

Conceived with the same aluminium profiles used for our new team shelters.
 Rigid. Trundling folding, on wheels.
 Filling in alveolar Polycarbonate 6mm, or aluminium sheet 2mm.
 8 RAL possible.
 On study.

CHOICE OF 8 COLORS :



ACCESSORIES

SHOE CLEANER

F8175

Brush on a galvanised steel support
The unit.



REFEREE FLAG

F8210

PVC stick with foam grip.
1 orange and 1 yellow.
The pair.



PLAYER MANUAL CHANGING BLOC

F8216

For players substitution.
Manual changing of the numbers.
1 side yellow and one side orange
The unit.



ELECTRONIC SUBSTITUTE INDICATOR BOARD

F8217

Affichage :

- Height of the digits : 23,5 cm.
- Readability: 100mm.
- Dimensions : 58.2 x 38,2 x 2,7 cm.



TRACING

LINE MARKER

F8241

For tracing by plaster. Tracing width 5 to 12cm.
Big tank of 35 litres. 3 Wheels.
The unit.



PLIFIX

To locate departures lines. Makes line marking easier.
Set of 25.

F8360 WHITE.

F8360R RED.

F8360J YELLOW.

F8360B BLUE.


F83600 ORANGE.



CORNER POST

F8161

In conformity with FIFA.
WHITE PVC TUBE Ø40mm
very resistant jointed with
spring coated with zinc.
45cm x 45cm orange/yellow flag.
With ground socket.
The set of 4.



ELECTRIC PUMP

F8250

220V electric compressor adapted to all kind of soccer ball.
With gauge, handle, flexible
and pump accessories.
The unit.



LINE MARKER

F8240

To make marking by spraying.
Manual pumping.
Width of marking from 5 to 12cm.
Rubber wheels Ø26cm.
The Unit



LINE MARKER SPARE BRUSH

F8242

For plaster's line markers F8241.
The unit.



PAINT

F8249

White paint for liquid line marker.
4 to 6 volumes of water for
1 volume of paint.
15kg tin.





SEPARATIONS * DIVIDING CURTAINS

HANDRAIL

Galvanised steel frame polyester powdered WHITE 9010 or GREEN 6005.
Precise when order

Posts are Ø60mm. Size 1m10 out of the ground.
Spacing between posts 2m510. TO BE SEALED.

Accessories for assembling are made of aluminium polyester powdered
With or without infill

Manufacturing on request according to your sketching.

4 models of connections in powdered aluminium :

- T for intermediate posts.
- Bend to finish a straight line.
- Fixed angle for right angled-corner.
- Variable for rounded and angle not right.

ON STUDY



RIGID GRID FILLING

For filling of the lower part of the handrails.
Metallic grid with double horizontal wire
diameter 8mm and simple wire diameter
6mm vertical.
Mesh 200 x 50mm.
Galvanized powdered.
Polyester Height 0m83.
Length 2m50.
The unit.



SUPPLE GRID FILLING

Simple twist supple resistant.
Mesh 50mm.
Wire diameter 3,8mm.
Galvanized laminated steel.
Height 1m00.
The roller of 25m00.



BALL STOP FRAMES AND ACCESSORIES

METALLIC POSTS

TO SEAL into concrete massifs. Height from 4m00 to 8m00 (others on request).
 GALVANISED steel + Polyester powdered GREEN 6005,
 WHITE 9010 or other specific RAL on request.
 Posts without welds, according to post selected :
 equipped with pulleys, struts, hooks for stiffeners,
 cable guide, silent block ring.
 Maximum spacing in between posts = 6m00,
 from 7m00 size posts, maximum spacing in between posts = 5m00.
 Spacing in between posts with straight panels = 5m00.



HEAD POST

To be placed on each extremity of the ball stop.
 Equipped with pulleys, struts,
 hooks for stiffeners, Tension of the net is done from these posts.
IMPORTANT :
 You should add 1 load strut corresponding
 to the height of the post.

HEAD POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1704D	D1704S	D1704R
5m. Diam 76mm	D1705D	D1705S	D1705R
6m. Diam 88,9mm	D1706D	D1706S	D1706R
7m. Diam 102mm	D1707D	D1707S	D1707R
8m. Diam 102mm	D1708D	D1708S	D1708R

INTERMEDIATE POST

To be fixed in between head posts and tension posts.
 Equipped only with cable guide.

INTERMEDIATE POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1714D	D1714S	D1714R
5m. Diam 76mm	D1715D	D1715S	D1715R
6m. Diam 88,9mm	D1716D	D1716S	D1716R
7m. Diam 102mm	D1717D	D1717S	D1717R
8m. Diam 102mm	D1718D	D1718S	D1718R

TENSION POST

In case length of the Ball Stop is longer than 70m00.
 To place in the middle to assure a correct tension of the cables
 supporting the net. As for the head post, it is equipped with pulleys,
 load struts, hooks for stiffeners because it is advised to place on
 nets with an equal distance head post / tension post.
IMPORTANT : You should add 2 load struts corresponding to the
 height of the post.

TENSION POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1724D	D1724S	D1724R
5m. Diam 76mm	D1725D	D1725S	D1725R
6m. Diam 88,9mm	D1726D	D1726S	D1726R
7m. Diam 102mm	D1727D	D1727S	D1727R
8m. Diam 102mm	D1728D	D1728S	D1728R

RIGHT ANGLED POST

Almost similar to tension post, but to place when we want to form an
 right-angled post between 2 length of ball stop.
 Also equipped with pulleys, load struts, hooks for stiffener because it
 is advised to place on nets with an equal distance head post / angle post.
IMPORTANT : You should add 2 load struts corresponding to the height
 of the post.

RIGHT ANGLED POST	ALL NET	Supple Grid	Rigid Grid
4m. Diam 60mm	D1744D	D1744S	D1744R
5m. Diam 76mm	D1745D	D1745S	D1745R
6m. Diam 88,9mm	D1746D	D1746S	D1746R
7m. Diam 102mm	D1747D	D1747S	D1747R
8m. Diam 102mm	D1748D	D1748S	D1748R

LOAD STRUTS

In order to strengthen head posts, tension posts and angle posts.
 1 for head post and 2 for tension and angle posts.
 Metallic galvanized Polyester Powdering WHITE 9010 or GREEN 6005.

D1774 For post 4m00 diameter 60mm.

D1775 For post 5m00 diameter 76mm.

D1776 For post 6m00 diameter 76mm.


D1777 For post 7m00 diameter 88,9mm length 7m00
 + 1 spacing bar length 6m00 diameter 60mm.

D1778 For post 8m00 diameter 88,9mm length 7m00
 + 1 spacing bar length 6m00 diameter 60mm.

DIVIDING NETS FOR OUTDOOR USE

POLYPROPYLENE Without knots Ø3mm
Color WHITE , GREEN or BLACK.
With perimetral 8mm rope. The M2.

SPORT	Mesh	Diam	WHITE	GREEN	BLACK
HAND/VOLLEY	100mm	3mm	D1600B	D1600V	D1600N
TENNIS	45mm	3mm	D1645B	D1645V	D1645N



SUPPLE GRID POSTS

D1735

To be sealed every 2m50 (possible till 3m00) alternating with ball stop to fix on flexible wire fence.
Galvanized steel + Polyester powder painting GREEN 6005 or WHITE 9010.
Height 2m00 over the ground. Ø60mm or Ø50mm.
Delivered with 5 cable guides. 5 intermediates for tension thread.
The unit.

RIGID GRID POSTS

D1736

To be sealed every 2m50 alternating with ball stop to fix on flexible wire fence.
Galvanized steel + Polyester powder painting GREEN 6005 or WHITE 9010.
Height 2m00 over the ground Ø60mm.
Delivered with 4 silent block rings.
The unit.

SUPPLE GRID FILLING

Height 2m00. Mesh 50mm Simple twist heavy.
Galvanized and laminated wire diameter 3,8mm.
The roller of 25m00.



D1962B WHITE 9010.

D1962V GREEN 6005.

RIGID GRID FILLING

Metallic grid double horizontal wire Ø 8mm
and simple vertical wire 6mm.
Mesh 200 x 50mm. Height 2m03.
Length 2m50.
Galvanized polyester powdered.



D1957B WHITE 9010. The unit.

D1957V GREEN 6005. The unit.

SHEATED STEEL CABLE

Diameter 5mm.
Plan 3 raws on the height of the handrail.
The ml.



D1750B WHITE.

D1750 GREEN.

D1750N BLACK.

STIFFENER TENSOR

For tension of the grid's handrails cables.
PLAN 2 tensor per uninterrupted cable.
To be fixed directly on posts with any cable fastener. N°4.

D1753B WHITE.

D1753 GREEN.

TENSION THREAD

Galvanized and laminated wire for tension of the grid on the posts.
Plan 5 raws for a height of 2m00. The roller of 100m.

D1751B WHITE.

D1751 GREEN.

SPLIT RINGS

PVC.To fasten nets on tension cables.
Plan 3 rings by linear meter of cable.

D1754B WHITE. The unit.

D1754 GREEN. The unit.

D1754N BLACK. The unit.

STAPLES PLIERS

D1757

To fix the staples D1756.
The unit.

STAPLES

D1756

To hang the grid on the tension wire.
Fixes itself thanks to a plier D1757.
Galvanized Laminated GREEN
The box of 1000.

INDOOR SEPARATIONS

FREE-STANDING SEPARATIONS

Length 4m00. Height 2m50.
Metallic frame mounted on 4 moving wheels.
WHITE powdered. Can be stacked together for storage.
PVC cover 650g/m². M2 FIREPROOF.

STANDARD GREY 208

S1056 Model foldable in height. The unit.

S1057 Model with fixed height. The unit.



SPECIFIC COLOR OF THE CANVAS

Choice of 13 colors, to be specify when placing the order.
WHITE frame.
ATTENTION : For 10 units minimum. 6 weeks delivery time minimum.

S1056S Model foldable in height. The unit.

S1057S Model with fixed height. The unit.

Choice of 13 colors, reference to specify :



DIVIDING CURTAIN

PVC canvas 650gr/M². M2 FIREPROOF.
Hem on the border with eyelets of 13mm diameter every 30cm for hanging.
Flat manufacturing. Plan to add +20% on the length.
To be fixed on framework with a sliding device or on steel cable.
TAILOR-MADE manufacturing.
13 different colors available (to specify).

S1405A Less than 50m². The m².

S1405B From 50 to 120m². The m².

S1405C More than 120m². The m².




DIVIDING NETS FOR INDOOR

Can be moutend on sliding rails or on a cable only on upper part. POLYPROPYLENE Without knots diameter 3mm.
M1 PERMANENT FIREPROOF. Color WHITE, GREEN or BLACK.
With perimetral rope of 8mm. The M2.

SPORT	Mesh	Thread Ø	WHITE	BLACK	GREEN
HAND/VOLLEY	100mm	3mm	D1600BI	D1600NI	D1600VI
TENNIS	45mm	3mm	D1645BI	D1645NI	D1645VI

NEW



WEIGHTED ROPE

D1677

To ballast the lower parts of the dividing nets.
Weight of 400gr per linear meter.
The linear meter.

MIXED SEPARATIONS

Lower part in PVC canvas 650gr / M2.
Upper part in net 45 or 100mm.
Dimensions and colors to specify. On study.

S1435 PVC canvas + net mesh 45mm.

S1436 PVC canvas + net mesh 100mm.

FIXATION ON SLIDING RAILS

Manual manoeuvre

METALLIC FIXATIONS

Metallic bracket, WHITE powdered, allowing to fix RAILS and SUPPORT to the framework. SPECIFIC manufacturing. "TAILOR MADE". Study with drawings. The unit.

S1415 To fix on concrete wall. The unit.

S1415A For horizontal wooden frame with backplate. The unit.

S1415B For horizontal metallic framework, to be bracketed. The unit.

S1415C For wooden sloping frames and height adjustment. The unit.

S1415D For metallic sloping frames and height adjustment. The unit.



**FREE STUDY
ON REQUEST
ATTACH OBLIGATORY
THE DRAWINGS**



SUSPENSION RAILS

S1410

Metallic profile 35 x 30mm. Length 6m00. Finishing Galvanisation + WHITE powdering. The unit.

SIMPLE RAIL SUPPORT

S1420

Enveloping support allowing maintaining and assembly of 2 rails each other. With fixation bolts. Plan 1 support for every 2m00. The unit.

JUNCTION RAIL SUPPORT

S1421

Enveloping support allowing maintaining and assembly of 2 rails each other. With fixation bolts. Plan 1 support at each junction. The unit.

CURVED RAIL

S1411

Metallic profile 35 x 30mm. Length 1m00. Finishing Galvanisation + WHITE powdering. The unit.

DOUBLE ROLLERS

S1425

Metallic rollers to hang on curtain. Mounted on 2 polyethylene wheels. Plan 1 roller every 30cm. Allows to move curtains. The unit.

S FASTENER HOOKS

S1430

Metallic wire in S shape. Allows the assembly between curtains and fixation rollers. The set of 100.

SUPPORT CHAIN

S1440

With metallic fastener to fix to the wall. Maintains the curtain folded on the wall. The unit.

ELECTRICAL DIVIDING CURTAIN

Electric manoeuvre

Height lifting by winding on 1 axis of 70mm diameter.
Steel flasks spaced and welded on the axis to guide the tapes which, when then wind around the axis, lift up the net or the curtain.
Central engine in 230V. Bearing to maintain perfectly the central axis.
Specific fixations to the framework.
The complete set on study.

ELECTRIC MANOEUVRE

4 different models possible :

- S1460** All net mesh 100mm or 45mm.
- S1465** Mixed Net / canvas.
- S1470** All canvas in simple curtain. (1 canvas only).
- S1475** All canvas in double curtain (2 canvas side by side spaced-out of 30cm for a better sound insulation).



FREE STUDY ON REQUEST
ATTACH OBLIGATORY THE DRAWINGS


SEPARATIONS

FIXATION TIGHTENED OR SUSPENDED ON CABLES

METALLIC FIXATIONS

With 1 ring to pass the wire to fix tension wires.
WHITE powdered.

- S1416A** For fixation on wooden or concrete wall. The unit.
- S1416B** For fixation on metallic frameworks to grip. The unit.
- S1416C** For fixation on wooden or concrete wall projected of 30cm. The unit.
- S1416D** For fixation on metallic framework projected of 30cm, to grip. The unit.



STEEL SHEATED CABLE

For fixation of the nets on the posts.
Diameter 5mm.

- D1750B** WHITE. The linear meter.
- D1750** GREEN. The linear meter.
- D1750N** BLACK. The linear meter.



STIFFENER TENSOR

D1753

For tension of the cable. N°4. GREEN.
The unit.

LANTERN STIFFENER

B3027

Steel wire-strainer bolted with 2 closed rings + 1 nut for rubble.
The unit.

FASTENING DEVICE

B3023

Steel coated with zinc. Ø5mm.
The unit.

LINKS

B3024

Steel coated with zinc. n°8.
The unit.



CABLE CLAMPS

D1752

Stirrup 5mm. 3 per tensor.
The unit.

SPLIT RINGS

PVC. To fasten nets on tension cables.
Plan 3 rings by linear meter of cable.

- D1754B** WHITE. The linear meter.
- D1754** GREEN. The linear meter.
- D1754N** BLACK. The linear meter.

SUPPORT POST

Metallic free standing with a H base WHITE powdered.
To hold the net especially to separate tennis fields.

- S1450** Height 2m50. The unit.
- S1451** Height 3m00. The unit.





EQUIPEMENTS INDOOR

DANCE

DANCE BARS

40mm in diameter ash. 1m60 length.

S1025 Natural ash. The bar of 1m60.

S1025V Polyurethane varnished ash. The bar of 1m60.

GROUND CONSOLE

Metallic with fixation to the ground. (Plugs and bolts not provided). Fixed height. WHITE powdered.

S1027S For 1 bar. 1m05 height. The unit.

S1029S For 2 bars. 1m05 and 0m85 height. The unit.



CONSOLES

In cast aluminium. To FIX or to SEAL to the wall. (Delivered without plugs neither bolts). 1m50 maximum space between each consoles. WHITE.



S1026 Support for 1 bar. The unit.

S1028 Support for 2 bars. The unit.

MOBILE CONSOLE

S1030

Metallic. Mobile on a heavy base. To use when fixation to the wall is not possible. Height adjustment from 0m85 to 1m05 by telescopic uprights. WHITE powdered base. Uprights coated with zinc. The unit.




MIRRORS

MIRRORS

S1200

To FIX to the wall. 6mm thickness. Polished border and safety film.
Dimensions: 1m80 x 0m80.
The unit.

IMPORTANT : The mirrors must be fixed on perfectly flat walls. Otherwise a patching or the option WOODEN SUPPORT might be necessary.



NOTCHES OPTION

Notch for mirrors S1200 to fix consoles through the mirrors.

CAUTION : consoles must be installed in between 2 mirrors or on the extremity of the line. You must plan one notch on the mirror next to it.

S1201 For double console ref S1028. The unit.

S1202 For simple console ref S1026. The unit.



NOTCH CARD

To hide spaces between notches and consoles. Made of aluminium in 2 parts, to glue. The unit for one console.

S1203 For double console ref S1028. The unit.

S1204 For simple console ref S1026. The unit.



WOODEN FRAME

S1220

To fix the mirrors to the wall in line. Polyurethane varnished fir. (Delivered without plugs neither bolts). The linear meter.

IMPORTANT : TAILOR MADE manufacturing. When ordering precise the exact dimensions in height and in length of your line of mirrors.



COMPENSATION DOUBLE FACE

S1216

Thick adhesive to be placed in the junction of mirrors to compensate the thickness of the aluminium slides. The roller of 10m.

PACKING FOR MIRRORS

S1210


IMPORTANT : For transport from 1 to 10 mirrors. Made of plywood. To order obligatory if you don't pick up the mirrors by yourself. The unit.

ALUMINIUM SLIDE

Made of aluminium without painting. To fix to the wall. (Plugs and screws not provided).

S1205 UPPER SLIDE. Length 6m00.

S1206 LOWER SLIDE. Length 6m00.



WOOD SUPPORT

S1230

This is to be made when the wall is not perfectly flat, then direct hanging is not possible. This wood support set is composed of brackets to fix on the wall, and of 18mm plywood. (Does not include nuts and bolts to fasten on the wall). For a minimum of 3 mirrors. The m2.



MIRRORS HOOKS

S1215

To fix the mirrors on the wall. Set of 4.

MIRROR GLUE

S1225

Glue cartridge to fix mirror. Even for wooden frame (S1220) or alu rails. Plan 1 cartridge for 4 mirrors. The unit.

WALL BARS

SWEDISH WALL BARS

S1018

Economical model. 2m40 HEIGHT. 1m00 width.
Beech bars. Swedish pine uprights. Varnished.
Delivered dismantled. With brackets to fix to the wall.
The unit.



SWEDISH WALL BARS

CONFORM to EN12346. Group model of a really nice manufacturing.
17 beech wood rungs varnished section 41 x 33mm.
2m70 height. 0m90 width per place.
North fir uprights with polyurethane varnish.
With brackets to fix to the wall. (Without plugs neither bolts).

S1019 1 place model. The unit.

S1020 2 places model. The unit.

IMPORTANT :
The wall bars
are delivered
dismantled.

BENCHES

SPECTATORS BENCHES

Benches especially made for spectators or for touch bench players.
Really nice model. Metallic frame, WHITE powdered with platen on legs.
Seat of 3 strengthened lathes in fir 32mm thickness, polyurethane varnished.

S1038 2m00 length. 4 feet. The unit.

S1039 2m50 length. 6 feet. The unit.



FREE-STANDING BENCHES

Metallic frame, seat made of varnished beech
Stackable.
The unit.

S1012 Length 1m20.

S1013 Length 1m60.

S1014 Length 2m00.



BENCH AND STORAGE

R2200

Very useful in Sports' Hall. Beech varnished. Round corners.
This bench is also a storage chest
Length. 2m50. Height. 0m35. Depth. 0m30.
The unit.



SWEDISH BENCHES

Group model of a really nice manufacturing.
Birch plywood of 30mm thickness.
Superior plate of 270mm width. Height 35cm.
Strengthening crosspiece linking legs allowing
serving as a beam if turned up-side-down.
Brackets to hang onto wall bars.

S1015 1m80 length.

S1016 2m70 length.

S1017 3m50 length.



CHAIRS

NEW

Metallic, BLACK, stackable.
The unit.

S1035 Chair hull BLUE, BEIGE or GREY. To specify.

S1036 Chair tissue BLACK.



STORAGE


HORIZONTAL RACKS

To fix on the wall (delivered without plug neither bolts). To store volley, tennis or badminton posts vertically. Metallic WHITE powdered with hanging hooks covered with PVC to protect posts. Made of 2 independent supports.

BADMINTON RACKS

To store badminton posts with ground sockets.

- R1312** For 2 pairs.
- R1314** For 4 pairs.
- R1316** For 6 pairs.
- R1318** For 8 pairs.
- R1320** For 10 pairs.



VERTICAL RACK

R1000

TO SEAL (Delivered without plug neither bolts). To store tennis or volley posts vertically. The unit.



RACK FOR GROUND SOCKETS UPRIGHTS

- R1210** For 1 bar (G1052).
- R1220** For 2 bars (G1051).
- R1230** For 3 bars (G1050).

MATS RACKS

To fix to the wall (delivered without plug neither bolts). To hang gymnastics mats with eyelets. Capacity of 20 mats. The unit.

- R2010** 40cm between eyelets.
- R2011** 50cm between eyelets.

HOOPS RACK

R2015

To fix to the wall (delivered without pins neither bolts). Metallic WHITE powdered. The unit.

VOLLEY RACK TROLLEY

R1300


Movable for storage of 3 pairs of volley posts and 1 pair of tennis posts. Metallic WHITE powdered. 4 pivoting wheels. Wooden floor. With hooks covered of PVC. The unit.



TENNIS AND VOLLEY RACK

To store tennis and volleyball posts.

- R1110** For 1 pair.
- R1120** For 2 pairs.
- R1130** For 3 pairs.
- R1140** For 4 pairs.



RACK FOR WALL HANDBALL GOALS

R1710

To store handball goals by hanging on the wall. With 2 steel brackets fixed on the wall. For 1 goal. The unit.



MATTRESS TROLLEY

R2100

VERY ROBUST model. To move mattresses or school high jump landing mats. Storage of mattresses on side. 4 pivoting wheels 200mm in diameter. Metallic frame. Dimension on the plate: 2m00 x 0m80 plywood floor. The unit.



MATS STORING TROLLEY

R2000

VERY ROBUST model. 450 kg maximum load. For 2m00 x 1m00 mats. Metallic WHITE powdered. Plywood floor. Mounted on 4 wheels diameter 1600mm including 2 pivoting. The unit.



BALLS TROLLEY

R1555

Very practical model because it is foldable.
Aluminium tubes punted on 4 wheels.
Canvas of 20 balls.
Dimensions: 60 x 60cm.
Bag height 0m50.
Total height 0m80.
Folded 0m90 x 0m15 x 0m15.
The unit.



MATS RACK

Metallic frame mounted on 4 pivoting wheels.
40 mats in capacity.
Storage for mats with eyelets. 2m00 height.
The unit.

R1620 40cm between eyelets.

R1630 50cm between eyelets.



POLYVALENT TROLLEY

R2150

Mats rack, hoops rack, sticks racks + floor.
Dimensions: 1m60 height. Width 0m60 x 0m65.
Metallic.
WHITE powdered on 4 pivoting wheels
NON-MARKING.
The unit.



BALLS CABINET

R1650

To fix to the wall
(delivered without plug neither bolts)
Metallic WHITE powdered with
meshes 50mm x 50mm.
3 ball supports.
Dimensions: 1m50 width.
Depth 0m36. Height 1m00.
The unit.



ROLL CABINET

R1660

Dimensions 1m20 x 0m80.
Height 1m89.
Mobile on pivoting wheels.
Metallic zined frame.
With 2 removable shelves.
The unit.



METALLIC PEGS

S1185

For wall fixation of the volleyball nets, tennis or badminton.
Bi metallic pegs VERY ROBUST.
Gold bi chromate finished. 2 fasteners. With tips for finishing.
The unit.

BALL TROLLEY

R1550


Movable for ball storage. Metallic frame, WHITE powdered.
4 pivoting wheels. Meshes 50mm x 50mm.
With top and padlock.
Dimensions:
Length: 1m20.
Width: 0m56.
Total height: 1m00.
The unit.



HANDBALL GOAL CARRIER

R1700

2 racks on wheels to move one goal.
Metallic.
The pair for one goal.



BADMINTON RACK TROLLEY

R1301

Movable for storage of 10 pairs
of badminton posts to seal.
Metallic WHITE powdered.
4 pivoting wheels. Plywood floor.
With hooks covered of PVC.
The unit.



BENCH AND STORAGE

R2200

Very useful in Sports' Hall. Beech varnished.
Round corners. This bench is also a storage chest
Length. 2m50.
Height. 0m35.
Depth. 0m30.
The unit.



MULTISPORT STORING CABINET

R2051

1m99 high. 1m20 width. 0m50 depth.
MONOBLOC CABINET welded. Double doors with opening at 180°,
openwork design on the height.
2 points lock with handle.
Laminated steel sheet of 10/10e.
WHITE doors.
With:

- Locking safe close to rackets' supports.
 - Adjustable in height shelves (25mm) with slated sides to stock balls.
 - Rackets' supports in upper part with 6 adjustable hooks.
- The unit.




OTHER ACCESSORIES
ON OUR WEBSITE
www.martysports.com



TRIBUNES * STAND

MOBILE STANDS

- Model of MONOBLOC mobile stands. Ideal for gymnasium.
- Very robust metallic frame BLUE POWDERED or GALVANIZED.
- Base of 2 strengthened lathes in fir 32mm thickness varnished.
- 18mm non-skid plywood floor classified M3.
- Equipped of 4 pivoting wheels for transport.



QUOTATION
ON STUDY



DIMENSIONS

	Finishing	Width	Depth	Height*	Places
2 RAWS	Painted	2m	0m80	0m65	8
	Galva				
3 RAWS	Painted	2m	1m60	0m85	12
	Galva				
4 RAWS	Painted	2m	2m40	1m05	16
	Galva				

* height behind last seat.

BACK

Metallic frame with varnished fir back.
Mounted on stands when they don't lean to the wall.
REMOVABLE for transport.

GUARDRAIL

Metallic with bars each 11cm.
To place on the 2 edges of the whole stand. REMOVABLE.

STANDS RISER

To fill in vertical gap between floors.
18mm non-skid varnished plywood.




IMPORTANT:
Our stands are delivered dismantled, we can deliver them assembled if you want (Ask for a quoted study)

	Finishing	Stands	Guardrails	Stand Risers	Backs
2 RAWS	Paint	S10402	S10512	S10612	S10482
	Galva	S10412	S10522		
3 RAWS	Paint	S1040	S1051	S1061	S1048
	Galva	S1041	S1052		
4 RAWS	Paint	S1042	S1053	S1062	S1049
	Galva	S1043	S1054		

ACCES STAIRS

To place between 2 modules or at the edges.
Metallic frame. Plywood floor 18mm varnished.



	Finishing	Dimensions		Ref.	Option Stand Risers	Option Guardrails
		Width	Height*			
2 RAWS	Paint	1m00	0m22	S10442	S10632	S10662
	Galva			S10452		
3 RAWS	Paint	1m00	0m42	S1044	S1063	S1066
	Galva			S1045		
4 RAWS	Paint	1m00	0m62	S1046	S1064	S1067
	Galva			S1047		

* height behind last seat.

GUARDRAIL
Metallic with bars each 11cm.
To place on the 2 edges of the whole stand.
REMOVABLE.

STANDS RISER
To fill in vertical gap between floors. 18mm non-skid varnished plywood.


SEAT FOR LAST STAIR

To be placed on the last stair so you can add 2 more seats.
1m00 Length.
The unit.

S10443 Without backrest.

S10444 With backrest.



PVC SEATS



Ergonomic and self-supporting MONOBLOC seat with direct fixation to the stand or on metallic wall consoles or to the ground.

- **MATERIAL** : Polypropylene colored in the mass in master batch copolymer.
 - **FINISH** : Sleek and semi bright with anti-violet light resistance treatment.
 - **FIXATION** : In 2 or 4 points ensuring continuously the installation on concrete stands as well as surfaces of another nature. The fixation points are closed and protected by special closing plugs.
 - **NON-REMOVABILITY** : The seat rests on all the perimeter with the front part adhering to the stand's edge. The adherence does exclude the lever effect, preventing the withdrawal of the piece, due to vandalism act.
 - **NUMBERING** : A plate has got the number.
 - **WATER DISPERSION** : The seats have got holes or slopes for the water dispersion.
 - **DIMENSIONS** allowing a personalized installation :
 - Depth between 300 and 433mm.
 - Width between 408 and 450mm.
 - Backrest height from 60 to 433mm.
 - **RESISTANCE TO FIRE** : M4 or M2.
 - **COLORS** : 10 colors Red/Orange/Yellow/Green/Turquoise/Light blue/Dark blue/White/Grey/Black.
- IMPORTANT** : Choice possible for minimum quantities of 250 units.

CHOICE OF 10 COLORS for the seats :



PVC Seats dimensions in mm.

Model	Depth	Height	Width
SEAT 0	300	60	450
SEAT 1	345	75	415
SEAT 3.40	400	320	430
SEAT 3.50	350	320	430
SEAT 4	400	250	450
SEAT 6	433	433	408



SEAT 0



SEAT 1



SEAT 3.40



SEAT 3.50



SEAT 4



SEAT 6

	Depth	Height	Width	Fixations	Ref M4	Ref M2
SEAT 0	300	60	450	2	S800	S800M
SEAT 1	345	75	415	2	S801	S801M
SEAT 3.40	400	320	430	2	S8034	S8034M
SEAT 3.50	350	320	430	4	S8035	S8035M
SEAT 4	400	250	450	2	S804	S804M
SEAT 6	433	433	408	2	S806	S806M

SEATS NUMBERING


S810

Plat with number
The unit.



Please visit our website.

You will find our catalogs and technical sheets.
Make your quotations, pass your orders in two clicks...



martysports.com



GROUND FIXATION CONSOLE

For fixation directly on a concrete ground.
Metallic manufacturing. BLACK powdered or galvanized.
Length according to composition. Price per seat.



Ground fixation		
BLACK Powdered	GALVA	
S800PS	S800GS	SEAT 0
S801PS	S801GS	SEAT 1
S8034PS	S8034GS	SEAT 3.40
S8035PS	S8035GS	SEAT 3.50
S804PS	S804GS	SEAT 4
S806PS	S806GS	SEAT 6

WALL FIXATION CONSOLE

For fixation on a riser or to a wall.
Metallic manufacturing. BLACK powdered or galvanized.
2 fixations to the wall (not provided). The unit.



Wall fixation		
BLACK Powdered	GALVA	
S800P	S800G	
S801P	S801G	
S8034P	S8034G	
S8035P	S8035G	
S804P	S804G	
S806P	S806G	

SEAT FIXATIONS OR CONSOLES

The seats are delivered without fixations which varies in number depending the models but also depending to the wall or the ground, for outdoor or indoor.

- FIXATION directly to the concrete stand
 - Indoor – nylon plug + lag bolt + washer
 - Outdoor – sealing resin + threaded rod + washer + lock nut
- FIXATION on the wall consoles
 - Indoor/Outdoor - sealing resin + threaded rod + washer + lock nut
- FIXATION on the ground consoles
 - Indoor – nylon plug + lag bolt + washer
 - Outdoor – sealing resin + threaded rod + washer + lock nut

	Direct fixation		Wall consoles	Ground consoles
	Indoor	Outdoor		Indoor/Outdoor
SEAT 0	S811	S812	S815	on study
SEAT 1	S811	S812	S815	on study
SEAT 3.40	S811	S812	S815	on study
SEAT 3.50	S813	S814	S815	on study
SEAT 4	S811	S812	S815	on study
SEAT 6	S811	S812	S815	on study

FIXATION OF THE SEATS ON CONSOLES

If the seats are fixed to wall consoles or on the ground, you need the bolts which will allow to fix the seats to these consoles. TH screw + 2 washers + 1 lock nut.

S816 For seats 0/1/3.40/4 and 6. The set of 2.

S817 For seat 3.50. The set of 4.

ABRISTADE

NEW

ABRISTADE is a new model of shelter for small stands on outdoor installations. Adapted when the space is limited. The ABRISTADE has been conceived to be easily mounted and presents all the guarantee in term of security.

Delivered with a standard module of 8m00, it is expandable by sections of 4m00.

• **DIMENSIONS :**

- Standard module : 8m00 x 2m70 x 2m64.
- Module extension : 4m00 x 2m70 x 2m64.

• **TECHNICAL FEATURES :**

- Galvanized metallic frame.
- PVC roof (Ondex).
- Fixation on concrete slab (not include).
- Possibility to put advertising on a banner placed at the top of the shelter on all the length.
- Stand possible on 3 rows. On study.

• **ADVANTAGE :**


- Not needs to have a building permit.
- Expandable.
- Easy assembly.
- Affordable price.
- Security.
- Accommodation comfort.



**QUOTATION
ON STUDY**



STANDS



VESTIAIRES * LOCKER ROOMS

BENCHES

WALL BENCHES WITHOUT PEGS

Quality wood, fir or exotic.

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
SINGLE BENCH. Seat only. 1 wall fixation + 1 ground fixation.					
FIR	S1055	S1055S	S1055G	S1055GB	S1055GS
EXOTIC	S1050	S1050S	S1050G	S1050GB	S1050GS
STRENGTHENED BENCH. Seat Only. 2 ground fixations.					
FIR	S1065	S1065S	S1065G	S1065GB	S1065GS
EXOTIC	S1060	S1060S	S1060G	S1060GB	S1060GS
WALL BENCH. Seat only. 1 wall fixation + 1 fixation very close to the wall.					
FIR	S1069	S1069S	S1069G	S1069GB	S1069GS
EXOTIC	S1068	S1068S	S1068G	S1068GB	S1068GS
WALL BENCH. Seat + back 1 ground fixation + 1 wall fixation.					
FIR	S1075	S1075S	S1075G	S1075GB	S1075GS
EXOTIC	S1070	S1070S	S1070G	S1070GB	S1070GS



LOCKER ROOMS BENCHES

VERY ROBUST manufacturing

- Metallic supports with fixation in the ground or to the wall. WHITE polyester powdered.
- Polyurethane varnished Fir wood or Exotic wood.
- Delivered with screws but without plugs and bolts for fixation.
- Dimensions : Seat height 40cm.
- Total height when bench is complete : 1m78.

WOOD SECTION	VARNISHED FIR WOOD	VARNISHED EXOTIC WOOD
SEAT	2 lathes 130 x 28mm	2 lathes 130 x 28mm
BACK	1 lath 90 x 32mm	1 lath 90 x 28mm
BAGS LATHES	2 lathes 90 x 32mm	2 lathes 90 x 28mm
PEGS LATHES	1 lath 90 x 32mm	1 lath 90 x 28mm

WALL BENCHES WITH PEGS

Quality wood, fir or exotic.
2 wall fixations + 1 ground fixation.

SUPPORTS				
WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL

WALL BENCH. Seat + peg lathes.

FIR	S1095	S1095S	S1095G	S1095GB	S1095GS
EXOTIC	S1090	S1090S	S1090G	S1090GB	S1090GS

WALL BENCH. Seat + peg lathes + backs.

FIR	S1135	S1135S	S1135G	S1135GB	S1135GS
EXOTIC	S1130	S1130S	S1130G	S1130GB	S1130GS

WALL BENCH. Seat + peg lathes + bag lathes.

FIR	S1115	S1115S	S1115G	S1115GB	S1115GS
EXOTIC	S1110	S1110S	S1110G	S1110GB	S1110GS

COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.

FIR	S1155	S1155S	S1155G	S1155GB	S1155GS
EXOTIC	S1150	S1150S	S1150G	S1150GB	S1150GS

IMPORTANT :
Benches are sold by linear meter.
Minimum 1m00, and then by multiples
of 10cms. Maximum length 4m00.



FLOOR BENCHES WITH PEGS

Quality wood, fir or exotic.
2 ground fixations.

SUPPORTS				
WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL

WALL BENCH. Seat + peg lathes.

FIR	S1096	S1096S	S1096G	S1096GB	S1096GS
EXOTIC	S1091	S1091S	S1091G	S1091GB	S1091GS

WALL BENCH. Seat + peg lathes + backs.

FIR	S1131	S1131S	S1131G	S1131GB	S1131GS
EXOTIC	S1136	S1136S	S1136G	S1136GB	S1136GS

WALL BENCH. Seat + peg lathes + bag lathes.

FIR	S1111	S1111S	S1111G	S1111GB	S1111GS
EXOTIC	S1116	S1116S	S1116G	S1116GB	S1116GS

COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.

FIR	S1151	S1151S	S1151G	S1151GB	S1151GS
EXOTIC	S1156	S1156S	S1156G	S1156GB	S1156GS



LOCKER-ROOM

CENTRAL BENCH

SUPPORTS					
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
SIMPLE BENCH. Seat only + 1 wall fixation + 1 ground fixation.					
FIR	S1085	S1085S	S1085G	S1085GB	S1085GS
EXOTIC	S1080	S1080S	S1080G	S1080GB	S1080GS
STRENGTHENED BENCH. Seat only + 2 ground fixations.					
FIR	S1105	S1105S	S1105G	S1105GB	S1105GS
EXOTIC	S1100	S1100S	S1100G	S1100GB	S1100GS
WALL BENCH. Seat only + 1 wall fixation + 1 ground fixation very close to the wall.					
FIR	S1145	S1145S	S1145G	S1145GB	S1145GS
EXOTIC	S1140	S1140S	S1140G	S1140GB	S1140GS
WALL BENCH. Seat + back 1 ground fixation + wall fixation.					
FIR	S1125	S1125S	S1125G	S1125GB	S1125GS
EXOTIC	S1120	S1120S	S1120G	S1120GB	S1120GS
COMPLETE CENTRAL BENCH. Seat + back + bag lathes + peg lathes.					
FIR	S1165	S1165S	S1165G	S1165GB	S1165GS
EXOTIC	S1160	S1160S	S1160G	S1160GB	S1160GS



BAG LATHES

SUPPORTS					
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
BAG LATHES.					
FIR	S1175	S1175S	S1175G	S1175GB	S1175GS
EXOTIC	S1170	S1170S	S1170G	S1170GB	S1170GS
COMPLETE BAG LATHES. Wall metallic support + 2 lathes for bag lathes + 1 bag lathes rail.					
FIR	S1195	S1195S	S1195G	S1195GB	S1195GS
EXOTIC	S1190	S1190S	S1190G	S1190GB	S1190GS



RAIL METALLIC PEG LATHES

S1180

Metallic rail 40 x 27 mm. WHITE powdered.
With welded pegs S1185.
The linear meter.

RAIL FIR PEG LATHES

S1181

Polyurethane varnished fir rail. 40mm thickness.
With pegs S1185.
The linear meter.

RAIL EXOTIC PEG LATHES


S1182

Rail in Polyurethane varnished exotic wood. 30mm thickness.
With pegs S1185.
The linear meter.

METALLIC PEGS

S1185

Steel bi-pegs VERY ROBUST equipping all our benches.
Gold bi chromate finished. 2 fixations. With finishing tips.
The unit.



INFIRMARY

EXAMINATION COUCH

Steel base.
Adjustable head.
Foam saddlery 5cm thickness covered with black leatherette.
Dimensions: 1m88 x 0m56.
Height 52 cm.
Delivered dismantled.
The unit.



S1620

PHARMACY CABINET

Metallic, with a safety lock.
2 shelves.
Delivered EMPTY
The unit.



S1630

EXAMINATION STOOL

PVC frame.
Adjustable in height.
Seat is made of foam covered with leatherette.
The unit.



S1625

STRETCHER CUPBOARD

Complete made of metal sheets, lacquered, 2m30 x 0m20 x 0m10 depth.
Complete with: 1 stretcher alu foldable in 2 on the length, 2 blankets, 1 safety box + 3 straps.
The unit.



S1610

STRETCHER

Aluminium foldable in 2 on the length.
Very strong plastic coated canvas hygienic.
1m85 x 0m55 x 8cm thickness. Weight 8kg.
The unit.



S1600

METALLIC LOCKERS



- Phosphate steel sheet, 6/10th and 8/10th thickness for the frame and 6/10th for doors.
- High and low ventilation.
- Equipped with a fixed shelf.
- Handle for coat hanger.
- Every compartment is equipped with a small mirror and with a coat hook.
- 1 room for labeling on each door.
- Powder painting dried at 180°C.

Choice of 16 COLORS :

- The outside frames and the doors can be of a different color.
- The doors of a locker must be of the same color.



1 BOX PER COLUMN

	Nb of boxes	Locking	Ref
1 column	1	Key	S1500
		Padlock*	S1501
		Coins	S1502
2 columns	2	Key	S1510
		Padlock*	S1511
		Coins	S1512
3 columns	3	Key	S1530
		Padlock*	S1531
		Coins	S1532
4 columns	4	Key	S1550
		Padlock*	S1551
		Coins	S1552

Total DIMENSIONS :
Height 1m80 without feet.
Depth 50cm.

Width :

- 1 Box 0m30
- 2 Boxes 0m60
- 3 Boxes 0m90
- 4 Boxes 1m20

3 CLOSING:

- By padlock (not provided).
- By key lock.
- By coins.

*padlock not included

2 BOXES PER COLUMN

	Nb of boxes	Locking	Ref
1 column	2	Key	S1520
		Padlock*	S1521
		Coins	S1522
2 columns	4	Key	S1540
		Padlock*	S1541
		Coins	S1542
3 columns	6	Key	S1560
		Padlock*	S1561
		Coins	S1562
4 columns	8	Key	S1580
		Padlock*	S1581
		Coins	S1582

FRANCE

10:00

SPAIN

5	BATUM	2
6	DIOT	0
7	LAUVERGNE	0
8	KAHUDI	0
9	PARKER	12
10	FOURNIER	3
11	PIETRUS	0
12	DE COLO	6
13	DIAW	0
15	GELABALE	3
16	GOBERT	3
19	JAITEH	0



4	GASOL	3
5	FERNANDEZ	2
6	RODRIGUEZ	0
8	ABRINES	0
9	REYES	0
10	CLAVER	0
11	SAN EMERITO	0
12	LLULL	2
13	HERNANGOMEZ	2
14	RIBAS	2
15	AGUILAR	0
16	RABASEDA	0

PARIS

AFFICHAGES * SCORE BOARDS


TACTILE DISPLAY SCOREBOARDS

Scorepad is a display allowing to pilot easily every indoor or outdoor score boards as well as the video solutions LED and TV LCD. Its versatility is an major asset for the little and big sports hall.

NEW



TV LCD



VIDEO SCREEN LED



SCOREBOARD

Pupitres

PRINCIPAL DISPLAY

- Dimensions : L 38 x H 18.5 x D 6cm.
 - Screen LCD 2 lines of 20 characters.
 - Backup battery.
- IMPORTANT :** Delivered with indoor scoreboards.

Only for the Scoreboards



OPTION SCOREPAD

- Option for changing of the principal display by a scorepad.
- Dimensions : L 38 x H 20 x D 2,2/6,1 cm.
 - Tactile screen LCD 7 inch.
 - Tactile screen LCD 7 inch.

Versatile

NEW



IMPORTANT : Add an S at the end of the Scoreboards REF to obtain the reference with the SCOREPAD. Example : TA6025S or TA6120AS

INDOOR SCOREBOARDS

Evolutive range of electronic scoreboards for the majority of sports.

Every scoreboards are conceived to guarantee an optimal quality: resistance to ball shock (standard scoreboard LED CMS guarantee 10 years).

GENERALITY :

- Scoreboards recommended by FFBB and FIBA homologated.
- Multisports, configurable program (8 standard versions).
- Wireless communication in 868 MHz.
- Integrated horn.
- Alimentation 230V.



STANDARD FUNCTIONS :


- Game times / score.
- Time out.
- Period number.
- Team fouls.
- Serving side.

CLUB RANGE

• Departmental and regional level.



• TA6015




• TA6220A (ALPHA)




	ALPHA		ALPHA		ALPHA	
	TA6015	TA6015A	TA6120	TA6120A	TA6220	TA6220A
Dimensions	1m15 x 0m75		2m00 x 1m00		2m96 x 1m00	
Digit numbers	13		17		17	
Digit height	15cm		20cm		20cm	
Individual fouls BASKET	NO		NO		YES	
Penalty time HAND	NO		YES		YES	
Results previous set	NO		NO		NO	

PRO RANGE


• Regional and National level.FIBA approved.



• TA6025



• TA6325A (ALPHA)



	ALPHA		ALPHA		ALPHA		ALPHA	
	TA6025	TA6025A	TA6125	TA6125A	TA6225	TA6225A	TA6325	TA6325A
Dimensions	2m00 x 1m00		2m00 x 1m30		3m27 x 1m30		3m27 x 1m30	
Digit numbers	13		21		13		21	
Digit height	25cm		25cm		25cm		25cm	
Individual fouls BASKET	NO		NO		YES		YES	
Penalty time HAND	NO		YES		NO		YES	
Results previous set	NO		YES		NO		YES	

SPECIAL ACCESSORIES BASKETBALL

24' DISPLAY

TA6002C

Dimensions 41 x 30,5cm.
Shockproof casing in PVC.
2 digits / Height 20cm / Red.
The pair.



24' DISPLAY SUPPORT

To fix 24 seconds blocks on suspended basketball goals.
For square section tube of 90 to 100mm.
Per pair.

TA1090B For display TA6002C.

TA1090C For display TA6006.

24' DISPLAY

TA6006

Dimensions : 72 x 61 cm

- Model with countdown of the game times.
 - Shockproof aluminium casing.
 - 2 digits / 25cm / RED for 24'.
 - 4 digits / 15 cm / YELLOW for the stopwatch.
- The pair.



BACKBOARD PERIMETER LED LIGHT STRIPS

TA6005

- It lights up at the end of the playing period according to FIBA notification.
 - 6 red luminous stripes LED 24V placed around the backboard.
 - Individual alimentation 24VDC 800Ma:
- Must be IMPERATIVELY installed with the 24' display of our range.



JUDGES TABLE

For judges of indoor sports.

Aluminium manufacturing, with welded sheets for advertising support.

Seat in 2 fir varnished lathes section 130 x 32mm.

Metallic strengthened floor covered with non-skid wood.

With storage parts.

Closing by padlock provided. Access by the rear.

Pivoting wheels with brake diameter 200mm.

Dimensions: 1m15 height / 0m85 depth.

TA1500 1m50 length for 3 people. 4 wheels. 90kg.

TA1510 2m50 length for 5 people. 5 wheels. 150kg.



NUMBERS BLOCK

Block only. Automatic numbers.
Number height 24cm. The unit.

S1033 BLACK.

S1034 RED.



WALL SCOREBOARDS

Model to fix to a wall or a separation grid.
Metallic frame with 2 fixation foot.
With automatics numbers with buttons.

S1031 Board with 2 numbers. The unit.

S1032 Board with 3 numbers. The unit.

OUTDOOR SCOREBOARDS

Scoreboards for Football and Rugby, offering a perfect visibility of the game informations whatever the size of the stadium. Evolutive range in order to adapt the different competitions regional, departmental and national.

GENERALITY

- Scoreboards with specific casing (standard resistance to water IP54) entirely in lacquered aluminium with shockproof and anti-reflective glass.
- Temperature functioning. -20° à +50°C.

STANDARD FUNCTIONS

- For football and Rugby.
- Stopwatch 4 digits minute and seconds.
- Score from 0 to 99.

STADIUMS SCOREBOARDS

CLUB RANGE

Display :

- Digits height : 25cm.
- Readability : 120 m.
- Dimension : 150 x 113 cm.

TA2025C Classic. Marking HOME / VISITORS.

TA2025CS Classic. Marking HOME / VISITORS, in solar alimentation.

TA2025A Marking of the team alphanumeric.



PRO RANGE

Display :

- Digits height : 45 cm.
- Readability : 200 m.
- Dimension : 240 x 167 cm.

TA2045C Classic. Marking HOME / VISITORS.

TA2045CS Classic. Marking HOME / VISITORS, in solar alimentation.

TA2045A Marking of the team alphanumeric.



SUPPORT FOR OUTDOOR SCOREBOARDS

For outdoor scoreboards range CLUB and PRO. Galvanised metallic frame of 5m00 out of the ground. The whole for one scoreboard.

TA1095B For outdoor boards range CLUB.

TA1096B For outdoor boards range PRO.



SCOREBOARDS

Galvanised metallic manufacturing. Dimensions: Height 3m00 out of the ground. 2m50 width. Plywood board polyurethane varnished 2m50 x 1m20. Marked HOME/VISITORS. TO SEAL. The unit.

F8310 With 4 sets of printed numbers on PVC board 60x40cm (from 0 to 9). Numbers height 30 cm.

F8315 With 4 numbers blocks (S1031). Height 24cm.





ARTS MARTIAUX * MARTIAL ARTS

TATAMIS

- Tatamis are made of polyurethane foam of different density depending on the ranges.
- Standard dimensions : 2m00 x 1m00.
- 40 or 50mm thickness (60mm is possible on request).

2 options for underneath :

- Naked for a fixed use.
- Non-skid underneath for a temporary use.


Surface vinyl covering :

- 11 colors

The tatamis 40 and 50mm are in conformity with the European Standard 12503-3

PLEASE SPECIFY THE COLORS WHEN PLACING YOUR ORDER

11 COLORS AVAILABLE FOR VINYL TATAMIS :



CLUB

Polyvalent use for schools and clubs with a majority of children.

		VINYL	
Density 250kg/m2	Weight	Naked underneath	Non-skid underneath
Thickness 40mm	18kg	TJ2120	TJ2130
Thickness 50mm	22kg	TJ2220	TJ2230

COMPETITION

For all club levels practice. The density assure a good absorption and a correct pressing.

		VINYL	
Density 250kg/m2	Weight	Naked underneath	Non-skid underneath
Thickness 40mm	19kg	TJ2420	TJ2430
Thickness 50mm	23kg	TJ2520	TJ2530

UNDERLAY FOR TATAMIS

TJ13

Recommended on hard floor before installation of the tatami.
Polyurethane foam.
150kg/m³ in 2m00 x 1m00.
Thickness 30mm.
The unit.



Tatamis with Vinyl covering are M4 fireproof (According to FIRE AM6 and X16 of ERP requirements)

TATAMIS FRAME

Allows maintaining the Tatamis on the extremities in polyurethane varnished fir wood.
With holes to fasten to the ground (without plugs neither bolts).
IMPORTANT : When placing the order specify **IMPERATIVELY** the outside dimensions of the tatami and if they are angles.
The linear meter.

TJ950	40mm thickness.
TJ960	50mm thickness.
TJ970	60mm thickness.
TJ980	70mm thickness.



WALL PROTECTION

- 22mm thickness - dimensions: 2m00 x 1m00 or TAILOR MADE the m².
- Polyethylene foam 30kg/m³.
- Covered by polyester coating.
- 2 classifications :
 - M2 for cover only.
 - M2 full (foam + cover).
- To install by double gluing Wall/protection by gel glue.

WALL PROTECTION - STANDARD

M2 fireproof cover. Without full fireproof classification.
6 colors possible.

TJ1310 Plaque of 2m00 x 1m00.

TJ1311 The M² (precise dimensions).

7 colors possible :



WALL PROTECTION M2 FULL FIREPROOF

M1 fireproof cover. With full fireproof M2 classification.
4 colors possible. HAVANA or GREY/BLUE.

TJ1315 Plaque of 2m00 x 1m00.

TJ1316 The M² (precise dimensions).

4 colors possible :



WALL PROTECTION M2 FULL FIREPROOF

TJ1315S

Same as TJ1315 and TJ1316 but with 5 specific colours to order.
Must be **IMPERATIVELY** ordered by multiples of 12 units.
Dimensions: 2m00 x 1m00
Set of 12 units.

5 colors possible :



GLUE

TJ1221

Gel glue for wall protections.
Tin of 5 litres for 4 protections.
The unit.

SPECIFIC PROTECTION ON STUDY



GYMNAS**A**STIQUE * GYMNAS**A**STICS

APPARATUS

FOAM VAULTING HORSE

G1075

Foam blocks coated with polyester canvas, PVC covered classed M2.
1m40 height. 1m50 length.
0m80 width at the base. Non-skid underneath.
Composed of 1 unit for base 0m70 height + 2 units of 0m20 + 1 upper rounded module of 0m30.
Assembling with Velcro.
The unit.



FOAM VAULTING HORSE

G1076

Similar to G1075 but smaller. Composed of 2 modules.
1 module at the base 0m70 height + 1 upper rounded module of 0m30.
Dimensions: Length 1m40. Width 0m80 at the base. Non-skid underneath.
The unit.

PLINTH

IN CONFORMITY with EN916 standard.

Height 1m10. Length 1m50. Width 0m50 (in upper part).
5 elements in pinewood plywood 21mm thickness.
Assembling pieces in beech.
Inner-box strengthened metallic bar.
Under-frame on wheels.
Coated with leather.

G1085 STRAIGHT. The unit.

G1087 OBLIQUE. The unit.



HORIZONTAL BAR FOR SCHOOL PRACTICE

Removable into ground sockets TO SEAL.
Adjustable in height from 0m95 to 2m55.
Distance between posts 2m40.

G1050 3 places. (3 bars + 4 uprights).

G1051 2 places. (2 bars + 3 uprights).

G1052 1 place. (1 bar + 2 uprights).



GROUND SOCKETS

G1053

TO SEAL. For fixed bars. With tops.
The unit.

COMPETITION SPRINGBOARD

G1082

1m20 x 0m60 x 21cm. With double springs.
Carpet top cover. Non-skid underneath.
The unit.



MINI TRAMPOLINES

60 x 60cm Nylon strengthened canvas. Steel frame coated with zinc with non-skid legs. Adjustable height. With protection foam.
The unit.

G1089 Tension by Sandow.

G1090 Tension by springs.



ANCHORAGE FOR CHEMICAL ANCHORING

G1405

Very easy to settle on a finished ground.
Avoids stonework.
Box of 10 chemical anchorages.



MATS

LANDING MATS - SCHOOL

For landing. Polyester foam.
Nylon PVC cover on 6 sides.
Opening for ventilation on sides. Handles for transport.
With 1 non-skid face underneath.
The unit.

- G1098** 2m00 x 1m50 x 20cm.
- G1091** 2m40 x 2m00 x 20cm.
- G1092** 3m00 x 2m00 x 20cm.
- G1093** 4m00 x 2m00 x 20cm.
- G1094** 4m00 x 2m00 x 20cm. Foldable.



2 DENSITIES FOAM

G1400

2 densities foam. 1 soft side / 1 stiff side. Including Velcro.
The unit.

- G1095** 2m40 x 2m00 x 20cm.
- G1096** 3m00 x 2m00 x 20cm.
- G1097** 4m00 x 2m00 x 20cm.

EVOLUTION GYMNASTICS FLOOR

Foam covered of a blue carpet
Non-skid underneath. Rolled up.
35mm thickness.

- G1360** 12m00 x 2m00. Weight 45 kg. The unit.
- G1370** 6m00 x 2m00. Weight 22 Kg. The unit.
- G1375** TAPE to put several floors.
Roller of 25m00 x 5cm.



MATTING

PP167

Dimensions : 1m40 x 0m60.
With eyelets spaced of 50cm for storage. BLUE
The set of 10.



GROUND SOCKETS TO SEAL

G1400

To fix gymnastics apparatus.
Metallic, with removable ring and top.
The unit.

GROUND SOCKETS TO SEAL

G1410

With removable fastening ring. Adjustable at 360°
The unit.



GYM MATS

Foam PE slight. 2m00 x 1m00.
6 faces PVC cover BLEU M2.
Non-skid.
The unit.

- G1205** 4 cm thickness. 5 kg.
- G1206** 4 cm thickness with Velcro. 5kg.
- G1203** 5.5 cm thickness. 6kg.
- G1204** 5.5 cm thickness with Velcro. 6kg.



With strengthened angles for a better longevity of the mats.
The unit.

- G1210** 4cm thickness. 5 kg.
- G1211** 4cm thickness with Velcro. 5 kg.
- G1212** 5.5 cm thickness. 6kg.
- G1213** 5.5 cm thickness with Velcro. 6kg.



GYMNASTIC FLOOR

Polyethylene foam.
Composed of elements of 1m50 in 1m00 or 2m00 width.
6 sides 1000 deniers PVC canvas cover.
Handles for transport. With Velcro strips for juxtaposition.

WIDTH 1m00.

- G1377** 6m00 x 1m00 x 4cm. Weight 15 kg.
- G1378** 12m00 x 1m00 x 4cm. Weight 30 kg.

WIDTH 2m00.

- G1379** 6m00 x 2m00 x 4cm. Weight 33 kg.
- G1380** 12m00 x 2m00 x 4cm. Weight 65 kg.
- G1386** 12m00 x 2m00 x 5cm. Weight 85 kg.



OTHERS GYM
EQUIPEMENTS
ON REQUEST



TAPIS D'ESCALADE * CLIMBING

Dimensions of the landing area

This landing area must be at least 2m50 beyond the horizontal line placed at 3m00 from the ground. **CAUTION** : mind slants.

- Foam of 5 to 10 cm thickness, minimum width 2m50.
- GREY canvas cover, BLUE sides with non-skid underneath.
- Velcro strip of 24cm width for juxtaposition.
- 2 models : STANDARD of 2m50 x 2m00 or TAILOR MADE by M2.

Mats especially conceived to limit the consequences of a climbers 'fall, from the height corresponding to its position of crabbing gear.
UP TO XP P90-312 STANDARD



MATS 5cm THICKNESS


ES500 The M2.

ES502 The mat of 2m00 x 2m50.

MATS 10cm THICKNESS

ES1000 The M2.

ES1002 The mat of 2m00 x 2m50.



**MATS OF
40cm THICKNESS
ON STUDY**

GENERAL CONDITIONS OF SALES

1. OBJECT AND SCOPE OF APPLICATION.

These general terms and conditions of sale apply to all sales of sporting goods and equipment (excluding France) (hereinafter "the Equipment"), concluded between the company MARTY SPORTS, a public limited company with a board of directors and supervisory board with capital of 408,000 euros, whose registered office is Route de la Meignanne, 49370 Saint Clément de la Place registered with the Registry of Commerce and Companies of Angers under number B 317.121.747 (hereinafter "MARTY SPORTS" and professional purchasers (hereinafter "Buyer"). Any order of Materials implies the acceptance without reserve by the Purchaser of the present general conditions of sale which prevail over any other documents of the Purchaser, and in particular on all general conditions of purchase and this in accordance with article L. 441-6 of the commercial register. Any waiver of these general conditions of sale shall be agreed upon in writing between the parties. The special conditions indicated on the quotations and/or the order confirmations addressed by MARTY SPORTS prevail over the present general conditions of sale. Any other document than these general conditions of sale, and in particular the catalogs, pictures, prospectuses, advertisements, notices, have only an informative, indicative and non-contractual value. The material sold may be modified in relation to the texts, descriptions or engravings and prints of the MARTY SPORTS catalogs, without warning in order to take account of the evolutions of the applicable professional and public regulations and this without the Purchaser may consider that the amendments constitute a change of the contract of sale.

2. ORDERS.

The sales are perfect only after the express and written acceptance of the order of the Buyer which will be materialized by an order confirmation issued by MARTY SPORTS. Orders issued by the Buyer are firm and not cancellable unless exceptional and written agreement of MARTY SPORTS. MARTY SPORTS reserves the right to refuse any order issued by a Buyer who has not made the agreed payment and/or with which MARTY SPORTS would have had a dispute of payment in the context of an order and/or any order mentioning a price of equipment not corresponding to the tariff in force on the date of issue of the order and/or any order which would indicate an abnormally long delivery time or a duration of more than 3 months.

3. DELIVERY AND MATERIALS RECEPTION.

3.1 Delivery time and delivery conditions.

MARTY SPORTS will make its best efforts to execute the orders and respect the delivery times it indicates when it accepts the order except in case of force majeure within the meaning of article 1148 of the Civil Code or events such as strikes, lock-out, epidemics, war, requisitioning of fire, flood, interruption or delay in transport or any other cause causing total or partial unemployment of MARTY SPORTS. The delivery times indicated in the quotation and/or acceptance of the order do not constitute a delay of rigor. Accordingly, unless otherwise agreed in writing between MARTY SPORTS and the Purchaser, any delays of delivery shall not give rise to any penalty or indemnity, nor to justify the cancellation or termination of the order. If partial deliveries are requested by the Purchaser, these will be made subject to the prior agreement of the latter concerning the payment of additional transport costs. In case of non-payment of an invoice that has expired, MARTY SPORTS reserves the right to suspend any delivery in progress and/or to come.

3.2 Materials reception.

The Materials delivered comply with the applicable regulation and with the technical standards expressly stated in the quotation. The Buyer shall have five (5) working days from the delivery of the Materials to proceed with the receipt of the Materials and issue, if necessary, by registered letter with acknowledgment of receipt, any reserves to MARTY SPORTS. It shall be the responsibility of the Purchaser to provide all justifications as to the actual defects or deficiencies found. No claim can be accepted in case of non-compliance by the Buyer of these formalities. By explicit agreement, any installation of the Material by the Purchaser shall be without reserve receipt of the Materials. No returns of Materials will be made by the Buyer without the prior express written consent of MARTY SPORTS, obtained in particular by fax or e-mail. The Materials will have to be returned over in the state with their original packaging and have not been used. The costs of return will be borne by MARTY SPORTS by MARTY SPORTS in the case that an apparent defect, or missing, has actually been ascertained by the latter or by its agent. MARTY SPORTS will replace or repair, at its option, within a reasonable time and at its own expense, the non-conforming materials without the Buyer being entitled to any compensation, penalties, damages, or resolution of the order. The claim made by the Buyer under the terms and conditions described in this article shall not suspend payment by the Purchaser of the Materials concerned.

4. TRANSFER OF OWNERSHIP AND RISKS.

In the case of non-payment by the Buyer of all or part of the price of the order, MARTY SPORTS reserves, until the complete payment of the price, in principal and accessories, a right of ownership on the Materials in accordance with article L 624-16 of the French Commercial Code.

On the other hand, the transfer of the risk of loss and deterioration of MARTY SPORTS Materials will be realized as soon as the Materials are delivered to the Buyer according to the conditions indicated in article 3.1 hereof. It is the responsibility of the Purchaser to subscribe for the necessary insurance.

5. TARIFF - PRICE.

The MARTY SPORTS tariff applies to all Buyers on the same date and for the duration indicated in the latter. This can be reviewed during the year. Any tariff changes shall be the subject of an information to customers and will be applicable for any order issued as of the date shown of the new tariff. Unless otherwise specified in the quotation, prices are quoted INCOTERMS EXWORKS, excluding tax and customs duties, including packing.

6. PAYMENT CONDITIONS.

Payment terms are:

- For all new Buyers, the payment of the price must be made in totality when placing the order of the Materials.
 - For registered customers, unless written agreement between the parties, the payment of the price must be made in totality when placing the order of the Materials.
- However, if a delay in payment had been previously noted, the payment of the orders should take place in totality when the order is placed.

Payment methods:

- For all Buyers the payment will be made by bank transfer.

Advance payments are made without any discount.

Any delay in payment at maturity will result in penalties equal to 5 times the legal interest rate in effect in France on the due date. These penalties will automatically be paid to MARTY SPORTS without prior formal notice and without prejudice to any other action which MARTY SPORTS may be entitled to institute against the Buyer in this respect. In case of non-compliance with the payment terms set out above, MARTY SPORTS also reserves the right to suspend or cancel the delivery of outstanding orders, to suspend performance of its obligations. Moreover, in case of intervention by our litigation company, the Buyer will also be liable for an indemnity equal to 15% of the unpaid amount of the order, and without prejudice to any other action that MARTY SPORTS shall be entitled to sue the Buyer as such.

7. COMMERCIAL GUARANTEE.

In addition to the legal warranty of latent defects, the Materials delivered by MARTY SPORTS benefit from a warranty of twelve (12) months under normal conditions of use, from delivery as defined in Article 3-1 of these General Sales Conditions against any manufacturing defects rendering them unfit for the purpose of the activity for which they are intended.

In order to assert its rights, the Buyer shall, on pain of forfeiture of his rights under this warranty, inform MARTY SPORTS, in writing within the twelve-month period specified above, of the existence of the defect. Under this warranty, MARTY SPORTS undertakes to repair or replace within a reasonable period of time the Equipment which for the defects will satisfy the conditions under which it will benefit from this commercial guarantee, excluding of any other costs, damages and interest and/or indemnities of any kind whatsoever such as, without limitation, penalties, traveling and/or subsistence expenses and/or cost of assembly or disassembly of the Materials. Implementation of the warranty will not extend the warranty period for the replaced or repaired equipment.

Any warranty is excluded in the case of misuse or use of the equipment contrary to the instructions for use and/or for the use for which the equipment is intended, negligence or lack of maintenance, lack of surveillance from the Buyer or third party, normal use of the Material or force majeure, of reparation and/or modification by the purchaser or a third party, improper installation, false maneuver, deterioration, sabotage, from any accident or damage likely to damage the equipment, such as but not limited to damages caused by weather, water, equipment or devices not supplied by MARTY SPORTS.

8. LIABILITY.

MARTY SPORTS liability for all causes, with the exception of personal injury and gross negligence, shall not exceed the duty-free price of the material and only covers direct material damage caused to the Buyer, who remains alone responsible for any damage caused to third parties, which would result from fault exclusively attributable to MARTY SPORTS in the execution of the order.

Under no circumstances will MARTY SPORTS be liable to compensate for any intangible and/or indirect damages such as operating losses, profit, luck, commercial loss or loss of profit.

The purchaser warrants the waiver of recourse by its insurers against MARTY SPORTS beyond the limits and exclusions set out above.

9. INTELLECTUAL PROPERTY.

The drawings and pictures, sketches and designs of the catalog as well as the technical documents given to the buyers are the exclusive property of MARTY SPORTS and can not be reproduced, disseminated or used in any way without its express, written and prior authorization.

10. PARTIAL INVALIDITY.

In the case that one of the provisions of these general terms and conditions is held to be invalid or contrary to a provision of public order by a competent court, these general conditions will continue to effects for all other provisions provided that the nullity pronounced does not affect all the contractual stipulations.

11. NON-WAIVER.

Any failure or renunciation by MARTY SPORTS to avail itself of the performance of one of the obligations can not be interpreted as the will of MARTY SPORTS to renounce subsequently the execution of the said obligations.

12. DISPUTE – ATTRIBUTION OF JURISDICTION.

IN THE ABSENCE OF AGREEMENT, ANY DISPUTE RELATING TO THE CONCLUSION, INTERPRETATION, PERFORMANCE OF THE PRESENT GENERAL CONDITIONS AND ORDERS WILL BE SUBMITTED TO THE COMMERCIAL OF ANGERS EXCLUSIVELY COMPETENT, INCLUDING REFERRED, NOTWITHSTANDING THE GUARANTEE CALL OR THE PLURALITY OF DEFENDERS.

13. APPLICABLE LAW.

By express agreement between the parties, this contract is governed and subject to French law. The application of the Vienna Convention of 11 April 1980 is excluded. For convenience, an English translation has been established. However, in case of dispute, only the French text shall prevail.

FOR THE SALES WITH INSTALLATION OF THE MATERIALS BY MARTY SPORTS.

14. The installation of material by Marty Sports must be considered as a complementary service to the sale and consequently can not have the effect of modifying the legal nature of the contractual relationship, the order remaining governed by the law applicable to the sale and by the present general conditions of sale. This qualification will be imposed to the judges in case of dispute over the present general conditions of sale.

15. In addition, MARTY SPORTS is not subject to the obligation to join a bad weather of paid vacation fund, to provide individual basic insurance and/or participate in the pro-rata account, the latter being obligations specific to the activity Building not belonging to MARTY SPORTS.

16. Limits of the work of the batch SPORTS EQUIPMENT.

These benefit limits are specified and are those specified in the AFNOR 52-400 standard.



EQUIPEMENTS * INDOOR/OUTDOOR

MARTY *S* **SPORTS**

ROUTE DE LA MEIGNANNE 49370 SAINT CLÉMENT DE LA PLACE - FRANCE
Tel: +33 (0)2 41 77 03 86 Fax: +33 (0)2 41 77 02 77
contact@martysports.com - www.martysports.com

Société anonyme à directoire et conseil de surveillance au capital de 408 000€
R.C. Angers 79B215 - R.M.343.09 - SIRET 317 121 747 00024 - Code APE 3230 Z