

Basket



MARTY Sports



Presentation

MARTY Sports is a French company specialized in **Manufacturing, Design, Marketing** and **Installation** of sports equipment and furniture mainly intended for local authorities.

A **100% family-owned company**, it was created in **October 1979** by Raymond and Jeanne Martinez to exploit innovations in the world of athletics, designed by Raymond Martinez, who was a technical executive at the Fédération Française d'Athlétisme.

Their twin sons Laurent and Stéphane took over in 1986 and quickly added their skills in Team Sports and sports hall equipment. Since February 2019 Laurent Martinez has been managing the company.

MARTY Sports Athletics products are **IAAF** certified (International Athletics Federation), **Basketball** recommended by the **FFBB** (French Basketball Federations), **Badminton** classified **FFBAD** (French Badminton Federation).

Football goals are approved by **FIFA** (International Football Federation).



Designing The emergence of European Standards at the end of the 1990s, and also the French decree of June 1996 on the safety of sports equipment (now integrated into the Sports Code), forced **MARTY Sports** to create its own Design Office, which over the years has become a real asset for the company and its customers. The total integration of the design allows us to constantly innovate and support the development of sports, particularly in Athletics, Football, Badminton, Tennis or Basketball, where we work in support of their federations. This also allows us to make a difference from our competitors by offering **MARTY** products. We were also able to integrate eco-design following the completion of our first carbon footprint in 2009



Fabrication


MARTY Sports has been manufacturing since 1981. In order to control quality, we have constantly improved our production resources with modern machines and tools that respect not only working conditions but also the environment, as our factory is located in the countryside. Almost the entire production chain is integrated, from digital cutting of metal or aluminium profiles, manual or automated welding, and finally powder painting on a conveyor.

Commercialization

It is good to design and manufacture, but it is also necessary to commercialize. Since the early 2000s, we have chosen to sell almost everything directly or in very close contact with a network of distributors and installers. MARTY sells MARTY, which allows us to be in direct contact with customers, to be as close as possible to users' expectations and requirements.

For this purpose, our team of technical sales representatives employed by the company is at your disposal with the support of a strong organization administrative staff composed of sales assistants, accountants, a purchasing department and also a shipping department.


The export is done in relation with national distributors, able to provide the same services as MARTY Sports do in France.



Installation



We have our own specialized and experienced installation teams. Very well equipped, we have our own nacelles.



By clicking on the map, find the contact details the sales representative of your region if you are in France.

By 1 click on this icon you will send an e-mail to us. Ask for more infos, a quote...

Web

Our website is completely renewed every 4 years to benefit from the latest developments. You can consult the product sheets and assembly plans, request a quote, place an order...

Catalogues

Our digital catalogues are interactive (Foot, Basket, Hand, Team Sport, Rugby, etc...), Each product reference is a link to the page of this product on our web. Following this link, you will have access to more information, price, the technical sheet, and more photos... and you could ask for a quote or order online. A marketing department (catalogues, documents, newsletters, photos) is fully integrated into **MARTY Sports** since 2013.

martysports.com



Basket

COMPETITION PORTABLE BACKSTOP	page 5
CEILING-SUSPENDED BASKETBALL GOALS	page 7
FODABLE GOALS	page 9
CEILING MINI BASKETBALL GOALS	page 10
ACCESSORIES FOR CEILING BASKETBALL	page 11
BACKBOARDS	page 13
RINGS	page 14
MOBILE BABY BASKETBALL	page 15
MOBILE MINI BASKET GOAL	page 16
WALL MINI BASKETBALL GOALS	page 17
OUTDOOR MINI BASKETBALL	page 18
SKETBAL	page 19
OUTDOOR COMPETITION	page 20
FRE-STANDING BASKETBALL GOALS	page 21
BASKET GOAL 3X3	page 22
BASKETBALL TREE	page 23
COMBINES HAND/BASKET	page 24
NETS	page 25
LOCKER ROOMS BENCHES	page 26
INFIRMARY	page 29
METALLIC LOCKERS	page 29
GENERAL CONDITIONS OF SALES	page 30

SUMMARY



COMPETITION PORTABLE BACKSTOP

COMPETITION PORTABLE BACKSTOP SUPER SAM 325

PROJECTION 3m25, Approved FIBA LEVEL 1.

RECOMMENDED by FFBB, present on the Women EURO 2013 and Men EURO 2015

in France, RECOMMENDED by LNB equip the clubs of Strasbourg, Nanterre, Cholet, Reims/Chalons, Le Mans... It is also THE GOAL used for the 2014 WORLD CUP in Spain and the 2016 OLYMPIC GAMES of RIO.

- 2 height adjustment possible 3m05 and 2m60 by partial folding of the unit.
- Easy setup by big compensating springs.
- Tempered glass backboard thickness 12mm of 1m80 x 1m05 + metallic frame including a ring plate encrusted in the backboard cut-out, avoiding any overload.
- Multi directional ring PRO-ACTION 180° Approved FIBA.
- Equipped of 4 directional wheels on the front and 6 fixed wheels on the rear. Non-staining.
- Patented Dynamic Sub Frame (DSF System). The metallic frame supplant itself to the front wheels in game position in order to spread easier the weights on the floor.
- Height adjustment handwheel of the ring for the floor base.
- Automatic lock of the folded goal.
- Foam padding under the backboard and on the front face in foam thickness 20cm.

2 models :

B3325 With ground sockets to seal. The unit.

B3330 With integrated counterweights. The unit.

**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**



AVAILABLE for RENT



Patented DSF system.



OPTION - COLORS PROTECTION

B3327

Other colours possible for all protections.

(Bottom protection of panels not included)

For an order of different colours than the standard blue colour, a delivery time of 8 weeks is to be expected.



OPTION :

Choise of 4 colors of paddings and backboard paddings

Black Green Red Yellow





COMPETITION PORTABLE BACKSTOP

COMPETITION PORTABLE BACKSTOP SAM 225 CLUB B3320

PROJECTION 2m25 . FIBA approved LEVEL 3.
 2 height adjustment possible 3m05 and 2m60 by partial folding of the unit.
 Metal framework foldable and portable.
 Easy setup by big compensating springs.
 Tempered glass backboard 12mm + steel frame with patented including a ring plate encrusted in the backboard cut-out, avoiding any overload.
 Competition ring 105KG Pro action 180° Approved FIBA.
 Safety padding under the backboard and on the front face
 Equipped with 2 wheels on the front and 4 wheels on the rear.
 With floor connectors.
 Forklift tubes for more flexibility when moving and storing goals.
 The unit.



OPTION - COLORS PROTECTION B3327

Other colours possible for all protections.
 (Bottom protection of panels not included)
 For an order of different colours than the standard blue colour,
 a delivery time of 8 weeks is to be expected.

OPTION :
 Choice of 4 colors of paddings and backboard paddings

Black Green Red Yellow



CEILING-SUSPENDED BASKETBALL GOALS

COMPETITION GOAL 4 models at your disposal

- FOLD AWAY COMPETITION GOAL
- ANGLED FOLD AWAY COMPETITION GOAL
- FOLD AWAY AND RETRACTABLE GOAL
- PANTOGRAPH COMPETITION CEILING GOAL

INCLUDED : (TO STUDY)

- Main fixing articulated for tubular metallic frame.
- Fastening on pulleys.
- 4 maintaining cables on each goal giving a really good stability and better loads sharing out + fastening for maintaining cable (B3022) and fixings for cable on roof.
- Elevating wire made of 5mm galvanised steel (B3016) + elevating fixings adjustable on frame (B3021).
- Set of pulleys made of steel Ø100mm mounted on ball bearings + adapted fixations.
- Tightening set (wire-strainer, clamps, links, fastening devices...).

FOLD AWAY COMPETITION GOAL

B3010AR

Standard. Fixed. The unit .



**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**



GOALS ON STUDY



NOT INCLUDED : (TO SELECT pages 12 to 14)

- Polyester or methacrylate backboard.
- Fixed or spring rings.
- Nets.
- Backboard padding.
- Manual or electrical braking system.
- Height adjustment system.
- Drop stop.

ANGLED FOLD AWAY COMPETITION GOAL

B3004AR

FIXED SINGLE TUBE but angles allowing the all set backboard/ring to pass above the game templates.

The unit.




PANTOGRAPH COMPETITION CEILING GOAL

B3009AR

This type of goal device is very stable and has no lateral wires and allows by its small congestion in folded position to lift above the game templates. Ideal for Badminton.

Backward-fold or forward-fold.

It is suspended to the frame on 2 parallel metallic trusses which are themselves fixed to the frame.



STANDARD COLOR : WHITE.
Other colors on study.



**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB**
(BASKETBALL FRENCH FEDERATION)



FOLD-AWAY AND RETRACTABLE GOAL

B3008AR

Very specific MODEL.

It folds up to the roof and retracts itself in order to fit in between 2 roof timbers above the game templates.



IMPORTANT : This solution is not always possible.
Roof timbers must be placed out enough and thick enough in order to place board and ring in between. Strengtheners must be useful because of the space in between roof timbers.



FODABLE GOALS

Adjustable projection from 2m00 to 3m25. Especially conceived for a fixation in gable with folding against the wall without winch. Model without cables with blockage in game position and folded indexed by crank and spring system.

IMPORTANT : These goals are conceived for mini basketball Us shape backboards 1m13 x 0m83 or rectangular 1m20 x 0m90.

COMPETITION FOLDABLE GOAL

B3200AR

REGULATORY projection 3m25.

Especially conceived for a gable fixation foldable against the wall without winch. Blockage in game position.

Model without cables with blockage in game position and folded indexed by crank and spring system.

Senior MODEL which can receive backboards of 1m80 x 1m05.



**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**



FOLDABLE MINI BASKETBALL GOAL

Adjustable projection from 2m00 to 3m25. Especially conceived for a gable fixation foldable against the wall without winch. Blockage in game position and folded indexed by crank and spring system.

IMPORTANT : These goals are made to receive mini basketball US shape backboards of 1m13 x 0m83 or rectangular backboards of 1m20 x 0m90 .

B30205AR Fixed height 3m05.

B30206AR Adjustable height from 2m45 to 3m20.



CEILING MINI BASKETBALL GOALS

Ideal to settle mini basketball goals in front of stands instead of mobile mini basketball goals.

The fixations, fold-away, pulleys and winch need to be IMPERATIVELY on the same portico otherwise extra roofing structure will be necessary.

The unit on study.

**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**

FOLDABLE MINI BASKETBALL GOAL

B3005AR

Fixed height. 2m60 or 3m05.

FOLDABLE MINI BASKETBALL GOAL

B3006AR

Adjustable height from 2m45 to 3m20, thanks to a jack system.



FOLDABLE MINI BASKETBALL GOAL

B3007AR

RETRACTABLE with height adjustment.

FOLDABLE MINI BASKETBALL GOAL

B3003AR

VERTICAL RAISING with height adjustment.



ACCESSORIES FOR CEILING BASKETBALL

ADJUSTABLE DEVICE WITH JACK


Up to standard EN1270 and Sports Code.
Incorporated to ceiling competition goal or folding basketball goals of our range.

New model very practical and original which allows, thanks to a 2 position jack, to adjust the heights of the goals easily and effortlessly.

With height blockage device.
The unit.



EXCLUSIVE



ADJUSTABLE DEVICE WITH SCREW

B3011

Up to standard EN1270 and Sports Code.
Incorporated to ceiling competition goal or folding basketball goals of our range. Allows, thanks to a system of endless screw, to wind down the competition backboard in mini-basketball use. With heights locking device.
The unit.



LIFTING FIXATIONS

B3021

Stirrup with welded ring to fasten the lifting wire on the tube.
Unique model for tube of square section 90 or 100mm.
The unit.



SPECIFIC ADJUSTABLE DEVICE

Up to standard EN1270 and Sports Code
Similar to our model B3011 and B3011M but with SPECIFIC MANUFACTURING and TAILOR-MADE, adaptable on existing goals from different brand than MARTY SPORTS. A technical sheet to fill in is at your disposal on request. The unit.

B3019 On base of crank and endless screw type B3011.

B3019M On base of jack type B3011M.

EXTRA CRANK

B3226 For system B3011 and B3019. The unit.

B3226M For system B3011M and B3019M. The unit.

FASTENING WIRES FIXATION

B3022

Stirrup with shroud to fasten cables of ceiling goals on the square tube of 90 and 100mm section.
The unit.



FALL-STOP

B3210

COMPULSORY on all ceiling goals.
Standard EN360.
Braking system, locking instantly the goal in case the Lifting cable breaks accidentally, avoiding any risks of accident.
Delivered with snap hook but without roof fastening.
The unit



FALL-STOP FIXINGS

B3211

To fasten fall-stops on existing goals.
With ring, for 100mm square tubes.
Delivered with bolts. The Unit.



ELECTRICAL WINDER

B3017B

For all ceiling goals. Strength 270 Kg.
End of travel double system up and down
settled directly on the engine. Manual
operating declutching by winch in case of
electrical failure. Delivered with a key
control box (2 switches UP and DOWN),
and operating manual. With wall fixings
and winding pulleys mounted on ball
bearings and crandcase.



IMPORTANT : We suggest installation of
this motor along a framework foot at
3m50 high, then it is reach it in case of manual declutching.

ALIMENTATION : You must plan a direct line from the electric board 230V
MONO(3x2,5). Protection 10A.
The complete set for 1 unit.

CONTROLLER FOR SEVERAL ELEVATING DEVICES

B3017G

PVC tight controller for several
basketball winder key control box in
one place.

Box only, switches are delivered with
electrical devices B3017B. With plans
of goals places on adhesive.
(In this case, you must imperatively
forward the goals position).
The unit.



BRAKING SYSTEM WINCH

B3220

Self-braking without notch (automatic irreversibility)
Strength 300 Kg, with handle (B3225). WHITE.
The unit.



HANDLE

B3225

For winder B3220
The unit.



PULLEYS

Ø100mm. STEEL MONOBLOCK with machining for cable passage. Mounted on ball bearings.
Delivered without bolts.

LOOSE PULLEY

B3012

Articulated at 360°. Delivered with quick links,
but without frameworks metallic fixings (B3015).
Multi-purpose due to its articulation. Mainly used for
direct lifting and when cable must be diverted.
The Unit.



FLAT PULLEY

B3013

Set of intermediate pulley and passage cable
in case of wooden or concrete framework.
The Unit.



METALLIC FASTENING

To fasten fall-stop and pulleys on frameworks. The unit.

B3015

For concrete or wooden framework. 2 holes / 1 ring
With counterplate but without bolts.

B3015S

For specific fixing on metallic framework.
Specify dimensions when placing the order.

EN1270 STANDARD INFORMATION

Standard and regulations about lifting provides a few provision :

- 3 clamp cables on each end of the cable.
- Leave at least 3 turns of the winch cable on the winch drum to prevent the cable from pulling out of the winch.
- Tensioners must be closed and contain locking nuts on each side.

CABLE

B3016

For lifting and fastening wires. Galvanised wire of 5mm.
Composed of 6 strands of 7 wires
+ 1 steel core of 7 wires.
Breaking resistance 1 600Kg.
You should need 30m00 for
1 lifting and 10m00 for one support.
The linear meter.



THIMBLE

B3023

Galvanised steel. Ø 5mm. The Unit.

QUICK LINKS

B3024

Galvanised steel. N°8. The unit.

WIRE-STRAINER

B3027

Galvanised steel 12mm rod.
With 2 closed rings and a blockage nut. The Unit.

CLAMPS

D1752

Stirrup for double tightening. Ø5mm.
Galvanised steel. 3 units on each end of cable. The Unit.

TIGHTENING SET

B3025

Set of 8 wire-strainer (B3027),
54 clamps (3 for each end D1752),
18 thimbles (B3023),
8 quick links (B3024).
To repair 2 ceiling
basketball goals.
The set.



SIDE PULLEY

B3014

Fixed, very specific, mainly used like a relay
pulley for the lifting on wooden or concrete
beams.
The unit.



SPECIFIC SIDE PULLEY

B3014S

Fixed, very specific, mainly used like a relay pulley for the
lifting on wooden or concrete beam flat or to grip.
The unit.

BACKBOARDS



POLYESTER BACKBOARD

Wooden backboards covered with fiberglass.
20mm thickness. WHITE. Frame and lines Black dyed in the mass.
The unit.

- B3150** 1m80 x 1m05 x 20mm. SENIOR UP TO REGULATON. Weight 36 kg.
- B3155** 1m11 x 0m77 x 20mm. US SHAPE. Mini Basket. Weight 11 kg.
- B3151** 1m20 x 0m90 x 20mm. RECTANGULAR. Mini basket.

METHACRYLATE BACKBOARDS

TRANSPARENT backboard, LINES AND WHITE FRAME by SPECIAL ADHESIVE.
In case backboards are for previous models of goals, without ring counterplate, it is recommended to add the steel frame option (B3162 or B3166).
The unit.

- B3158** 1m80 x 1m20 x 15mm. SENIOR for previous goal. Weight 39 kg.
- B3159** 1m80 x 1m05 x 15mm. SENIOR UP TO REGULATION. Weight 34 kg.
- B3160** 1m80 x 1m20 x 20mm. SENIOR for previous goal. Weight 51kg.
- B3161** 1m80 x 1m05 x 20mm. SENIOR UP TO REGULATION. Weight 45 kg.
- B3157** 1m20 x 0m90 x 15mm. MINI BASKET. Weight 26 kg.



STEEL FRAME

For reinforcement of the methacrylate backboards on goals with emplacement and ring drilling.

- B3162** For assembly on goals MARTY SPORTS.
- B3166** For assembly on goals of a different brand than MARTY SPORTS. SPECIFIC MANUFACTURING. PLEASE FORWARD US IMPERATIVELY with drawings of the existing fixations of the goal and precise the brand. TECHNICAL SHEET at your disposal on request.



STEEL BACKBOARD

B3156

For outdoor mini basketball goals.
Dimension: 1m20 x 0m85. US Shape. 4mm thickness galvanized steel, punched lines.
Fixing holes already done. Weight 27 kg
The unit.

SECURITY GLASS BACKBOARD

B3165

12mm thickness 1m80 x 1m05 with metallic strengthening frame.
Cut on the ring position + recessed ring fixing plate.
The unit.

BACKBOARD PADDING

EXCLUSIVE model with more resistant surface coating.
1m80 width, with 0m40 rise. BLACK.
Self-adhesive rubber for a very easy installation without glue or screwing.

- B3163** For 15 to 30mm thickness backboard. The Unit.
- B3164** For 30 to 40mm thickness backboard. The Unit.



BOLT-ON PADDING FOR TEMPERED GLASS BACKBOARD

1m80 width with rise of 0m40 in 2 assembled parts in the middle by 2 metallic rods. Rigid foam with holes for screwing of the metallic frames. The unit.

- B3167** BLUE.
- B3167N** BLACK.



PADDING FRAME SUPPORT

B3168

For model to screw. Metallic.
The unit.

RINGS

COMPETITION STRENGTHENED RING

B3186

Up to EN1270 Standard.
Supplied on all our basketball goals. Round rod diameter 18mm with strengtheners + strengthener gusset. Orange. With net hooks . Resistance of 300kg. FOR COMPETITION. Weight 8 kg. The unit.



GALVANISED COMPETITION STRENGTHENED RING

B3188

Similar to B3186 but GALVANISED finishing. With net hooks. Resistance of 300kg. Weight 8 kg. The unit.



HIGH COMPETITION RING

B3179

IN CONFORMITY WITH EN1270 and FIBA rules. Device of 3 adjustable springs tarred at 105 kg. Steel rope fastening device to hang the net. Weight 12 kg. The unit.



STRENGTHENED RING FOR TRAINING

B3185

Round rod Ø18mm. Solid rod 18mm with strengthener + strengthener gusset. Orange without net hooks. Resistance of 300kg. Weight 7 kg. The unit.



PRO ACTION 180° DUNK RING

B3174

IN CONFORMITY WITH EN1270 and FIBA rules. Sprind device 180° MULTIDIRECTIONAL Rope fastening device to hand the net. Weight 12 kg. The unit.

PRO ACTION 180°



FASTENING BRACKET FOR RING

B3181

To take the ring off easily and avoid any risk of theft. Metallic, manufactured in 2 parts. For rings: B3185 / B3186 / B3188. The unit.



TACTIC BOARD

B3601

Wall fastening. Dimensions 0m90 x 0m60. With pins, erasable pen and eraser NEW MODEL inscription on the two sides. 1 side BASKET / 1 side HANDBALL. The unit.



TELESCOPIC HEIGHT MEASURING DEVICE

B1660

4m00. Telescopic. Reading of the height by a sliding tape inside. Very precise reading. Level flask. The unit.



SUPPORT FOR TACTIC BOARD

F8350

For tactical board of 90mm x 60mm. Possibility to place it horizontally or vertically. Metallic construction on heavy base and transport wheels. Delivered without the board. The unit.



NETS ARE PAGES 25



MOBILE BABY BASKETBALL

BABY BASKETBALL GOAL FFBB

B3090

Mobile mini basketball goal 0m60 projection.

- Maximum height 2m60 for competition mini basketball practicing.
- Adjustable height MINI 1m20 which enable to adapt the competition backboard to all the young players needs allowing them to satisfy with shooting approach. Thanks to this system, the child is always in position of success and progress.

Metallic construction, WHITE polyester powder coating.

- Mobile on weighted frames, easy and safe to move thanks to 4 strengthened wheels Ø100mm with grey rubber that leave no skid-marks.
- 12 possible heights from 1m20 to 2m60, thanks to a very elaborated system of spring compensatory jack, does not require any crank.
- Mounted on a vertical telescopic tube, maneuvered by a braking system with 2 automatic and safe snap-in positions.

COMPOSED OF :

- 1 US shape polyester backboard 1m11 x 0m77 x 20mm (ref B3155).
- 1 strengthened ring tarred at 300Kg (Ref B3186).
- 1 net White Nylon Ø 4,5mm (Ref B3124)
- 1 fixation plate for easy removing or the ring (ref B3181).
- 1 foam padding for the front tube.
- 1 foam padding for the front of the frame base.
- 2 anchorages to seal and fixations.



IMPORTANT :
For exceptional uses which require **NECESSARILY** the tests planned in the Sports Code for each installation...

IN CONFORMITY with EN1270 and SPORT CODE RECOMMENDED by FFBB (BASKETBALL FRENCH FEDERATION)



OPTIONS :

GALVANIZATION

B3076

Of the metallic frame for outdoor use.

WEIGHTS

B3095

Complementary for a use without fixations to ground, composed of a galvanized metallic chassis and 2 barrels of 200 liters to be filled with water.



MOBILE MINI BASKETBALL GOAL

Metallic construction, WHITE polyester powder coating.
 Mobile on new weighted frames, easy and safe to move thanks to 4 strengthened wheels Ø100mm with grey rubber that leave no skid-marks, including 2 pivoting with brakes.
 US shape polyester backboard 1m11 x 0m77 x 20mm (B3155).
 1 strengthened ring tarred at 300Kg (Ref B3186).
 1 net White Nylon Ø 4,5mm (Ref B3124).
 2 anchorages to seal and fixations.



**IN CONFORMITY with EN1270
 and SPORT CODE
 RECOMMENDED by FFBB
 (BASKETBALL FRENCH FEDERATION)**

MOBILE MINI-BASKETBALL GOALS FIXED HEIGHT **B3089**

Fixed height 2m60. 0m60 projection.
 Total height out of the ground 3m23.
 The unit.



MOBILE MINI-BASKET ADJUSTABLE HEIGHT **B3091**

0m60 projection. Height adjustment of 2m60 and 3m05 + initiation heights 2m30 and 2m45.
 Adjustment with system of spring compensatory jack, does not require any crank. Very practical and effortless.
 Total height out of the ground in low position 2m99.
 The unit.



GALVANIZATION **B3076**

Extra for galvanization of metallic frames of the goals B3089 and B3091.
 For 1 goal.

EXTRA PAINT ON GALVANIZATION **B3077**

Extra for WHITE powdering on the goals B3089 / B3091 when they are galvanized.
 For 1 goal.

ANCHORAGE **B3400**

For mobile goal. The unit with top.

HOOK IN J **B3403**

With tightening wheel to the mobile goals in the anchorages.
 Ø 10mm. Length 170mm.
 The Unit.

POST PADDING

For mini basketball goals B3089 and B3091.

B3090PM02 For front face of the mobile base.
 In L shape, fixation by Velcro.
 The unit.

B3102/91 For front vertical tube.
 1m75 height.
 Foam with blue PVC top cover.
 Closing by Velcro.
 The unit.






WALL MINI BASKETBALL GOALS

FIXED MINI-BASKETBALL GOAL **B3050**

Fixed height 2m60 or 3m05. 0m60 projection. VERY ROBUST. 90mm square metallic construction with strengthening plate at the back similar to the outdoor goals avoiding any damage on the backboards. Wall fastening plate of 8mm thickness with 4 points spacing 190 x 190mm for a flat and vertical support. POLYESTER US SHAPE backboard (B3155). Strengthened ring (B3186) and net (B3124). The unit.



SPECIFIC FIXED MINI-BASKETBALL GOAL **B3052**

Fixed height. The same as B3050 but with a SPECIFIC WALL FIXATION. Example: In stirrup for glue-laminated portico or to grip for metallic portico. In that case, please specify IMPERATIVELY the dimensions when passing the order without forgetting the slopes. (TECHNICAL SHEET AT YOUR DISPOSAL on request) The unit.



ADJUSTABLE MINI-BASKETBALL GOAL **B3060**

IN CONFORMITY WITH EN1270. Adjustable heights from 2m60 to 3m05 and intermediate + 2m45 and 3m20. Very easy adjustable compensatory jack device and maneuvering stick. Wall fastening plate provided for a flat and vertical support (315 height x 120mm). Polyester US shape backboard (B3155). STRENGTHENED ring (B3186) and net (B3124). The unit.



SPECIFIC ADJUSTABLE MINI-BASKETBALL GOAL **B3062**

IN CONFORMITY WITH EN1270. Adjustable heights. The same as B3060, but with a SPECIFIC WALL FIXATION. Example: Fixation in stirrup for glue-laminated portico or to grip for metallic portico. In that case, please specify IMPERATIVELY the dimensions when passing the order without forgetting the slopes. (TECHNICAL SHEET AT YOUR DISPOSAL on request) The unit.




ADDITIONAL STRUCTURES MINI BASKETBALL GOALS

For wall basketball goals. Allows a projection of mini basketball goals B3050 and B3060 to 1m20. Option to be added to these references. Metallic, very robust. Delivered with cables and strengthening devices to fix on the wall support.

FOR FLAT AND VERTICAL SUPPORTS

Ex : Concrete wall



FOR SPECIFIC SUPPORTS

Ex : In stirrup for wooden framework or to grip for metallic framework. Drawing of the support to provide.



B3053 For fixed height goal B3050. The unit.

B3063 For adjustable height goal B3060. The unit.

B3054 For fixed height goal B3050. The unit.

B3064 For adjustable height goal B3060. The unit.

GALVANIZATION **B3056**

Extra for galvanization of the wall mini basketball goals. For 1 goal.

PAINT ON GALVANIZATION **B3057**

Extra for WHITE powdering on the wall mini basketball goals when they are galvanized. For 1 goal.

OUTDOOR MINI BASKETBALL

MINI BASKETBALL GOALS TO EMBED

B3105

TO SEAL.
Metallic square tube 70mm thickness 3mm.
Galvanized.
0m60 projection up to regulation.
Height of the ring 2m60 ring taken directly on metallic frame thanks to a strengthened plate.
Polyester US shape backboard (B3155),
STRENGTHENED ring (B3186) and net (B3124).
The unit.




IN CONFORMITY with EN1270 and SPORT CODE RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)

MINI BASKETBALL GOAL WITH PLATEN

B3107

Model similar to B3105 but with a sealing plate.
(Including plate to seal) GALVANIZED.
Polyester US shape backboard (B3155).
Strengthened ring (B3186) and net (B3124).
The unit.



POST PADDING

B3102/80

For basketball goal to seal.
2m00 height.
Foam square section
200 x 200mm.
Blue PVC top cover,
Closing by Velcro.
For mini basketball goal
B3105 and B3107.
The unit.



GROUND SOCKET

B3106

For sealing of the mini basketball goal B3105. With top.
The unit.

EMBEDDING PLATEN

B3042

TO SEAL for goal B3107.
The unit.

EXTRA PAINT ON GALVANIZATION

Of the metallic frame of the goals B3105 and B3107.

B3162 STANDARD BLUE color (WHITE if specified on order). The unit.

B3109S If color desired is different from BLUE and WHITE.
In this case please specify the color when passing the order.
The unit.

SKETBALL

THE SOLUTION FOR "WILD BASKETBALL"
EXCEPTIONAL ROBUSTNESS

- To seal directly, in a ground socket or with a plate.
 - Metallic construction 90mm tube, 3mm thickness.
 - Projection 0m60 and 1m20 for singles, 1m00 for doubles.
 - Strengthened welded angles.
 - Backboard US shape 1m11 x 0m77 x 20mm, Polyester or steel galvanised.
 - STRENGTHENED ring (B3186) with net hooks directly fixed on a metallic plate.
 - 4,5mm nylon net.
 - GALVANIZED.
- The unit.

**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**



SKETBALL



Direct sealing			Sealing by plate	
Double	Simple	Ring height 2m60 – 1m20 projection	Simple	Double
B3039P	B3038P	Polyester backboard	B3028P	B3029P
B3039T	B3038T	Galvanized backboard	B3028T	B3029T
Double	Simple	Ring height 3m05 – 1m20 projection	Simple	Double
B3045P	B3044P	Polyester backboard	B3034P	B3035P
B3045T	B3044T	Galvanized backboard	B3034T	B3035T
	Simple	Ring height 2m60 - 0m60 projection	Simple	
	B3037P	Polyester backboard	B3027P	
	B3037T	Galvanized backboard	B3027T	
	Simple	Ring height 3m05 - 1m20 projection	Simple	
	B3036P	Polyester backboard	B3026P	
	B3036T	Galvanized backboard	B3026T	

FASTENING PLATEN

B3042

TO SEAL in the ground. For simple and double Sketball. The unit.

GROUND SOCKET

TO SEAL. To facilitate the sealing of the SKETBALL.
Allows an exceptional dismounting. With top.

B3046 For sketball simple section 90mm. The unit.

B3043 For sketball double section 120mm. The unit.

EXTRA PAINT ON GALVANIZATION

Of the metallic frame of the simple or double SKETBALLS.

B3048 STANDARD BLUE color (WHITE if specified when passing the order).
The unit.

B3048S If color desired different from BLUE and WHITE (specify the color
when passing the order). The unit.

POSTS PADDINGS

To protect SKETBALL tubes. Section of foam 200 x 200mm.
Blue PVC top cover with closing by Velcro.
The unit.

For GOALS 2m60 HEIGHT. Height of the padding 1m75.

B3102/91 For sketball simple section 90mm. The unit.

B3102/121 For sketball double section 120mm. The unit.

For GOALS 3m05 HEIGHT. Height of the padding 2m00.

B3102/90 For sketball simple section 90mm. The unit.

B3102/120 For sketball double section 120mm. The unit.



OUTDOOR COMPETITION



**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**

OUTDOOR COMPETITION BASKETBALL

2m25 projection.
Metallic TO SEAL. Ø 120mm Square tube and 3mm thickness.
Strengthened angles with gusset.
Polyester backboard 1m80 x 1m05 x 20mm (B3150) maintained by
2 metallic strengtheners.
Strengthened ring with hoops (B3186). Net (B3124).
GALVANIZED.
Delivered dismantled for transport.

B3040 Fixed height 3m05.
The unit.

B3040RG Adjustable height 3m05 to 2m60 by
a crank and endless screw system.
The unit.

COMPETITION BASKETBALL GOAL WITH PLATE

2m25 projection. SIMILAR model to B3040, but delivered with a plate
TO SEAL (plate B3042). GALVANIZED.

B3041 Fixed height 3m05. The unit.

B3041RG Adjustable height
3m05 to 2m60 by a
crank and endless screw
system.
The unit.



PLATEN TO EMBED

B3042

TO SEAL in the ground for a goal B3041.
The unit.

GROUND SOCKET TO EMBED

B3043

For basketball goal B3040 section 120 x 120mm. With top.
The unit.

EXTRA PAINT ON GALVANIZATION

Of the metallic frame of the goals B3040/B3041.

B3048 STANDARD BLUE color. (WHITE if specified when passing the
order). The unit.

B3048S If color desired different from BLUE and WHITE
(specify the color when passing the order).
The unit.

POST PADDING

B3102/120

For basketball goals to seal B3040/B3041
basketball goals of section 120 x 120mm.
2m00 height.
Foam square section 200 x 200mm.
Blue PVC top cover. Closing by velcro.
The unit.



FREE-STANDING BASKETBALL GOALS

« Ideal to build short-lived courts, stable, strong, distinguished...
Practical to be transported and to be installed.
It allows envisaging all types of basketball»



**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**

FREE STANDING GOAL

B3047

Model developed in cooperation with the Basketball French Federation for 3 vs 3 for the installation of fields in improbable places for 3 x 3 tournament.

- Metallic construction GALVANIZED.
- Projection 1m20.
- Adjustable at 2 different heights 2m60 and 3m05 by security automatic snap-in.
- Weighted base with PVC barrels of 300 liters to be filled with water.

Composed of :

- 1 US shape polyester backboard 1m11 x 0m77 x 20mm (ref B3155).
- 1 strengthened ring tarred at 300Kg (Ref B3186).
- 1 net White Nylon Ø 4,5mm (Ref B3124).
- 1 fastening bracket for easy removing of the ring (ref B3181).
- 1 padding for the front tube.
- 1 padding for the front of the frame base.

COUNTERWEIGHT SYSTEM

B3059

IN OPTION : of the base by full metallic counterweights instead of the PVC barrel. 300 KG per goal.



3X3 HIGH COMPETITION BASKETBALL GOAL

B33FIBA

FIBA 3X3 World Tour and 3X3 World Championship official goal. Recommended by FIBA for the high level 3X3 competitions. Mobile with projection 2m25. FREESTANDING with integrated counterweights.

Perfectly in conformity with the decree n°2016-481 dated 18 April 2016.

- Easy installation with big compensatory springs.
 - Tempered glass backboard thickness 12mm of 1m80 x 1m05 on strengthened metallic frame, including a ring plate encrusted in the backboard cut avoiding any overweight of the backboard.
 - Equipped with 4 pivoting wheels double at the front and 2x3 fixed at the rear.
 - Equipé de 4 roues pivotantes doubles à l'avant et 2 x 3 roues fixes à l'arrière
 - Automatic locking of the folded goal.
 - The front padding with cutting to integrate a 12 second clock (option).
A cushion to fill in the cutting for use without the 12 second clock is included
- The unit.

SCOREBOARD 3X3

B331

Especially conceived for the Basketball 3X3 practice.

The set includes:

- 1 scoreboard of 108 x 39 x 9 cm with tripod.
- 1 display 12" of 45 x 31 cm.
- 1 principal console + 1 possession console.

Digits height 15cm. Reading angle 160°. Readability 60m.
Indoor and outdoor use.



BASKETBALL GOAL 3X3

Especially conceived for the Basketball French Federation for its tournaments.

3X3 BASKETBALL GOAL

B33

Mobile BALLASTED without anchorage, foldable for transport.
Projection 2m25. Ring height 3m05.




- Galvanized metallic frame + WHITE polyester powdering.
 - Backboard galvanized metallic frame support and WHITE powdered with compensation of the backboard thickness for direct fixation of the ring.
 - Goal mounted on 2 articulations for assembly and dismantling thanks to a manual winder.
 - Heavy base width 1m20.
 - Depth 2m20.
 - Metallic GALVANIZED.
 - Base mounted on 3 big fixed wheels for displacement, retracting itself for use thanks to 2 feet adjustable in height
 - With independent counterweight of 640 KG.
 - Dimensions 1m18 x 0m60 x height 0m40, embedding itself by the rear and manoeuvrable with a transpallet (not supplied)
 - Total weight of 1 goal with counterweight : 1020kg.
- The unit.



COMPLET GOAL EQUIPPED WITH:

- Methacrylate backboard 1m80 x 1m05 x 15mm with cut of ring plate (ref B3159).
- Retractable competition ring at 105kg (ref B3179).
- With backboard padding in extruded foam to screw of 1m80 with 2 returns of 0m40 (Ref B3187).
- Façade in foam covered by a PVC canvas, thickness 5cm, of 2m30 x 1m30 + 2 returns of 1m90 x 1m50.

**IN CONFORMITY with EN1270
and SPORT CODE
RECOMMENDED by FFBB
(BASKETBALL FRENCH FEDERATION)**



BUT 3x3 MOBILE B3X3

MARTY Sports

BASKETBALL TREE

BASKETBALL TREE

BAB1

Multiple basketball goal with 5 branches with ring height from 1m50 to 5m00.
composed of:

- 1 machine-welded metallic frame with variable sections and assembling parts with 1 ground socket to seal.
- 5 basketball backboards in natural galvanized 1m13 x 0m83.
- 5 galvanized strengthened rings without hooks and without net.

Model with NATURAL GALVANIZED FINISHING.
The set.

PAINTING BY POWDERING BASKETBALL TREE

BAB1P

RAL to be specify by the customer.

The complete tree (frame and backboards).



IMPORTANT :

This is a protected creation
a/LTA / MARTY Sports

« Derived from the original

piece of work

Basketball Tree

realized as part of

Voyage à Nantes 2012 »

Product's dimensions and
appearance not modifiable.

COMBINES HAND/BASKET

In 2 dimensions

MINI Handball 2m40 x 1m70. Mini Basket Ht 2m60

SENIOR Handball 3m00 x 2m00. Basket Ht 3m05

- TO SEAL.
- With or without rear cage.
- GALVANIZED finishing with option for polyester powdering WHITE/BLUE.
- Metallic construction square section 80 x 80 mm.
- Strengthened support for basketball.
- US shape polyester backboard (B3155).
- Strengthened ring (B3186) + net (B3124).

COMBINE MINI

Mini handball 2m40 x 1m70. Ring height 2m60.
GALVANIZED. The unit.

B3500P Without rear cage and without net hooks.

B3505P With rear cage and net hooks.



**NETS ARE
PAGES 25**



**IN CONFORMITY with EN1270
and SPORT CODE**

COMBINE SENIOR

Handball senior 3m00 x 2m00. Ring height 3m05. GALVANIZED.
The unit.

B3510P Without rear cage and without net hooks.

B3515P With rear cage and net hooks.



OPTION PAINTING

On combines handball/basketball on galvanization.
Polyester powdering Bi color WHITE /BLUE.

B3520 For combine without rear cage.

B3525 For combine with rear cage.

NETS

IN CONFORMITY WITH EN1270 and Sports Code.
Simple mesh. WHITE. The pair.


B3124	COMPETITION	NYLON 4,5mm
B3136	HIGH COMPETITION	NYLON 6mm
B3132	SUPER SAM	Reinforced NYLON



LOCKER ROOMS BENCHES

VERY ROBUST manufacturing

- Metallic supports with fixation in the ground or to the wall.
WHITE polyester powdered.
- Polyurethane varnished Fir wood or Exotic wood.
- Delivered with screws but without plugs and bolts for fixation.
- Dimensions : Seat height 40cm.
- Total height when bench is complete : 1m78.



IMPORTANT :
Benches are sold by linear meter.
Minimum 1m00, and then by multiples
of 10cms. Maximum length 4m00.

WOOD SECTION	VARNISHED FIR WOOD	VARNISHED EXOTIC WOOD
SEAT	2 lathes 130 x 28mm	2 lathes 130 x 28mm
BACK	1 lathe 90 x 32mm	1 lathe 90 x 28mm
BAGS LATHES	2 lathes 90 x 32mm	2 lathes 90 x 28mm
PEGS LATHES	1 lathe 90 x 32mm	1 lathe 90 x 28mm

WALL BENCHES WITHOUT PEGS

Quality wood, fir or exotic.

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
SINGLE BENCH. Seat only. 1 wall fixation + 1 ground fixation.					
FIR	S1055	S1055S	S1055G	S1055GB	S1055GS
EXOTIC	S1050	S1050S	S1050G	S1050GB	S1050GS
STRENGTHENED BENCH. Seat Only. 2 ground fixations.					
FIR	S1065	S1065S	S1065G	S1065GB	S1065GS
EXOTIC	S1060	S1060S	S1060G	S1060GB	S1060GS
WALL BENCH. Seat only. 1 wall fixation + 1 fixation very close to the wall.					
FIR	S1069	S1069S	S1069G	S1069GB	S1069GS
EXOTIC	S1068	S1068S	S1068G	S1068GB	S1068GS
WALL BENCH. Seat + back 1 ground fixation + 1 wall fixation.					
FIR	S1075	S1075S	S1075G	S1075GB	S1075GS
EXOTIC	S1070	S1070S	S1070G	S1070GB	S1070GS



WALL BENCHES WITH PEGS

Quality wood, fir or exotic.
2 wall fixations + 1 ground fixation.

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
WALL BENCH. Seat + peg lathes.					
FIR	S1095	S1095S	S1095G	S1095GB	S1095GS
EXOTIC	S1090	S1090S	S1090G	S1090GB	S1090GS
WALL BENCH. Seat + peg lathes + backs.					
FIR	S1135	S1135S	S1135G	S1135GB	S1135GS
EXOTIC	S1130	S1130S	S1130G	S1130GB	S1130GS
WALL BENCH. Seat + peg lathes + bag lathes.					
FIR	S1115	S1115S	S1115G	S1115GB	S1115GS
EXOTIC	S1110	S1110S	S1110G	S1110GB	S1110GS
COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.					
FIR	S1155	S1155S	S1155G	S1155GB	S1155GS
EXOTIC	S1150	S1150S	S1150G	S1150GB	S1150GS



FLOOR BENCHES WITH PEGS

Quality wood, fir or exotic.
2 ground fixations.

	SUPPORTS				
	WHITE	RAL SPEC.	GALVA	GALVA WHITE	GALVA RAL SPEC.
WALL BENCH. Seat + peg lathes.					
FIR	S1096	S1096S	S1096G	S1096GB	S1096GS
EXOTIC	S1091	S1091S	S1091G	S1091GB	S1091GS
WALL BENCH. Seat + peg lathes + backs.					
FIR	S1131	S1131S	S1131G	S1131GB	S1131GS
EXOTIC	S1136	S1136S	S1136G	S1136GB	S1136GS
WALL BENCH. Seat + peg lathes + bag lathes.					
FIR	S1111	S1111S	S1111G	S1111GB	S1111GS
EXOTIC	S1116	S1116S	S1116G	S1116GB	S1116GS
COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.					
FIR	S1151	S1151S	S1151G	S1151GB	S1151GS
EXOTIC	S1156	S1156S	S1156G	S1156GB	S1156GS



CENTRAL BENCH

		SUPPORTS				
		WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
SIMPLE BENCH. Seat only + 1 wall fixation + 1 ground fixation.						
FIR	S1085	S1085S	S1085G	S1085GB	S1085GS	
EXOTIC	S1080	S1080S	S1080G	S1080GB	S1080GS	
STRENGTHENED BENCH. Seat only + 2 ground fixations.						
FIR	S1105	S1105S	S1105G	S1105GB	S1105GS	
EXOTIC	S1100	S1100S	S1100G	S1100GB	S1100GS	
WALL BENCH. Seat only + 1 wall fixation + 1 ground fixation very close to the wall.						
FIR	S1145	S1145S	S1145G	S1145GB	S1145GS	
EXOTIC	S1140	S1140S	S1140G	S1140GB	S1140GS	
WALL BENCH. Seat + back 1 ground fixation + wall fixation.						
FIR	S1125	S1125S	S1125G	S1125GB	S1125GS	
EXOTIC	S1120	S1120S	S1120G	S1120GB	S1120GS	
COMPLETE CENTRAL BENCH. Seat + back + bag lathes + peg lathes.						
FIR	S1165	S1165S	S1165G	S1165GB	S1165GS	
EXOTIC	S1160	S1160S	S1160G	S1160GB	S1160GS	



PORTE PAQUETS

		SUPPORTS				
		WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
BAG LATHES.						
FIR	S1175	S1175S	S1175G	S1175GB	S1175GS	
EXOTIC	S1170	S1170S	S1170G	S1170GB	S1170GS	
COMPLETE BAG LATHES. Wall metallic support + 2 lathes for bag lathes + 1 bag lathes rail.						
FIR	S1195	S1195S	S1195G	S1195GB	S1195GS	
EXOTIC	S1190	S1190S	S1190G	S1190GB	S1190GS	



RAIL METALLIC PEG LATHES

S1180

Metallic rail 40 x 27 mm. WHITE powdered. With welded pegs S1185. The linear meter.

RAIL FIR PEG LATHES

S1181

Polyurethane varnished fir rail. 40mm thickness. With pegs S1185. The linear meter.

RAIL EXOTIC PEG LATHES

S1182

Rail in Polyurethane varnished exotic wood. 30mm thickness. With pegs S1185. The linear meter.

METALLIC PEGS

S1185

Steel bi-pegs VERY ROBUST equipping all our benches. Gold bi chromate finished. 2 fixations. With finishing tips. The unit.



INFIRMARY

EXAMINATION COUCH

S1620

Steel base.
Adjustable head.
Foam saddlery 5cm thickness covered with black leatherette.
Dimensions: 1m88 x 0m56.
Height 52 cm.
Delivered dismantled.
The unit.



EXAMINATION STOOL

S1625

PVC frame.
Adjustable in height.
Seat is made of foam covered with leatherette.
The unit.



PHARMACY CABINET

S1630

Metallic, with a safety lock.
2 shelves.
Delivered EMPTY
The unit.



STRETCHER CUPBOARD

S1610

Complete made of metal sheets, lacquered, 2m30 x 0m20 x 0m10 depth. Complete with: 1 stretcher alu foldable in 2 on the length, 2 blankets, 1 safety box + 3 straps.
The unit.

STRETCHER

S1600

Aluminium foldable in 2 on the length.
Very strong plastic coated canvas hygienic.
1m85 x 0m55 x 8cm thickness. Weight 8kg.
The unit.




METALLIC LOCKERS



- Phosphate steel sheet, 6/10th and 8/10th thickness for the frame and 6/10th for doors.
- High and low ventilation.
- Equipped with a fixed shelf.
- Handle for coat hanger.
- Every compartment is equipped with a small mirror and with a coat hook.
- 1 room for labeling on each door.
- Powder painting dried at 180°C.

Choice of 16 COLORS:

- The outside frames and the doors can be of a different color.
- The doors of a locker must be of the same color.



		1 BOX PER COLUMN	
		Nb of boxes	Ref.
1 column	1	Key	S1500
		Padlock*	S1501
		Coins	S1502
2 columns	2	Key	S1510
		Padlock*	S1511
		Coins	S1512
3 columns	3	Key	S1530
		Padlock*	S1531
		Coins	S1532
4 columns	4	Key	S1550
		Padlock*	S1551
		Coins	S1552

Total DIMENSIONS :
Height 1m80 without feet.
Depth 50cm.

Width :
• 1 Box 0m30
• 2 Boxes 0m60
• 3 Boxes 0m90
• 4 Boxes 1m20

3 CLOSING:
• By padlock (not provided).
• By key lock.
• By coins.

**padlock not included

		2 CASES PAR COLONNE	
		Nb of boxes	Ref.
1 column	1	Key	S1520
		Padlock*	S1521
		Coins	S1522
2 columns	2	Key	S1540
		Padlock*	S1541
		Coins	S1542
3 columns	3	Key	S1560
		Padlock*	S1561
		Coins	S1562
4 columns	4	Key	S1580
		Padlock*	S1581
		Coins	S1582

GENERAL CONDITIONS OF SALES

1. OBJECT AND SCOPE OF APPLICATION.

These general terms and conditions of sale apply to all sales of sporting goods and equipment (excluding France) (hereinafter «the Equipment»), concluded between the company MARTY SPORTS, a public limited company with a board of directors and supervisory board with capital of 408,000 euros, whose registered office is Route de la Meignanne, 49370 Saint Clément de la Place registered with the Registry of Commerce and Companies of Angers under number B 317.121.747 (hereinafter «MARTY SPORTS» and professional purchasers (hereinafter «Buyer»).

Any order of Materials implies the acceptance without reserve by the Purchaser of the present general conditions of sale which prevail over any other documents of the Purchaser, and in particular on all general conditions of purchase and this in accordance with article L.441-6 of the commercial register. Any waiver of these general conditions of sale shall be agreed upon in writing between the parties. The special conditions indicated on the quotations and/or the order confirmations addressed by MARTY SPORTS prevail over the present general conditions of sale. Any other document than these general conditions of sale, and in particular the catalogs, pictures, prospectuses, advertisements, notices, have only an informative, indicative and non-contractual value. The material sold may be modified in relation to the texts, descriptions or engravings and prints of the MARTY SPORTS catalogs, without warning in order to take account of the evolutions of the applicable professional and public regulations and this without the Purchaser may consider that the amendments constitute a change of the contract of sale.

2. ORDERS.

The sales are perfect only after the express and written acceptance of the order of the Buyer which will be materialized by an order confirmation issued by MARTY SPORTS. Orders issued by the Buyer are firm and not cancellable unless exceptional and written agreement of MARTY SPORTS. MARTY SPORTS reserves the right to refuse any order issued by a Buyer who has not made the agreed payment and/or with which MARTY SPORTS would have had a dispute of payment in the context of an order and/or any order mentioning a price of equipment not corresponding to the tariff in force on the date of issue of the order and/or any order which would indicate an abnormally long delivery time or a duration of more than 3 months.

3. DELIVERY AND MATERIALS RECEPTION.

3.1 Delivery time and delivery conditions.

MARTY SPORTS will make its best efforts to execute the orders and respect the delivery times it indicates when it accepts the order except in case of force majeure within the meaning of article 1148 of the Civil Code or events such as strikes, lock-out, epidemics, war, requisitioning of fire, flood, interruption or delay in transport or any other cause causing total or partial unemployment of MARTY SPORTS. The delivery times indicated in the quotation and/or acceptance of the order do not constitute a delay of rigor. Accordingly, unless otherwise agreed in writing between MARTY SPORTS and the Purchaser, any delays of delivery shall not give rise to any penalty or indemnity, nor to justify the cancellation or termination of the order. If partial deliveries are requested by the Purchaser, these will be made subject to the prior agreement of the latter concerning the payment of additional transport costs. In case of non-payment of an invoice that has expired, MARTY SPORTS reserves the right to suspend any delivery in progress and/or to come.

3.2 Materials reception.

The Materials delivered comply with the applicable regulation and with the technical standards expressly stated in the quotation. The Buyer shall have five (5) working days from the delivery of the Materials to proceed with the receipt of the Materials and issue, if necessary, by registered letter with acknowledgment of receipt, any reserves to MARTY SPORTS. It shall be the responsibility of the Purchaser to provide all justifications as to the actual defects or deficiencies found. No claim can be accepted in case of non-compliance by the Buyer of these formalities. By explicit agreement, any installation of the Material by the Purchaser shall be without reserve receipt of the Materials. No returns of Materials will be made by the Buyer without the prior express written consent of MARTY SPORTS, obtained in particular by fax or e-mail. The Materials will have to be returned over in the state With their original packaging and have not been used. The costs of return will be borne by MARTY SPORTS by MARTY SPORTS in the case that an apparent defect, or missing, has actually been ascertained by the latter or by its agent. MARTY SPORTS will replace or repair, at its option, within a reasonable time and at its own expense, the non-conforming materials without the Buyer being entitled to any compensation, penalties, damages, or resolution of the order. The claim made by the Buyer under the terms and conditions described in this article shall not suspend payment by the Purchaser of the Materials concerned.

4. TRANSFER OF OWNERSHIP AND RISKS.

In the case of non-payment by the Buyer of all or part of the price of the order, MARTY SPORTS reserves, until the complete payment of the price, in principal and accessories, a right of ownership on the Materials in accordance with article L.624-16 of the French Commercial Code. On the other hand, the transfer of the risk of loss and deterioration of MARTY SPORTS Materials will be realized as soon as the Materials are delivered to the Buyer according to the conditions indicated in article 3.1 hereof. It is the responsibility of the Purchaser to subscribe for the necessary insurance.

5. TARIFF - PRICE.

The MARTY SPORTS tariff applies to all Buyers on the same date and for the duration indicated in the latter. This can be reviewed during the year. Any tariff changes shall be the subject of an information to customers and will be applicable for any order issued as of the date shown of the new tariff. Unless otherwise specified in the quotation, prices are quoted INCOTERMS EXWORKS, excluding tax and customs duties, including packing.

6. PAYMENT CONDITIONS.

Payment terms are:

- For all new Buyers, the payment of the price must be made in totality when placing the order of the Materials.
 - For registered customers, unless written agreement between the parties, the payment of the price must be made in totality when placing the order of the Materials.
- However, if a delay in payment had been previously noted, the payment of the orders should take place in totality when the order is placed.

Payment methods:

- For all Buyers the payment will be made by bank transfer.

Advance payments are made without any discount.

Any delay in payment at maturity will result in penalties equal to 5 times the legal interest rate in effect in France on the due date. These penalties will automatically be paid to MARTY SPORTS without prior formal notice and without prejudice to any other action which MARTY SPORTS may be entitled to institute against the Buyer in this respect. In case of non-compliance with the payment terms set out above, MARTY SPORTS also reserves the right to suspend or cancel the delivery of outstanding orders, to suspend performance of its obligations. Moreover, in case of intervention by our litigation company, the Buyer will also be liable for an indemnity equal to 15% of the unpaid amount of the order, and without prejudice to any other action that MARTY SPORTS shall be entitled to sue the Buyer as such.

7. COMMERCIAL GUARANTEE.

In addition to the legal warranty of latent defects, the Materials delivered by MARTY SPORTS benefit from a warranty of twelve (12) months under normal conditions of use, from delivery as defined in Article 3.1 of these General Sales Conditions against any manufacturing defects rendering them unfit for the purpose of the activity for which they are intended. In order to assert its rights, the Buyer shall, on pain of forfeiture of his rights under this warranty, inform MARTY SPORTS, in writing within the twelve-month period specified above, of the existence of the defect. Under this warranty, MARTY SPORTS undertakes to repair or replace within a reasonable period of time the Equipment which for the defects will satisfy the conditions under which it will benefit from this commercial guarantee, excluding of any other costs, damages and interest and/or indemnities of any kind whatsoever such as, without limitation, penalties, traveling and/or subsistence expenses and/or cost of assembly or disassembly of the Materials. Implementation of the warranty will not extend the warranty period for the replaced or repaired equipment. Any warranty is excluded in the case of misuse or use of the equipment contrary to the instructions for use and/or for the use for which the equipment is intended, negligence or lack of maintenance, lack of surveillance from the Buyer of third party, normal use of the Material or force majeure, of reparation and/or modification by the purchaser or a third party, improper installation, false maneuver, deterioration, sabotage, from any accident or damage likely to damage the equipment, such as but not limited to damages caused by weather, water, equipment or devices not supplied by MARTY SPORTS.

8. LIABILITY.

MARTY SPORTS liability for all causes, with the exception of personal injury and gross negligence, shall not exceed the duty-free price of the material and only covers direct material damage caused to the Buyer, who remains alone responsible for any damage caused to third parties, which would result from fault exclusively attributable to MARTY SPORTS in the execution of the order. Under no circumstances will MARTY SPORTS be liable to compensate for any intangible and/or indirect damages such as operating losses, profit, luck, commercial loss or loss of profit. The purchaser warrants the waiver of recourse by its insurers against MARTY SPORTS beyond the limits and exclusions set out above.

9. INTELLECTUAL PROPERTY.

The drawings and pictures, sketches and designs of the catalog as well as the technical documents given to the buyers are the exclusive property of MARTY SPORTS and can not be reproduced, disseminated or used in any way without its express, written and prior authorization.

10. PARTIAL INVALIDITY.

In the case that one of the provisions of these general terms and conditions is held to be invalid or contrary to a provision of public order by a competent court, these general conditions will continue to effects for all other provisions provided that the nullity pronounced does not affect all the contractual stipulations.

11. NON-WAIVER.

Any failure or renunciation by MARTY SPORTS to avail itself of the performance of one of the obligations can not be interpreted as the will of MARTY SPORTS to renounce subsequently the execution of the said obligations.

12. DISPUTE – ATTRIBUTION OF JURISDICTION.

IN THE ABSENCE OF AGREEMENT, ANY DISPUTE RELATING TO THE CONCLUSION, INTERPRETATION, PERFORMANCE OF THE PRESENT GENERAL CONDITIONS AND ORDERS WILL BE SUBMITTED TO THE COMMERCIAL OF ANGERS EXCLUSIVELY COMPETENT, INCLUDING REFERRED, NOTWITHSTANDING THE GUARANTEE CALL OR THE PLURALITY OF DEFENDERS.

13. APPLICABLE LAW.

By express agreement between the parties, this contract is governed and subject to French law. The application of the Vienna Convention of 11 April 1980 is excluded. For convenience, an English translation has been established. However, in case of dispute, only the French text shall prevail.

FOR THE SALES WITH INSTALLATION OF THE MATERIALS BY MARTY SPORTS

14. The installation of material by Marty Sports must be considered as a complementary service to the sale and consequently can not have the effect of modifying the legal nature of the contractual relationship, the order remaining governed by the law applicable to the sale and by the present general conditions of sale. This qualification will be imposed to the judges in case of dispute over the present general conditions of sale.

15. In addition, MARTY SPORTS is not subject to the obligation to join a bad weather of paid vacation fund, to provide individual basic insurance and/or participate in the pro-rata account, the latter being obligations specific to the activity Building not belonging to MARTY SPORTS.

16. Limits of the work of the batch SPORTS EQUIPMENT.

These benefit limits are specified and are those specified in the AFNOR 52-400 standard.



la passion de tous les sports

MARTY^{SPORTS}

Fabricant Français de matériel sportif

ROUTE DE LA MEIGNANNE 49370 SAINT CLÉMENT DE LA PLAGE - FRANCE

Tel : +33 (0)2 41 77 03 86 Fax: +33 (0)2 41 77 02 77

contact@martysports.com - www.martysports.com

Société anonyme à directoire et conseil de surveillance au capital de 287 810€
R.C. Angers 79B215 - R.M.343.09 - SIRET 317 121 747 00024 - Code APE 3230 Z

