

Presentation

MARTY Sports is a French company specialized in Manufacturing, Design, Marketing and Installation of sports equipment and

furniture mainly intended for local authorities.

A 100% family-owned company, it was created in October 1979 by Raymond and Jeanne Martinez to exploit innovations in the world of athletics, designed by Raymond Martinez, who was a technical executive at the Fédération Française d'Athlétisme. Their twin sons Laurent and Stéphane took over in 1986 and quickly added their skills in Team Sports and sports hall equipment. Since February 2019 Laurent Martinez has been managing the company.

MARTY Sports Athletics products are IAAF certified (International Athletics Federation), Basketball recommended by the FFBB (French Basketball Federations), Badminton classified FFBAD (French Badminton Federation).

Football goals are approved by FIFA (International Football Federation).



The emergence of European Standards at the end of the 1990s, and also the French decree of June 1996 on the safety of sports equipment (now integrated into the Sports Code), forced *MARTY Sports* to create its own Design Office, which over the years has become a real asset for the company and its customers. The total integration of the design allows us to constantly innovate and support the development of sports, particularly in Athletics, Football, Badminton, Tennis or Basketball, where we work in support of their federations. Basketball, where we work in support of their loads at the This also allows us to make a difference from our competitors by offering **MARTY** products. We were also able to integrate eco-design following the completion of our first carbon footprint in 2009





Fabrication

MARTY Sports has been manufacturing since 1981. In order to control quality, we have constantly improved our production resources with modern machines and tools that respect not only working conditions but also the environment, as our factory is located in the countryside. Almost the entire production chain is integrated, from digital cutting of metal or aluminium profiles, manual or automated welding, and finally powder painting on a conveyor.




Commercialization

It is good to design and manufacture, but it is also necessary to commercialize. Since the early 2000s, we have chosen to sell almost everything directly or in very close contact with a network of distributors and installers. MARTY sells MARTY, which allows us to be in direct contact with customers, to be as close as possible to users' expectations and requirements.

For this purpose, our team of technical sales representatives employed by the company is at your disposal with the support of a strong organization administrative staff composed of sales assistants, accountants, a purchasing department and also a shipping department.

The export is done in relation with national distributors, able to provide the same services as MARTY Sports do in France.



Installation



We have our own specialized and experienced installation teams. Very well equipped, we have our own nacelles.



1 click on this icon you will send an e-mail to us. Ask for more infos, a quote...

Web

Our website is completely renewed every 4 years to benefit from the latest developments. You can consult the product sheets and assembly plans, request a quote, place an order...

Catalogues

Our digital catalogues are interactive (Foot, Basket, Hand, Team Sport, Rugby, etc...),

Teach product reference is a link to the Each product reference is a link to the page of this product on our web. Followingthis link, you will have access to more information, price, the technical sheet, and more photos... and you could ask for a quote or order online. A marketing department (catalogues, documents, newsletters, photos) is fully integrated into *MARTY Sports* since 2013.

martysports.com









COMPETITION HANDBALL GOALSp	age	5
COMPETITION HANDBALL GOALSp	age	6
FOLDAWAY GOALSp	age	7
ALUMINIUM FOLDABLE HANDBALL GOALp	age	7
TRAINING & OUTSIDE HANDBALL GOALSp	age	8
TRAINING HANDBALL GOALSpa	age	9
ACCESSORIESp	age	10
COMBINES HAND/BASKETp		
p	agc	
PEDIMENTp	age	12
NETSp	age	13
JUDGES TABLE with or without LED pannelp	age	14
LOCKER ROOMS BENCHESp	age	16
INFIRMARYp	age	19
METALLIC LOCKERSp	age	19
GENERAL CONDITIONS OF SALESp	age	20



COMPETITION HANDBALL GOALS

COMPETITION GOAL «CAMELE'HAND»

H4501

EXCLUSIVE MODEL FOR HIGH COMPETITIONS

IN CONFORMITY WITH STANDARD EN749 and Sports Code.

Similar to competition goal H4525 with front face in aluminium specific 80mm,

with foldable and adjustable rear frame. Depth high competition: 1m50.

We have developed this new HIGH COMPETITION goal very original.

Anchorages to the ground are doubled (4 per goal) but colors are customizable...

Thanks to the 7 colors for the frame and the 9 color for the stripes,

PERSONALIZE your goals with the colors of your club,

of your city or your sponsors.

IMPORTANT: regulation imposes frames being darker than the stripes.

The angles are part of the frame.

IN CONFORMITY
WITH EN749
and SPORTS CODE



EXCLUSIVE

COLORS AVAILABLE:

FRAME + REAR

H4503

+ color to specify.



STRIPES

H4504 + color to specify.



PINK WHITE 4003 9016















2009



GREY GREEN 7040 6018

For an order of one pair, please specify for example for goals with black frame and pink stripes: H4500 – 1 pair of goals CAMELE'HAND + H4053Black + H4054Pink



COMPETITION HANDBALL GOALS

- 1 quality of front frame 3m00 x 2m00 in aluminium square section 80mm in 3 parts with inner assembling angles in steel, ensuring a good rigidity. With rear slider and new SPECIFIC net hooks screwed in a rear groove.
- 1 model on metallic rear cage.
 Foldable and adjustable allowing the use with net said "suspended" inside, for the high competitions but also "straight" outside.

EXCLUSIVE:

The cages are equipped with our depth adjustable fixation system.
 Combined with the distance of rear cages, our goals can be installed on almost all existing anchorages...

• 2 TYPES OF FIXATION TO THE GROUND

FIXATION with extension of the front face

With extension of the front face in ground sockets, allowing a safe fixation + anchorages of the sides to limit movements in use.

Delivered with 4 ground sockets to seal + 4 anchorages + 4 fixation hooks with tightening wheel.

H4545

RED / WHITE. The pair.

H4545B

BLUE / WHITE. The pair.







IN CONFORMITY WITH EN749 and SPORTS CODE

IMPORTANT:

The cages are equipped with our depth adjustable fixation system.

Combined with the distance of rear cages, our goals can be installed on almost all existing anchorages...

(limits on www.martysports.com)

FIXATION with 2 anchorages

With 2 anchorages on the sides, per goal. Delivered with 4 anchorages + 4 fixation hooks with tightening wheel. The pair.

H4525

RED / WHITE. The pair.

H4525B

BLUE / WHITE. The pair.



NET HOOKS

MARTY SPORTS EXCLUSIVE MODEL SPECIFIC net hooks screwed in the rear groove. The set of 100.





FOLDAWAY GOALS

VERY SPECIFIC MODEL.

Model retractable on the gable.

Very practical to avoid rink hockey protection or a door. Locking in game position. Lower frame for maintain of the net. Very resistant PVC net hooks.

- 1 MONOBLOK metallic front frame red/white 3m00 x 2m00.
- 1 low metallic crossbar to be fixed to the support wall for the articulation.
- 1 high metallic crossbar to be fixed to the wall support winder and

IMPORTANT: Fall-stop is compulsory ref B3210 (NOT INCLUDED).

H4027E

With electrical winder system similar to the one used for our basketball goals (B3017B) mounted on an axis with 2 winding pulleys and straps. The unit on request.

H4027M

With manual winder and crank. The unit on request.

FALL-STOP

B3210

COMPULSORY on each suspended goals. Standard EN360.

Braking system, stopping instantly the fall of the goal in case the lifting cable breaks accidentally, avoiding any risks of accident. Delivered with snap hook but without roof fastening.

The unit.





ALUMINIUM FOLDABLE HANDBALL GOAL

Front face in aluminium powdered with checks. FOLDABLE model allowing a permanent fixation to the wall and a safe manoeuvre. Adjustable back frame mounted on 2 pivoting wheels and locking device in game position. New PVC net hooks very resistant, screwed in rear groove. The pair.

CAUTION: The wall must be perfectly flat, vertical and strong enough.

SENIOR MODEL 3m00 x 2m10

H4300 With adjustable projection from 0m90 to 1m10.

H4301 With adjustable projection from 1m10 to 1m50.

H4302 With adjustable projection from 1m50 to 2m10.

MINI MODEL 2m40 x 1m70

H4305 With adjustable projection from 0m90 to 1m10.

H4306 With adjustable projection from 1m10 to 1m50.

H4307 With adjustable projection from 1m50 to 2m10.

VERTICAL STRENGTHENERS RENFORT

Useful for the foldable goals when the fixation is not possible directly on the wall. Metallic. Vertical frame on plate to seal to the ground.

H4023

H4023M For MINI GOALS 2m40 x 1m70. The set of 2 for 1 goal.

For SENIOR GOALS 3m00 x 2m00. The set of 2 for 1 goal.





HORIZONTAL STRENGTHENERS RENFORT

H4024

For the FOLDABLE or FOLD AWAY goals when the fixation is not possible directly on the wall. Horizontal frame length 6m00 with specific fixations. The unit ON STUDY.



TRAINING & OUTSIDE HANDBALL GOALS

IN CONFORMITY WITH EN749 and SPORTS CODE

SCHOOL GOALS

 $3m00 \times 2m00$. Metallic MONOBLOCK front frame $80 \times 40mm$. With metallic rear frame and with riveted PVC net hooks Delivered with 4 anchorages + tops.

H4035

WHITE POWDERED for indoor use. The pair.

H4030

GALVANIZED without painting for outdoor use. The pair.



MINI HANDBALL GOALS

2m40 x 1m70. Metallic MONOBLOCK front frame 60 x 60mm. With metallic rear frame, foldable for an easier storage. With riveted PVC net hooks. Delivered with 4 anchorages with tops + 4 J hooks with tightening wheel.

H4038

WHITE POWDERED. The pair.

H4038G

GALVANIZED without painting. The pair.



OUTDOOR HANDBALL GOALS

Front frame only, without rear cage and without net hooks 3m00 x 2m00. Metallic. GALVANISED (Without checks) TO SEAL with or without ground sockets.

H4052

Square section 80mm without ground sockets. The pair.

H4052F

Square section 80mm with ground sockets. The pair.

H4050

Round Section Ø76mm without ground sockets. The pair.

H4050F

Round Section Ø76mm with ground sockets. The pair.



OUTDOOR COMPETITION HANDBALL GOAL

IN CONFORMITY WITH EN1279 STANDARD and Sports Code (with checks). HIGHLY STRENGTHENED model.

Entirely metallic GALVANIZEDO. Without checks (H4054). METALLIC MONOBLOCK front frame 3m00 x 2m00

section 80 x 80mm section with riveted PVC net hooks.

VERY ROBUST rear cage Ø50mm. The pair.

H4051

To seal directly without ground sockets.

H4051F

With ground sockets to seal, including sides anchorages and hook with tightening wheel.



PAINT ON GALVANIZATION

For all the outdoor goals range. Powdering on galvanization. Extra for 1 pair.

H4053

WHITE when there are no checks.

H4053R

RED when there are checks.

CHECKS

For all the outdoor goals.

H4054

RED on galvanized goals.

H4054B

WHITE on RED powdered goals.





TRAINING HANDBALL GOALS

PVC MINI HANDBALL GOAL

H4039

Allows the practice of mini handball in security. In conformity with UE standard. Does not require ground fixations. Made of synthetic material, can be used indoor or outdoor. Bi-Color WHITE/RED - Easy dismounting. Delivered with net. Dimensions: 2m40 x 1m70 The unit.



INFLATABLE HAND GOAL

H4036

Dimensions 2m40 x 1m70. PVC canvas supple, 2 colors. Composed of: 1 inflatable goal with net + pump+ 2 post strengtheners + 4 bags to ballast + 1 repair kit + 1 transport bag + 1 spare valve. The pair.



TRANSPORT BAG

H4039S

For one pair of mini handball goals ref H4039. The unit.



TCHOUKBALL

H4200

Tchoukball frame of 106 x 106cm adjustable angle from 50 to 60°. The unit.



PRECISION:
The SCHOOL and MINI HANDBALL GOALS are not in conformity with EN749 STANDARD because the frame dimensions are not established. However, they are in conformity with the security requirements of this STANDARD and particularly with the SPORTS CODE.



ACCESSORIES

HANDBALL GOAL REDUCER

H4007

Allows to reduce the height of a competition goal to 1m70. PVC canvas. Fixation by self-gripping stripes. Dimensions 3m00 x 30cm x 5cm. Foldable in two.

The unit.



GROUND SOCKETS

H4061

TO SEAL. Anchorages with tops Set of 4.



ANCHORAGE

H4060

TO SEAL. For handball goals 'to lay". With tops. The set of 4.

FIXATION DEVICE

H4065

To maintain goals into anchorages. Composed of J hook. Ø 10mm length 130mm. With a tightening wheel. Set of 4.



EXTRA FOR CAST FLOOR

T6215

For sports grounds as cast floor. Aluminium frames, to seal on top of ground sockets and anchorages. With tops for filling in sports floor. The unit.



PVC NET HOOKS

MARTY SPORTS EXCLUSIVE MODEL. PVC double reversed hook with central and unique fixation. WHITE. The set of 100.

F8109

MODEL for metallic goals. Delivered with 1 rivet to be fixed inside a 5mm hole.



SPECIFIC MODEL. For all or aluminium goals. To screw into the rear groove.



WALL RACK

For storage of the handball goals by hanging on the wall. Composed of 2 metallic stirrups to fix to the wall. For 1 goal.

The unit.



HANDBALL GOAL CARRIER

R1700

R1710

Trolley on wheels for transport of one handball goal. Metallic construction. New model elevated, allowing the transport in standing position, with extension of the front face.

The pair for 1 goal.



TACTIC BOARD

B3601

Wall fastening. Dimensions 0m90 x 0m60. With pins, erasable pen and eraser. NEW MODEL inscription on the two sides 1 side BASKET / 1 side HANDBALL The unit.



SUPPORT FOR TACTIC BOARD

For tactical board of 90mm x 60mm Possibility to place it horizontally or vertically. Metallic construction on heavy base and transport wheels. Delivered without the board. The unit.







COMBINES HAND/BASKET

In 2 dimensions

MINI Handball 2m40 x 1m70. Mini Basket Ht 2m60 SENIOR Handball 3m00 x 2m00. Basket Ht 3m05

- TO SEAL.
- With or without rear cage.
- GALVANIZED finishing with option for polyester powdering WHITE/BLUE.
- Metallic construction square section 80 x 80 mm.
- Strengthened support for basketball.
- US shape polyester backboard (B3155).
- Strengthened ring (B3186) + net (B3124).

COMBINE MINI

Mini handball 2m40 x 1m70. Ring height 2m60. GALVANIZED. The unit.

B3500P

Without rear cage and without net hooks.

B3505P

With rear cage and net hooks.





CONFORME EN749 et code du sport

COMBINE SENIOR

Handball senior $3m00 \times 2m00$. Ring height 3m05. GALVANIZED. The unit.

B3510P

Without rear cage and without net hooks.

B3515P

With rear cage and net hooks.



OPTION PAINTING

On combines handball/basketball on galvanization. Polyester powdering Bi color WHITE /BLUE.

B3520

For combine without rear cage.

B3525

For combine with rear cage.

PEDIMENT

PALISADE FOR COMBINES

To place on the edges of the combines HANDBALL / BASKETBALL. Galvanised metallic frames and powdered, to seal individually. Square section tubes of 40, 80mm and rectangular of 80 x 40mm. Width of each frame 1m52.

4 heights off ground: 2m00/2m50/3m00/3m50.

IN CONFORMITY WITH EN749 and SPORTS CODE



B3532 The set of 2 frames of 1m52 x 2m00 off ground.

B3533 The set of 2 frames of 1m52 x 2m50 off ground.

B3534 The set of 2 frames of 1m52 x 3m00 off ground.

The set of 2 frames of 1m52 x 3m50 off ground.

BALLUSTRADE FOR COMBINES

Filling upper the handball goals. The unit.

B3540 For mini combine.

B3541 For senior combine.







B3535

NETS FOOTSAL & HAND

NETS WITHOUT KNOTS in polypropylene

Square MESH 100mm, 3m00 x 2m00. Rear shape 0m80/2m00. The pair.

	MESH	Diam	Color
H4130	SQUARE 100mm	3mm	BLACK
H4140N	SQUARE 100mm	4mm	BLACK
H4140V	SQUARE 100mm	4mm	GREEN
H4140B	SQUARE 100mm	4mm	WHITE
H4140R	SQUARE 100mm	4mm	RED
H4140BL	SQUARE 100mm	4mm	BLUE
H4150N	SQUARE 100mm	5mm	BLACK

SHOCK ABSORBER NETS

Square mesh 100mm. Diameter 4mm. For competition goals. The pair.

·	MESH	Diam	Color
H4111N	SQUARE 100mm	4mm	BLACK
H4111B	SQUARE 100mm	4mm	WHITE
H4111BL	SQUARE 100mm	4mm	BLUE
H4111V	SQUARE 100mm	4mm	GREEN
H4111R	SQUARE 100mm	4mm	RED

FIXATION SANDOW

H4120

For soft fixation of the nets. The roller of 10m00.



Our digital catalogs are interactive.
Each product reference is a link to
the page of this product on our web.
Following this link, you will have access to more information, price,
the technical sheet, and more photos.
You will be able to request a quotation or place an order online.

NET HOOKS

MARTY Sports EXCLUSIVE MODEL SPECIFIC net hooks screwed in the rear groove. WHITE.

The set of 100.



NET HOOKS

F8109

PVC double hook with a central and unique fixation. MODEL for metallic goals of our range. Ideal model to put your equipments up to standards. WHITE.

The set of 100.





TENSION ROPE

F82091

F8104

The set of 6.

TENSION SANDOW

F82092

The set of 6.



JUDGES TABLE

JUDGES TABLE 2M50 WITH LED

TA1510LED

Judges table 5 places- indoor use

Dimensions: large 2m53; height 1m15, depth 0m 92 Aluminium structure with welded steel plates- all powdered in White Seats in 2 fir varnished lathes; non-skid wood; storage parts 5 rotating wheels with brakes Ø 200mm

Video Unit:

Replaces the screen printing panels on the walls; Panel size: 2m40 X 0M80 - 128×80 pixels, pitch 10mm Reading Angle 140° - Protection IP20 - Feed-in 230V - incl. cables LED charging with USB key Software for the animated graphics creation is included.

Unit includes: table and LED Module



JUDGES TABLE 1M50 WITH LED

TA1500LED

Judges table 3 places- indoor use

Dimensions: large 1m53; height 1m15, depth 0m 92 Aluminium structure with welded steel plates- all powdered in White Seats in 2 fir varnished lathes; non-skid wood; storage parts 4 rotating wheels with brakes Ø 200mm

Video Unit:

Replaces the screen printing panels on the walls; Panel size: 1m20 X 0M80 - 128×80 pixels, pitch 10mm Reading Angle 140° - Protection IP20 - Feed-in 230V - incl. cables LED charging with USB key Software for the animated graphics creation is included.

Unit includes: table and LED Module



JUDGES TABLE 2M50 (5 places)

TA1510

Judges table 5 places- indoor use

Dimensions: large 2m53; height 1m15, depth 0m 92 Aluminium structure with welded steel plates- all powdered in White Seats in 2 fir varnished lathes; non-skid wood; storage parts 5 rotating wheels with brakes Ø 200mm

JUDGES TABLE 1M50 (3 places)

TA1500

Judges table 3 places- indoor use

Dimensions: large 1m53: height 1m15, depth 0m 92 Aluminium structure with welded steel plates- all powdered in White Seats in 2 fir varnished lathes; non-skid wood; storage parts 4 rotating wheels with brakes Ø 200mm







Ref TA1510LEDPROMO

*Prices are in Euros ex-works without VAT.

JUDGES TABLE 2M50 WITH LED SCREEN

Réf TA1510LEDPROMO (2m50):

Dimensions:

Aluminium structure with welded steel plates- all powdered in White Seats in 2 fir varnished lathes; non-skid wood; storage parts 5 rotating wheels with brakes Ø 200mm

Panel size:

1m20 X 0M80 - 128×80 pixels, pitch 10mm Reading Angle 140° - Protection IP20 - Feed-in 230V

Also in 1m50 : Ref: TA1500LED



ADVANTAGES:

- No more commercial panel on the walls in your sports hall.
- Return on investment through the sponsoring

EASY TO USE:

- Screen animation possible through USB key
- Direct Plug In of the USB key on the LED panel




In case you have a Judges Table MARTY Sports the LED Screen only can be adapted. For table 1m50, Ref: TA3001. For table 2m50, Ref: TA3000.

LOCKER ROOMS BENCHES

VERY ROBUST manufacturing

- Metallic supports with fixation in the ground or to the wall.
- WHITE polyester powdered.
- Polyurethane varnished Fir wood or Exotic wood.
- · Delivered with screws but without plugs and bolts for fixation.
- Dimensions : Seat height 40cm.
- Total height when bench is complete : 1m78.



IMPORTANT : Benches are sold by linear meter. Minimum 1m00, and then by multiples of 10cms. Maximum length 4m00.

WOOD SECTION	VARNISHED FIR WOOD	VARNISHED EXOTIC WOOD
SEAT	2 lathes 130 x 28mm	2 lathes 130 x 28mm
BACK	1 lathe 90 x 32mm	1 lathe 90 x 28mm
BAGS LATHES	2 lathes 90 x 32mm	2 lathes 90 x 28mm
PEGS LATHES	1 lathe 90 x 32mm	1 lathe 90 x 28mm

WALL BENCHES WITHOUT PEGS

Quality wood, fir or exotic.

		SUPPORTS			
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
SINGLE BENC	H. Seat onl	y. 1 wall fix	ation + 1 g	ground fixa	tion.
FIR	S1055	S1055S	S1055G	S1055GB	S1055GS
EXOTIC	S1050	S1050S	S1050G	S1050GB	S1050GS
STRENGTHEN	ED BENCH	. Seat Only	. 2 ground	fixations.	
FIR	S1065	S1065S	S1065G	S1065GB	S1065GS
EXOTIC	S1060	S1060S	S1060G	S1060GB	S1060GS
WALL BENCH	. Seat only. 1	wall fixation	n + 1 fixatio	n very close	to the wall.
FIR	S1069	S1069S	S1069G	S1069GB	S1069GS
EXOTIC	S1068	S1068S	S1068G	S1068GB	S1068GS
WALL BENCH. Seat + back 1 ground fixation + 1 wall fixation.					
FIR	S1075	S1075S	S1075G	S1075GB	S1075GS
EXOTIC	S1070	S1070S	S1070G	S1070GB	S1070GS







WALL BENCHES WITH PEGS

Quality wood, fir or exotic. 2 wall fixations + 1 ground fixation.

		SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL	
WALL BENCH.	. Seat + pe	g lathes.				
FIR	S1095	S1095S	S1095G	S1095GB	S1095GS	
EXOTIC	S1090	S1090S	S1090G	S1090GB	S1090GS	
WALL BENCH.	Seat + pe	g lathes +	backs.			
FIR	S1135	S1135S	S1135G	S1135GB	S1135GS	
EXOTIC	S1130	S1130S	S1130G	S1130GB	S1130GS	
WALL BENCH.	. Seat + pe	g lathes +	bag lathes			
FIR	S1115	S1115S	S1115G	S1115GB	S1115GS	
EXOTIC	S1110	S1110S	S1110G	S1110GB	S1110GS	
COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.						
FIR	S1155	S1155S	S1155G	S1155GB	S1155GS	
EXOTIC	S1150	S1150S	S1150G	S1150GB	S1150GS	



FLOOR BENCHES WITH PEGS

Quality wood, fir or exotic. 2 ground fixations.

	SUPPORTS				
	WHITE	RAL SPEC.	GALVA	GALVA WHITE	GALVA RAL SPEC.
WALL BENCH.	Seat + pe	g lathes.			
FIR	S1096	S1096S	S1096G	S1096GB	S1096GS
EXOTIC	S1091	S1091S	S1091G	S1091GB	S1091GS
WALL BENCH.	. Seat + pe	g lathes +	backs.		
FIR	S1131	S1131S	S1131G	S1131GB	S1131GS
EXOTIC	S1136	S1136S	S1136G	S1136GB	S1136GS
WALL BENCH.	Seat + pe	g lathes +	bag lathes.		
FIR	S1111	S1111S	S1111G	S1111GB	S1111GS
EXOTIC	S1116	S1116S	S1116G	S1116GB	S1116GS
COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.					
FIR	S1151	S1151S	S1151G	S1151GB	S1151GS
EXOTIC	S1156	S1156S	S1156G	S1156GB	S1156GS



CENTRAL BENCH

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
SIMPLE BENC	H. Seat only		tion + 1 groun		
FIR	S1085	S1085S	S1085G	S1085GB	S1085GS
EXOTIC	S1080	S1080S	S1080G	S1080GB	S1080GS
STRENGHTEN	ED BENCH	Seat only +	2 ground fixa	ations.	
FIR	S1105	S1105S	S1105G	S1105GB	S1105GS
EXOTIC	S1100	S1100S	S1100G	S1100GB	S1100GS
WALL BENCH.	Seat only +	wall fixation	+ 1 ground fix	kation very clo	se to the wall.
FIR	S1145	S1145S	S1145G	S1145GB	S1145GS
EXOTIC	S1140	S1140S	S1140G	S1140GB	S1140GS
WALL BENCH.	Seat + back	1 ground fixe	ation + wall fi	ixation.	
FIR	S1125	S1125S	S1125G	S1125GB	S1125GS
EXOTIC	S1120	S1120S	S1120G	S1120GB	S1120GS
COMPLETE CE	NTRAL BE	NCH. Seat -	+ back + bag	lathes + peg	lathes.
FIR	S1165	S1165S	S1165G	S1165GB	S1165GS
EXOTIC	S1160	S1160S	S1160G	S1160GB	S1160GS



PORTE PAQUETS

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
BAG LATHES.					
FIR	S1175	S1175S	S1175G	S1175GB	S1175GS
EXOTIC	S1170	S1170S	S1170G	S1170GB	S1170GS
COMPLETE BA + 1 bag lathes ra	COMPLETE BAG LATHES. Wall metallic support + 2 lathes for bag lathes + 1 bag lathes rail.				
FIR	S1195	S1195S	S1195G	S1195GB	S1195GS
EXOTIC	S1190	S1190S	S1190G	S1190GB	S1190GS



RAIL METALLIC PEG LATHES

S1180

Metallic rail 40 x 27 mm. WHITE powdered. With welded pegs S1185. The linear meter.

RAIL FIR PEG LATHES

S1181

Polyurethane varnished fir rail. 40mm thickness. With pegs S1185. The linear meter.

RAIL EXOTIC PEG LATHES

S1182

Rail in Polyurethane varnished exotic wood. 30mm thickness. With pegs S1185.

The linear meter.

METALLIC PEGS

S1185

Steel bi-pegs VERY ROBUST equipping all our benches. Gold bi chromate finished. 2 fixations. With finishing tips.









INFIRMARY

EXAMINATION COUCH

S1620

Steel base. Adjustable head. Foam saddlery 5cm thickness covered with black leatherette. Dimensions: 1m88 x 0m56. Height 52 cm. Delivered dismantled.



EXAMINTATION STOOL

The unit.

The unit.

S1625

PVC frame. Adjustable in height. Seat is made of foam covered with leatherette.



PHARMACY CABINET

S1630

Metallic, with a safety lock. 2 shelves. **Delivered EMPTY** The unit.



STRETCHER CUPBOARD

S1610

Complete made of metal sheets, lacquered, 2m30 x 0m20 x 0m10 depth. Complete with: 1 stretcher alu foldable in 2 on the length, 2 blankets,1 safety box + 3 straps. The unit.

STRETCHER

S1600

Aluminium foldable in 2 on the length. Very strong plastic coated canvas hygienic. 1m85 x 0m55 x 8cm thickness. Weight 8kg.



METALLIC LOCKERS






- Phosphate steel sheet, 6/10th and 8/10th thickness for the frame and 6/10th for doors.
- · High and low ventilation.
- Equipped with a fixed shelf.
- Handle for coat hanger.
- Every compartment is equipped with a small mirror and with a coat hook.
- 1 room for labeling on each door.
- Powder painting dried at 180°C.

Choice of 16 COLORS:

- The outside frames and the doors can be of a different color.



2 CASES PAR COLONNE

	1 BOX PER COLUMN				
	Nb of boxes	Locking	Ref.		
		Key	S1500		
1 column	1	Padlock*	S1501		
		Coins	S1502		
	2	Key	S1510		
2 columns		Padlock*	S1511		
		Coins	S1512		
		Key	S1530		
3 columns	3	Padlock*	S1531		
		Coins	S1532		
4 columns		Key	S1550		
	4	Padlock*	S1551		
		Coins	S1552		

Total DIMENSIONS: Height 1m80 witho Depth 50cm.

Width:

- 1 Box 0m30
- 2 Boxes 0m60
- 3 Boxes 0m90
- 4 Boxes 1m20

3 CLOSING:

- · By padlock (not provided).
- · By key lock.
- By coins.

Height 1m80 without feet. Depth 50cm.		Z GASES FAN GULUNNE			
		Nb of boxes	Locking	Ref.	
Width:	1 column		Key	S1520	
1 Box 0m302 Boxes 0m603 Boxes 0m904 Boxes 1m20		1	Padlock*	S1521	
			Coins	S1522	
3 CLOSING: • By padlock (not provided).	2 columns	2	Key	S1540	
			Padlock*	S1541	
By key lock.By coins.			Coins	S1542	
,	3 columns	3	Key	S1560	
			Padlock*	S1561	
			Coins	S1562	
	4 columns	4	Key	S1580	
**padlock not included			Padlock*	S1581	
			Coins	S1582	

GENERAL CONDITIONS OF SALES

1. OBJECT AND SCOPE OF APPLICATION.

1. Object AND Score of APPLICATION.
These general terms and conditions of sale apply to all sales of sporting goods and equipment (excluding France) (hereinafter *the Equipment-), concluded between the company MARTY SPORTS, a public limited company with a board of directors and supervise board with capital of 408,000 euros, whose registered office is Route de la Meigranne, 49370 Saint Clement de la Place registered with the Registry of Commerce and Companies of Angers under number B 317.121.747 (hereinafter *MARTY SPORTS' and professional purchasers (hereinafter *Buyer).

Any order of Materials implies the acceptance without reserve by the Purchaser of the present general conditions of sale which prevail over any other documents of the Purchaser, and in particular on all general conditions of purchase and this in accordance with article L 441-6 of the commercial register. Any waiver of these general conditions of sale shall be agreed upon in writing between the parties. The special conditions indicated on the quotations and/or the order confirmations addressed by MARTY SPORTS prevail over the present general conditions of sale. Any other document than these general conditions of sale, and in particular the catalogs, pictures, prospectuses, advertisements, notices, have only an informative, indicative and non-contractual value. The material sold may be modified in relation to the texts, descriptions or engravings and prints of the MARTY SPORTS catalogs, without warning in order to take account of the evolutions of the applicable professional and public regulations and this without the Purchaser may consider that the amendments constitute a change of the contract of sale.

2. ORDERS.

2. UNLIFES.
The sales are perfect only after the express and written acceptance of the order of the Buyer which will be materialized by an order confirmation issued by MARTY SPORTS. Orders issued by the Buyer are firm and not cancellable unless exceptional and written agreement of MARTY SPORTS. MARTY SPORTS reserves the right to refuse any order issued by a Buyer who has not made the agreed payment and/or with which MARTY SPORTS would have had a dispute of payment in the context of an order and/or any order reserving and order in the context of an order and/or any order issued by a many order issued by a many order issued by an order and/or with which MARTY SPORTS would have had a dispute of payment in the context of an order and/or any order issued by a many order issued by a many order issued by an order and/or with which MARTY SPORTS would have had a dispute of payment in the context of an order and/or any order issued by an or mentioning a price of equipment not corresponding

to the lariff in force on the date of issue of the order and/or any order which would indicate an abnormally long delivery time or a duration of more than 3 months.

3. DELIVERY AND MATERIALS RECEPTION.

3.1 Delivery time and delivery conditions.

MARTY SPORTS will make its best efforts to execute the orders and respect the delivery times it indicates when it accepts the order except in case of force majeure within the meaning of article 1148 of the Civil Code or events such as strikes, lock-out, epidemics, war, requisitioning of fire, flood, interruption or delay in transport or any other cause causing total or partial unemployment of MARTY SPORTS. The delivery times indicated in the quotation and/or acceptance of the order do not constitute a delay of rigor. Accordingly, unless otherwise agreed in writing between MARTY SPORTS and the Purchaser, any delays of delivery shall not give rise to any penalty or indemnity, nor to justify the cancellation or termination of the order. If partial deliveries are requested by the Purchaser, these will be made subject to the prior agreement of the latter concerning

subject with the payment of additional transport costs. In case of non-payment of an invoice that has expired, MARTY SPORTS reserves the right to suspend any delivery in progress and/or to come.

3.2 Materials reception.

The Materials elelivered comply with the applicable regulation and with the technical standards expressly stated in the quotation. The Buyer shall have five (5) working days from the delivery of the Materials to proceed with the receipt of the Materials and issue, if necessary, by registered letter with acknowledgment of receipt, any reserves to MARTY SPORTS. It shall be the responsibility of the Purchaser to provide all justifications as to the actual defects or deficiencies found. No claim can be accepted in case of non-compliance by the Buyer of these formalities. By explicit agreement, any installation of the Material by the Purchaser shall be without reserve receipt of the Materials. No returns of Materials will be made by the Buyer without the prior express written consent of MARTY SPORTS, obresolution of the order. The claim made by the Buyer under the terms and conditions described in this article shall not suspend payment by the Purchaser of the Materials concerned.

4 TRANSFER OF OWNERSHIP AND RISKS

4. Industrial to with control and the Buyer of all or part of the price of the order, MARTY SPORTS reserves, until the completer payment of the price, in principal and accessories, a right of ownership on the Materials in accordance with article L 624-16 of the French Commercial Code. On the other hand, the transfer of the risk of loss and deterioration of MARTY SPORTS Materials will be realized as soon as the Materials are delivered to the Buyer according to the conditions indicated in article 3.1 hereof. It is the responsibility of the Purchaser to subscribe for the necessary insurance.

5. TARIFF - PRICE.

The MARTY SPORTS tariff applies to all Buyers on the same date and for the duration indicated in the latter. This can be reviewed during the year. Any tariff changes shall be the subject of an information to customers and will be applicable for any order issued as of the date shown of the new tariff. Unless otherwise specified in the quotation, prices are quoted INCOTERMS EXWORKS, excluding tax and customs duties, including packing.

6. PAYMENT CONDITIONS.

- . For all new Buyers, the payment of the price must be made in totality when placing the order of the Materials.
 - For registered customers, unless written agreement between the parties, the payment of the price must be made in totality when placing the order of the Materials. However, if a delay in payment had been previously noted, the payment of the orders should take place in totality when the order is placed.

Payment methods:

For all Buyers the payment will be made by bank transfer.

Advance payments are made without any discount.

Any delay in payment at maturity will result in perallies equal to 5 times the legal interest rate in effect in France on the due date. These penalties will automatically be paid to MARTY SPORTS without prior formal notice and without prejudice to any other action which MARTY SPORTS may be entitled to institute against the Buyer in this respect. In case of non-compliance with the payment terms set out above, MARTY SPORTS also reserves the right to suspend or cancel the delivery of outstanding orders, to suspend performance of its obligations. Moreover, in case of intervention by our litigation company, the Buyer will also be liable for an indemnity equal to 15% of the unpaid amount of the order, and without prejudice to any other action that MARTY SPORTS shall be entitled to sue the Buyer as such

7. COMMERCIAL GUARANTEE.

7. CUMMERCIAL GUARANT IE.
In addition to the legal warranty of latent defects, the Materials delivered by MARTY SPORTS benefit from a warranty of twelve (12) months under normal conditions of use, from delivery as defined in Article 3.1 of these General Sales Conditions against any manufacturing defects, rendering them unfit for the purpose of the activity for which they are intended. In order to assert its rights, the Buyer shall, on pain of forfeiture of his rights under this warranty, inform MARTY SPORTS, in writing within the twelve-month period specified above, of the existence of the defect. Under this warranty, MARTY SPORTS undertakes to repair or replace within a reasonable period of time the Equipment which for the defects will satisfy the conditions under which it will benefit from this commercial guarantee, excluding of any other costs, damages and interest and/or indemnities of any kind whatsoever such as, without irnitation, penalties, traveling and/or subsistence expenses and/or cost of assembly or disassembly of the Materials. Implementantly is excluded in the case of mixing or use of the equipment and/or for the use of the without the equipment and/or work or equipment and/or intended, negligence or lack or maintenance, lack of surveillance from the Buyer of third party, normal use of the Material or force majeure, of reparation and/or modification by the purchaser or a third party, improper installation, false maneuver, deterioration, sabotage, from any accident or damage likely to damage the equipment, such as but not limited to damages caused by weather, water, equipment or devices not supplied by MARTY SPORTS.

MARTY SPORTS liability for all causes, with the exception of personal injury and gross negligence, shall not exceed the duty-free price of the material and only covers direct material damage caused to the Buyer, who remains alone responsible for any damage caused to third parties, which would result from fault exclusively attributable to MARTY SPORTS in the execution of the order. Under no circumstances will MARTY SPORTS be liable to compensate for any intangible and/or indirect damages such as operating losses, profit, luck, commercial loss or loss of profit. The purchaser warrants the waiver of recourse by its insurers against MARTY SPORTS beyond the limits and exclusions set out above.

9.INTELLECTUAL PROPERTY.

The drawings and pictures, sketches and designs of the catalog as well as the technical documents given to the buyers are the exclusive property of MARTY SPORTS and can not be reproduced, disseminated or used in any way without its express, written and prior authorization.

10.PARTIAL INVALIDITY.

n the case that one of the provisions of these general terms and conditions is held to be invalid or contrary to a provision of public order by a competent court, these general conditions will continue to effects for all other provisions provided that the nullity pronounced does not affect all the contractual stipulations.

Any failure or renunciation by MARTY SPORTS to avail itself of the performance of one of the obligations can not be interpreted as the will of MARTY SPORTS to renounce subsequently the execution of the said obligations.

12 DISPLITE - ATTRIBUTION OF JURISDICTION

IN THE ABSENCE OF AGREEMENT, ANY DISPUTE RELATING TO THE CONCLUSION, INTERPRETATION, PERFORMANCE OF THE PRESENT GENERAL CONDITIONS AND ORDERS WILL BE SUBMITTED TO THE COMMERCIAL OF ANGERS EXCLUSIVELY COMPETENT, INCLUDING REFERED, NOTWITHSTANDING THE GUARANTEE CALL OR THE PLURALITY OF DEFENDERS.

13. APPLICABLE LAW.

For convenience, an English translation has been established. However, in case of dispute, only the French text shall prevail.

FOR THE SALES WITH INSTALLATION OF THE MATERIALS BY MARTY SPORTS

14. The installation of material by Marty Sports must be considered as a complementary service to the sale and consequently can not have the effect of modifying the legal nature of the contractual relationship, the order remaining governed by the law applicable to the sale and by the present general conditions of sale. This qualification will be imposed to the judges in case of dispute over the present general conditions of sale.

15. In addition, MARTY SPORTS is not subject to the obligation to join a bad weather of paid vacation fund, to provide individual basic insurance and/or participate in the pro-rata account, the latter being obligations specific to the activity Building not belonging to MARTY SPORTS

16. Limits of the work of the batch SPORTS EQUIPMENT.
These benefit limits are specified and are those specified in the AFNOR 52-400 standard.





ROUTE DE LA MEIGNANNE 49370 SAINT CLÉMENT DE LA PLACE - FRANCE

Tel:+33 (0)2 41 77 03 86 Fax:+33 (0)2 41 77 02 77 contact@martysports.com - www.martysports.com

Société anonyme à directoire et conseil de surveillance au capital de 287 810€ R.C. Angers 79B215 - R.M.343.09 - SIRET 317 121 747 00024 - Code APE 3230 Z

