

# Running



**MARTY** Sports

# MARTY Sports expert in sports equipment

MARTY Sports is a French company specialized in Design, Manufacturing, Marketing and Installation of sports equipment and furniture, mainly for local authorities, professional sports and private sports halls.

## MARTY Sports is committed to :

### Its clients :

More than 846 customers have trusted in MARTY Sports in 2020

# 95%


95% of our customers are satisfied with MARTY Sports\*

\*survey conducted at the end of 2020

### Its collaborators :


A company with more than 45 employees divided into 5 poles:

MARTY Sports favours internally the promotion of its employees.



### The environment :

MARTY Sports respects the planet by using environmentally friendly materials and energy-saving manufacturing procedures.




# MARTY Sports

It's ...

**40+** years of expertise, innovation and manufacturing of sports equipment and installations



## BUSINESS ORGANISATION




**5** sales assistants who advise you directly.

**1** export department which provide our products and solutions all over the world.

**5** on side sales representative who support offer and guide our customers towards technical solutions.



 Click on the maps to find the contact information of the sales representative in your area.

**+33 (0)2 41 77 09 06**  
**export@martysports.com**

### A constant evolution of our products

With the help of our customers, our design office innovates in order to create and develop an equipment with the aim of increasing the quality of all sports facilities.



### Marketing

Our website is regularly updated to benefit from the latest techniques. You can consult product data sheets and assembly drawings as well as create a quotation or an order.




# SUMMARY



<b>STARTING ACCESSORIES</b> .....	page 05
<b>STARTING BLOCK</b> .....	page 06
<b>STEEPLE</b> .....	page 07
<b>COMPETITION HURDLES</b> .....	page 09
<b>TRAINING HURDLES</b> .....	page 11
<b>SCHOOL HURDLES</b> .....	page 12
<b>TRANSPORTATION RACK</b> .....	page 13
<b>GARAGE</b> .....	page 13
<b>STANDS AND TIMERS TOWER</b> .....	page 14
<b>JUDGES STANDS</b> .....	page 15
<b>ABRISTADE</b> .....	page 16
<b>LOCKER ROOMS BENCHES</b> .....	page 17
<b>INFIRMARY</b> .....	page 20
<b>METALLICS LOCKERS</b> .....	page 20
<b>GENERAL CONDITIONS OF SALES</b> .....	page 21

# SUMMARY

**MARTY Sports** expert for over 40 years  
**IN SPORTS FACILITIES,**  
**designs, innovates,**  
**adapts and manufactures**  
 your equipment for the practice of sports  
 FOR THE FRENCH MARKET AND INTERNATIONALLY



## Starting accessories

### STARTER CLAPPER **A1420**

MARTY SPORTS model.  
 high quality varnished exotic wood.  
 Unit.



### LANE NUMBER MARKER **A1310**

White polyester 3 sides - 60cm height.  
 BLACK numbers printed on 3 sides. (Precise numbers when order)  
 Stackable for easy storage.  
 Unit.



### STARTER'S PODIUM **A1300**

2 steps simple model. Steel frame. Varnished plywood floor.  
 Fitted with wheels for easy moving.  
 Shelf.  
 Unit.



### FAULSE START INDICATORS

For lane number markers  
 Unit.

**A1311R** RED for EXCLUSION. 1 per marker.


**A1311J** YELLOW for CAUTION combination events .  
 1 indicator for a set of markers.

# Starting blocks

## SCHOOL STARTING BLOCKS

A1360


Basic model. Very functional for schools and training clubs.  
Steel manufacturing. Central rack with adjustable pedals synthetic covered. 2 blocks with different inclines for front and back foot.  
Spikes under rack. Handles integrated to the rack for transportation.  
2 inverted notches to hang pedals foot transportation.  
Unit.



## CLUB STARTING BLOCKS

A1365

Especially manufactured for our Mini-Stadium « Récré Athlé », for athletic clubs and schools.  
Central rack finished with a fixed front pedal that is combined with 2 others adjustable pedals and avoids adjustment for the changing of the front foot. 3 pedals covered with synthetic.  
Spikes under rack.  
Handles integrated to the rack for transportation.  
Unit.




## COMPETITION STARTING BLOCKS

A1355

### WA CERTIFIED.

Aluminium rack. 80cm length central rack in T shape.  
2 adjustable pedals, 4 different inclines, synthetic covered.  
Points under racks.  
Unit




## STARTING BLOCKS HIGH COMPETITION

A1359

### WA CERTIFIED.

The HIGH COMPETITION model is ideal for all competition levels.  
Entirely in cast aluminium central rack and blocks; Big rack width 10cm, length 90cm strengthened with T shape fastener.  
Very wide Blocks 12cm and very high 20cm allowing pushing the maximum on it, Synthetic cover.  
Adjustable in 5 steps inclination.  
Unit.




## STARTING BLOCKS RACKS

A1346

Very practical and compact model.  
For the transport of 8 competition starting blocks.  
Welded steel tubes, electro galvanised finishing.  
Mounted on 4 wheels Ø 160mm among which 2 are pivoting.  
Articulated handle for traction makes the rack very easy to drive.  
Unit.



# Steeple



**Very resistant wooden beam**

that will keep its shape of a 12,7 x 12,7 cm section.  
BLACK lacquered with WHITE strips.

**GALVANISED steel frame**

that can be dismantled for storage.

**Adjustment of heights**

0m762 , 0m838 0m914 by GALVANISED tube automatically locked by springs.

**Transport wheels integrated**



## WA REGULATION

Regulation requires 4 steeple-chase hurdles and 1 water jump hurdle in one lap, that is to say:

- 1 steeple chase hurdle of 5m00
- 3 steeple chase hurdles of 3m96
- 1 water jump hurdle de 3m66

**CAUTION:** Fences height should be adjustable from 0m762 for women, to 0m914 for men.

**IMPORTANT :** The WA regulation imposes that the colour of the beam should be different from the colour of the track.

### WATER JUMP STEEPLECHASE HURDLE

**A1170** Fastening by platens.

**A1171** Fastening by ground sockets.



### EXTRA PAINT ON GALVANISATION **A1177**

For 1 hurdle or one steeplechase of MARTY S'MODEL.  
Polyester powder paint Blue.

### MINI STEEPLE **A1189**

Mini steeple hurdle especially made for training  
1m50 length. 12,7 x 12,7 cm section.  
Powdered steel frame.  
With wheels for moving.  
Automatic adjustment of heights with spring locks,  
from 0m762 to 0m914.  
Unit.




## MOBILE STEEPLECHASE HURDLE

WA CERTIFIED

**A1186** 3m96 length. Unit.

**A1181** 5m00 length. Unit



**IMPORTANT:** the steel frame of the 5m00 hurdle is adapted to the length of the beam and so different from the frame of the 3m96 hurdle.

## ALUMINIUM KERB

**FOR TRACKS. WA CERTIFIED.**

To position at the rope of an athletics track. Specific aluminium profile 50 x 35mm section with round corners. With ground fixations to embed in a definitively or mobile manner in small anchorage with the linear meter.

**Curved for bends.**

**A4910** To embed

**A4910A** Removable

**Straight for straight lines.**

**A4911** To embed

**A4911A** Removable



**CAUTION :**  
IMPERATIVELY specify the radius of the track.

## COVER FOR STEEPLE PITS

**A1176**

To close the pit when unused.  
Made of 3 steel frames adjustable in height from 0m50 to 0m70 and length + 7 aluminium covers where you can add in synthetic (synthetic filling not included)



## SYNTHETIC FOR PITS

**A1176S**

To fill in steeplechase cover with synthetic.  
Red synthetic of 12mm thickness.  
Assembled in house.





# Haies de compétition

## COMPETITION HURDLES

A1090

### WA CERTIFIED.

Very nice model.


Base of an elliptic section 60x30mm. Galvanised with adjustable inner counterweight thanks to a device of rolls/springs.

Location of height on the base.

Adjustable height from 0m65 to 1m06 (included 1m00) thanks to this device of rolls/springs.

New White PVC top bar printed.

Unit.



## HIGH COMPETITION ALUMINIUM HURDLE

A1096

### WA CERTIFIED.

Anodised aluminium base ; with inner adjustable counterweight

Captive and foolproof counterweights under the shocks.

Uprights with an adjustable device from 0m76 to 1m06 (including 0m99) by an integrated ball and spring system.

White Top Bars in extruded reinforced PVC with printed stripes.

Top Bars assembled on uprights by moulded PVC pieces.

Unit.



## PERSONALIZED PRINTING OF TOP BARS A1145

Personalization of top bars at the name or emblem of your club or town.  
 Monocolour printing composed of:  
 Model of your logo or emblem on CAD.  
 Making of the frame for printing.  
 One colour printing  
 Caution : frame is MARTY SPORTS' property  
 Package for 10 to 200 top hurdle bars.



## HURDLE COMPETITION TOP BARS 1140

White extruded PVC of a 70x20mm section;  
 Set of 10.



## WA REGULATION

Position of the hurdles on the track, number of hurdles and hurdle heights in official FFA and World Athletics competitions.



### Women, U20 Women, U18 Women

	Distance start to 1st hurdle	Distance between hurdle	Last hurdle to finish	Number of hurdles	Hurdles height
100 m	13,00 m	8,50 m	10,50 m	10	0,838 m
400 m	45,00 m	35,00 m	40,00 m	10	0,762 m

### Men, U20 Men, U18 Men

	Distance start to 1st hurdle	Distance between hurdle	Last hurdle to finish	Number of hurdles	Hurdles height
110 m	13,72 m	9,14 m	14,02 m	10	1,067 m
400 m	45,00 m	35,00 m	40,00 m	10	0,914 m

# School and training hurdles

## JUNIOR HURDLES

0m60 width. For a specific work on jumping and approaching of hurdles with very young athletes. Galvanised steel frame. Height of top bar is adjustable thanks to its device of rolls and springs. White PVC top bar placed on pegs for ejection. One upright is adjustable from 0m35 to 0m55, and the other one is adjustable from 0m45 to 0m65.

**A1060/3** Set of 3.

**A1060/6** Set of 6.



## SCHOOL HURDLES

1m00 width. For clubs or schools. Galvanised steel base. Height top bar is adjustable thanks to its device of rolls and springs. White PVC top bar placed on pegs for ejection. One upright is adjustable from 0m55 to 0m75, and the other one is adjustable from 0m76 to 1m00.

**A1070/3** Set of 3.

**A1070/6** Set of 6.



## TRAINING HURDLES

**A1080**

1m20 width  
Same manufacturing like our competition hurdle ref. A1090 but without counterweight.  
Galvanised steel base, elliptic section 60x30mm.  
Height top bar is adjustable thanks to its device of rolls and springs from 0m65 to 1m06. PVC top hurdle fixed on black plugs. Unit.



## ALUMINIUM TRAINING HURDLES

**A1081**

1m20 width.  
Same manufacturing like our competition hurdle ref. A1096 but without counterweight.  
Galvanised steel base, elliptic section 60x30mm.  
Height top bar is adjustable thanks to its device of rolls and springs from 0m65 to 1m06. PVC top hurdle fixed on black plugs. Unit.



## CROSSBARS TRAINING HURDLES

MODEL INVENTED by MARTY SPORTS in 1979.  
 Dimensions modified in 2009.  
 25 possible adjustments from 0m10 to 0m70 by moving away the bases.  
 Adapted for school because less impressive.  
 Steel white powdered.  
 PVC top bar 0m85.  
 Foldable for easy storage and transportation.

**A1110/3** Set of 3.

**A1110/6** Set of 6.



## FOAM HURDLE

**A1055**

Very reassuring. 6 sides PVC coated bicolour.  
 Height 40cm . Length 1m00.  
 Very steady with wider base.  
 Weight 3,5kg.  
 Unit.



## TOP BARS

For schools and training hurdle White.  
 Set of 10.

**A1152** 0m60 width, for hurdle Ref A1060.

**A1151** 1m00 width, for hurdle Ref A1070.

**A1140** 1m20 width, for hurdle Ref A1080 et A1081.


**A1153** 0m85 width with holes, for hurdle Ref A1110.

## FOALDABLE FOAM HURDLE

Foldable made of foam.  
 Light and strong foam, 1000 deniers PVC cover in 2 parts, articulated for the folding.  
 1 side Grey/1 side Blue for marking  
 Unit.

**A10563** Height 0m30. Weight= 2kg.

**A10565** Height 0m50. Weight = 2,8kg.



## TIP-UP HURDLE

Strengthened PVC. 0m50 large.  
 Set of 5.

**A1015/5** Height 15 cm.

**A1030/5** Height 30 cm.



# Transportation racks

## HURDLES RACK

**A1165**

For transportation and storage of competition hurdles.  
Strong galvanised steel frame fitted with 6 pivoting wheels of 200mm in diameter. V shape strengthened on the inner rack.  
Capacity 20 hurdles A1105, A1090 and A1095.  
Length 3m10. Width 1m25.  
Height with lower hurdles 1m08 / high hurdles 1m42  
Unit.



## TRANSPORTATION RACK

**R2000**

Good quality model for hurdles and different items.  
Capacity 500KGs. Steel frame fitted with 4 pivoting wheels of Ø 200mm.  
Plywood floor 2m00 x 1m00.  
Unit.



## SHAFT

**A1163**

For hurdle rack A1165 or transportation rack R2000.  
Allows racks towing.  
Unit



## HURDLES RACK

**A1166**

For transportation and storage of hurdles at the end of the lanes during a competition. For 8 competition hurdles. U shape galvanised steel frame fitted with 4 pivoting wheels.  
Unit.



## HURDLES RACK

Specific model for training hurdle A1070 (1m00 width).  
Galvanised steel model. 4 wheels of Ø200mm (2 are pivoting wheels).  
Delivered without hurdles.  
Unit.

**A1161** For 20 hurdles.

**A1162** For 40 hurdles.



## GARAGE FOR EQUIPMENTS

### MODEL IN ALUMINIUM .

For equipment or 2 hurdles racks of capacity 20 hurdles (ref A1165).  
Dimensions Width 2m90, Depth 4m60, Height 1m60 to 1m40. Same conception as the garage for landing pits. (see page 21)

Aluminium sheet inserted in specific welded profile frames. Forms rectangular structures which integrate in the aluminium chassis, forming the garage's structure.

Front Opening by 2 swinging doors. Unit.


### Finishing:

- Frames and sheets in natural aluminium (Colour in option) .
- Powdered chassis. Choice must be specified between 7 colors.

**A1882** Model without wheels.

**A1882R** Model with 4 fixed wheels.

**A1882P** OPTION PAINTING of the frames.  
Choice must be specified between 7 colors.



# Judges stands and timers

## TIMERS TOWER

A1280

To place in electronic measuring device and camera support.  
Galvanised steel frame.  
2m00x 2m00 plywood platform.  
Platform height out of the ground is 3m00.  
Mounted on four welded platen to anchor with 4 strengtheners tubes.  
Rigid roof made of steel sheets.  
Equipped with a scale.  
Unit.



## EXTRA PAINT ON GALVANISATION

A1228

For judges' stands A1225, A1226 and for timer tower A1280. White.  
Unit



## JUDGES' STAND

Very comfortable model. 8 steps.  
Galvanised steel frame dismantled and foldable,  
with wheels for moving.  
2m15 width, 3m60 length, last step height 2m35, 1m00 width  
platform.  
With handrails.  
Unit.

**A1225** 8 steps, nonslips plate.

**A1226** 8 steps with PVC Seats.



## ARRIVALS PODIUM

**A1435**

Numbered 2 – 1 – 3 – by adhesive.  
Metallic white painted recovered by skid resistant.  
With 2 transportation wheels.  
Length 1m50, Width 0m50.  
Unit.



**MARTY Sports** expert for over 40 years  
**IN SPORTS FACILITIES,**  
**designs, innovates,**  
**adapts and manufactures**  
your equipment for the practice of sports  
IN FRANCE AND WORLDWIDE.

# ABRISTADE

ABRISTADE is a new model of shelter for small stands on outdoor installations. Adapted when the space is limited. The ABRISTADE has been conceived to be easily mounted and presents all the guarantee in term of security.

Delivered with a standard module of 8m00, it is expandable by sections of 4m00.

- DIMENSIONS :
  - Standard module : 8m00 x 2m70 x 2m64.
  - Module extension : 4m00 x 2m70 x 2m64.
- TECHNICAL FEATURES :
  - Galvanized metallic frame.
  - PVC roof (Ondex).
  - Fixation on concrete slab (not include).
  - Possibility to put advertising on a banner placed at the top of the shelter on all the length.
  - Stand possible on 3 raws. On study.
- ADVANTAGE :
  - Not needs to have a building permit.
  - Expandable.
  - Easy assembly.
  - Affordable price.
  - Security.
  - Accommodation comfort.





# LOCKER ROOMS BENCHES

## VERY ROBUST manufacturing

- Metallic supports with fixation in the ground or to the wall.  
WHITE polyester powdered.
- Polyurethane varnished Fir wood or Exotic wood.
- Delivered with screws but without plugs and bolts for fixation.
- Dimensions : Seat height 40cm.
- Total height when bench is complete : 1m78.



**IMPORTANT :**  
Benches are sold by linear meter.  
Minimum 1m00, and then by multiples  
of 10cms. Maximum length 4m00.

WOOD SECTION	VARNISHED FIR WOOD	VARNISHED EXOTIC WOOD
SEAT	2 lathes 130 x 28mm	2 lathes 130 x 28mm
BACK	1 lathe 90 x 32mm	1 lathe 90 x 28mm
BAGS LATHES	2 lathes 90 x 32mm	2 lathes 90 x 28mm
PEGS LATHES	1 lathe 90 x 32mm	1 lathe 90 x 28mm

## WALL BENCHES WITHOUT PEGS

Quality wood, fir or exotic.

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
<b>SINGLE BENCH.</b> Seat only. 1 wall fixation + 1 ground fixation.					
FIR	S1055	S1055S	S1055G	S1055GB	S1055GS
EXOTIC	S1050	S1050S	S1050G	S1050GB	S1050GS
<b>STRENGTHENED BENCH.</b> Seat Only. 2 ground fixations.					
FIR	S1065	S1065S	S1065G	S1065GB	S1065GS
EXOTIC	S1060	S1060S	S1060G	S1060GB	S1060GS
<b>WALL BENCH.</b> Seat only. 1 wall fixation + 1 fixation very close to the wall.					
FIR	S1069	S1069S	S1069G	S1069GB	S1069GS
EXOTIC	S1068	S1068S	S1068G	S1068GB	S1068GS
<b>WALL BENCH.</b> Seat + back 1 ground fixation + 1 wall fixation.					
FIR	S1075	S1075S	S1075G	S1075GB	S1075GS
EXOTIC	S1070	S1070S	S1070G	S1070GB	S1070GS



## WALL BENCHES WITH PEGS

Quality wood, fir or exotic.  
2 wall fixations + 1 ground fixation.

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
<b>WALL BENCH. Seat + peg lathes.</b>					
FIR	S1095	S1095S	S1095G	S1095GB	S1095GS
EXOTIC	S1090	S1090S	S1090G	S1090GB	S1090GS
<b>WALL BENCH. Seat + peg lathes + backs.</b>					
FIR	S1135	S1135S	S1135G	S1135GB	S1135GS
EXOTIC	S1130	S1130S	S1130G	S1130GB	S1130GS
<b>WALL BENCH. Seat + peg lathes + bag lathes.</b>					
FIR	S1115	S1115S	S1115G	S1115GB	S1115GS
EXOTIC	S1110	S1110S	S1110G	S1110GB	S1110GS
<b>COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.</b>					
FIR	S1155	S1155S	S1155G	S1155GB	S1155GS
EXOTIC	S1150	S1150S	S1150G	S1150GB	S1150GS



## FLOOR BENCHES WITH PEGS

Quality wood, fir or exotic.  
2 ground fixations.

	SUPPORTS				
	WHITE	RAL SPEC.	GALVA	GALVA WHITE	GALVA RAL SPEC.
<b>WALL BENCH. Seat + peg lathes.</b>					
FIR	S1096	S1096S	S1096G	S1096GB	S1096GS
EXOTIC	S1091	S1091S	S1091G	S1091GB	S1091GS
<b>WALL BENCH. Seat + peg lathes + backs.</b>					
FIR	S1131	S1131S	S1131G	S1131GB	S1131GS
EXOTIC	S1136	S1136S	S1136G	S1136GB	S1136GS
<b>WALL BENCH. Seat + peg lathes + bag lathes.</b>					
FIR	S1111	S1111S	S1111G	S1111GB	S1111GS
EXOTIC	S1116	S1116S	S1116G	S1116GB	S1116GS
<b>COMPLETE WALL BENCH. Seat + back + bag lathes + peg lathes.</b>					
FIR	S1151	S1151S	S1151G	S1151GB	S1151GS
EXOTIC	S1156	S1156S	S1156G	S1156GB	S1156GS



# CENTRAL BENCH

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
<b>SIMPLE BENCH.</b> Seat only + 1 wall fixation + 1 ground fixation.					
FIR	S1085	S1085S	S1085G	S1085GB	S1085GS
EXOTIC	S1080	S1080S	S1080G	S1080GB	S1080GS
<b>STRENGTHENED BENCH.</b> Seat only + 2 ground fixations.					
FIR	S1105	S1105S	S1105G	S1105GB	S1105GS
EXOTIC	S1100	S1100S	S1100G	S1100GB	S1100GS
<b>WALL BENCH.</b> Seat only + 1 wall fixation + 1 ground fixation very close to the wall.					
FIR	S1145	S1145S	S1145G	S1145GB	S1145GS
EXOTIC	S1140	S1140S	S1140G	S1140GB	S1140GS
<b>WALL BENCH.</b> Seat + back 1 ground fixation + wall fixation.					
FIR	S1125	S1125S	S1125G	S1125GB	S1125GS
EXOTIC	S1120	S1120S	S1120G	S1120GB	S1120GS
<b>COMPLETE CENTRAL BENCH.</b> Seat + back + bag lathes + peg lathes.					
FIR	S1165	S1165S	S1165G	S1165GB	S1165GS
EXOTIC	S1160	S1160S	S1160G	S1160GB	S1160GS



# PORTE PAQUETS

	SUPPORTS				
	WHITE	SPEC RAL	GALVA	GALVA WHITE	GALVA SPEC RAL
<b>BAG LATHES.</b>					
FIR	S1175	S1175S	S1175G	S1175GB	S1175GS
EXOTIC	S1170	S1170S	S1170G	S1170GB	S1170GS
<b>COMPLETE BAG LATHES.</b> Wall metallic support + 2 lathes for bag lathes + 1 bag lathes rail.					
FIR	S1195	S1195S	S1195G	S1195GB	S1195GS
EXOTIC	S1190	S1190S	S1190G	S1190GB	S1190GS



## RAIL METALLIC PEG LATHES

**S1180**

Metallic rail 40 x 27 mm. WHITE powdered. With welded pegs S1185. The linear meter.

## RAIL FIR PEG LATHES

**S1181**

Polyurethane varnished fir rail. 40mm thickness. With pegs S1185. The linear meter.

## RAIL EXOTIC PEG LATHES

**S1182**

Rail in Polyurethane varnished exotic wood. 30mm thickness. With pegs S1185. The linear meter.

## METALLIC PEGS

**S1185**

Steel bi-pegs VERY ROBUST equipping all our benches. Gold bi chromate finished. 2 fixations. With finishing tips. The unit.



# INFIRMARY

## EXAMINATION COUCH

S1620

Steel base.  
Adjustable head.  
Foam saddlery 5cm thickness covered with black leatherette.  
Dimensions: 1m88 x 0m56.  
Height 52 cm.  
Delivered dismantled.  
The unit.



## EXAMINATION STOOL

S1625

PVC frame.  
Adjustable in height.  
Seat is made of foam covered with leatherette.  
The unit.



## PHARMACY CABINET

S1630

Metallic, with a safety lock.  
2 shelves.  
Delivered EMPTY  
The unit.



## STRETCHER CUPBOARD

S1610

Complete made of metal sheets, lacquered, 2m30 x 0m20 x 0m10 depth. Complete with: 1 stretcher alu foldable in 2 on the length, 2 blankets, 1 safety box + 3 straps.  
The unit.

## STRETCHER

S1600

Aluminium foldable in 2 on the length.  
Very strong plastic coated canvas hygienic.  
1m85 x 0m55 x 8cm thickness. Weight 8kg.  
The unit.




# METALLIC LOCKERS



- Phosphate steel sheet, 6/10th and 8/10th thickness for the frame and 6/10th for doors.
- High and low ventilation.
- Equipped with a fixed shelf.
- Handle for coat hanger.
- Every compartment is equipped with a small mirror and with a coat hook.
- 1 room for labeling on each door.
- Powder painting dried at 180°C.

### Choice of 16 COLORS:

- The outside frames and the doors can be of a different color.
- The doors of a locker must be of the same color.



1 BOX PER COLUMN			
	Nb of boxes	Locking	Ref.
1 column	1	Key	S1500
		Padlock*	S1501
		Coins	S1502
2 columns	2	Key	S1510
		Padlock*	S1511
		Coins	S1512
3 columns	3	Key	S1530
		Padlock*	S1531
		Coins	S1532
4 columns	4	Key	S1550
		Padlock*	S1551
		Coins	S1552

Total DIMENSIONS :  
Height 1m80 without feet.  
Depth 50cm.

Width :  
• 1 Box 0m30  
• 2 Boxes 0m60  
• 3 Boxes 0m90  
• 4 Boxes 1m20

3 CLOSING:  
• By padlock (not provided).  
• By key lock.  
• By coins.

\*\*padlock not included

2 CASES PAR COLONNE			
	Nb of boxes	Locking	Ref.
1 column	1	Key	S1520
		Padlock*	S1521
		Coins	S1522
2 columns	2	Key	S1540
		Padlock*	S1541
		Coins	S1542
3 columns	3	Key	S1560
		Padlock*	S1561
		Coins	S1562
4 columns	4	Key	S1580
		Padlock*	S1581
		Coins	S1582

## GENERAL CONDITIONS OF SALES

### 1. OBJECT AND SCOPE OF APPLICATION.

These general terms and conditions of sale apply to all sales of sporting goods and equipment (excluding France) (hereinafter «the Equipment»), concluded between the company MARTY SPORTS, a public limited company with a board of directors and supervisory board with capital of 408,000 euros, whose registered office is Route de la Meignanne, 49370 Saint-Ollément de la Place registered with the Registry of Commerce and Companies of Angers under number B 317.121.747 (hereinafter «MARTY SPORTS» and professional purchasers ( hereinafter «Buyer»). Any order of Materials implies the acceptance without reserve by the Purchaser of the present general conditions of sale which prevail over any other documents of the Purchaser, and in particular on all general conditions of purchase and this in accordance with article L 441-6 of the commercial register. Any waiver of these general conditions of sale shall be agreed upon in writing between the parties. The special conditions indicated on the quotations and/or the order confirmations addressed by MARTY SPORTS prevail over the present general conditions of sale. Any other document than these general conditions of sale, and in particular the catalogs, pictures, prospectuses, advertisements, notices, have only an informative, indicative and non-contractual value. The material sold may be modified in relation to the texts, descriptions or engravings and prints of the MARTY SPORTS catalogs, without warning in order to take account of the evolutions of the applicable professional and public regulations and this without the Purchaser may consider that the amendments constitute a change of the contract of sale.

### 2. ORDERS.

The sales are perfect only after the express and written acceptance of the order of the Buyer which will be materialized by an order confirmation issued by MARTY SPORTS. Orders issued by the Buyer are firm and not cancellable unless exceptional and written agreement of MARTY SPORTS. MARTY SPORTS reserves the right to refuse any order issued by a Buyer who has not made the agreed payment and/or with which MARTY SPORTS would have had a dispute of payment in the context of an order and/or any order mentioning a price of equipment not corresponding to the tariff in force on the date of issue of the order and/or any order which would indicate an abnormally long delivery time or a duration of more than 3 months.

### 3. DELIVERY AND MATERIALS RECEPTION.

#### 3.1 Delivery time and delivery conditions.

MARTY SPORTS will make its best efforts to execute the orders and respect the delivery times it indicates when it accepts the order except in case of force majeure within the meaning of article 1148 of the Civil Code or events such as strikes, lock-out, epidemics, war, requisitioning of fire, flood, interruption or delay in transport or any other cause causing total or partial unemployment of MARTY SPORTS. The delivery times indicated in the quotation and/or acceptance of the order do not constitute a delay of rigor. Accordingly, unless otherwise agreed in writing between MARTY SPORTS and the Purchaser, any delays of delivery shall not give rise to any penalty or indemnity, nor to justify the cancellation or termination of the order. If partial deliveries are requested by the Purchaser, these will be made subject to the prior agreement of the latter concerning the payment of additional transport costs. In case of non-payment of an invoice that has expired, MARTY SPORTS reserves the right to suspend any delivery in progress and/or to come.

#### 3.2 Materials reception.

The Materials delivered comply with the applicable regulation and with the technical standards expressly stated in the quotation. The Buyer shall have five (5) working days from the delivery of the Materials to proceed with the receipt of the Materials and issue, if necessary, by registered letter with acknowledgment of receipt, any reserves to MARTY SPORTS. It shall be the responsibility of the Purchaser to provide all justifications as to the actual defects or deficiencies found. No claim can be accepted in case of non-compliance by the Buyer of these formalities. By explicit agreement, any installation of the Material by the Purchaser shall be without reserve receipt of the Materials. No returns of Materials will be made by the Buyer without the prior express written consent of MARTY SPORTS, obtained in particular by fax or e-mail. The Materials will have to be returned over in the state With their original packaging and have not been used. The costs of return will be borne by MARTY SPORTS by MARTY SPORTS in the case that an apparent defect, or missing, has actually been ascertained by the latter or by its agent. MARTY SPORTS will replace or repair, at its option, within a reasonable time and at its own expense, the non-conforming materials without the Buyer being entitled to any compensation, penalties, damages, or resolution of the order. The claim made by the Buyer under the terms and conditions described in this article shall not suspend payment by the Purchaser of the Materials concerned.

### 4. TRANSFER OF OWNERSHIP AND RISKS.

In the case of non-payment by the Buyer of all or part of the price of the order, MARTY SPORTS reserves, until the complete payment of the price, in principal and accessories, a right of ownership on the Materials in accordance with article L 624-16 of the French Commercial Code. On the other hand, the transfer of the risk of loss and deterioration of MARTY SPORTS Materials will be realized as soon as the Materials are delivered to the Buyer according to the conditions indicated in article 3.1 hereof. It is the responsibility of the Purchaser to subscribe for the necessary insurance.

### 5. TARIFF - PRICE.

The MARTY SPORTS tariff applies to all Buyers on the same date and for the duration indicated in the latter. This can be reviewed during the year. Any tariff changes shall be the subject of an information to customers and will be applicable for any order issued as of the date shown of the new tariff. Unless otherwise specified in the quotation, prices are quoted INCOTERMS EXWORKS, excluding tax and customs duties, including packing.

### 6. PAYMENT CONDITIONS.

Payment terms are:

- For all new Buyers, the payment of the price must be made in totality when placing the order of the Materials.
  - For registered customers, unless written agreement between the parties, the payment of the price must be made in totality when placing the order of the Materials.
- However, if a delay in payment had been previously noted, the payment of the orders should take place in totality when the order is placed.

Payment methods:

- For all Buyers the payment will be made by bank transfer.

Advance payments are made without any discount.

Any delay in payment at maturity will result in penalties equal to 5 times the legal interest rate in effect in France on the due date. These penalties will automatically be paid to MARTY SPORTS without prior formal notice and without prejudice to any other action which MARTY SPORTS may be entitled to institute against the Buyer in this respect. In case of non-compliance with the payment terms set out above, MARTY SPORTS also reserves the right to suspend or cancel the delivery of outstanding orders, to suspend performance of its obligations. Moreover, in case of intervention by our litigation company, the Buyer will also be liable for an indemnity equal to 15% of the unpaid amount of the order, and without prejudice to any other action that MARTY SPORTS shall be entitled to sue the Buyer as such.

### 7. COMMERCIAL GUARANTEE.

In addition to the legal warranty of latent defects, the Materials delivered by MARTY SPORTS benefit from a warranty of twelve (12) months under normal conditions of use, from delivery as defined in Article 3.1 of these General Sales Conditions against any manufacturing defects rendering them unfit for the purpose of the activity for which they are intended. In order to assert its rights, the Buyer shall, on pain of forfeiture of his rights under this warranty, inform MARTY SPORTS, in writing within the twelve-month period specified above, of the existence of the defect. Under this warranty, MARTY SPORTS undertakes to repair or replace within a reasonable period of time the Equipment which for the defects will satisfy the conditions under which it will benefit from this commercial guarantee, excluding of any other costs, damages and interest and/or indemnities of any kind whatsoever such as, without limitation, penalties, traveling and/or subsistence expenses and/or cost of assembly or disassembly of the Materials. Implementation of the warranty will not extend the warranty period for the replaced or repaired equipment. Any warranty is excluded in the case of misuse or use of the equipment contrary to the instructions for use and/or for the use for which the equipment is intended, negligence or lack of maintenance, lack of surveillance from the Buyer of third party, normal use of the Material or force majeure, of reparation and/or modification by the purchaser or a third party, improper installation, false maneuver, deterioration, sabotage, from any accident or damage likely to damage the equipment, such as but not limited to damages caused by weather, water, equipment or devices not supplied by MARTY SPORTS.

### 8. LIABILITY.

MARTY SPORTS liability for all causes, with the exception of personal injury and gross negligence, shall not exceed the duty-free price of the material and only covers direct material damage caused to the Buyer, who remains alone responsible for any damage caused to third parties, which would result from fault exclusively attributable to MARTY SPORTS in the execution of the order. Under no circumstances will MARTY SPORTS be liable to compensate for any intangible and/or indirect damages such as operating losses, profit, luck, commercial loss or loss of profit. The purchaser warrants the waiver of recourse by its insurers against MARTY SPORTS beyond the limits and exclusions set out above.

### 9. INTELLECTUAL PROPERTY.

The drawings and pictures, sketches and designs of the catalog as well as the technical documents given to the buyers are the exclusive property of MARTY SPORTS and can not be reproduced, disseminated or used in any way without its express, written and prior authorization.

### 10. PARTIAL INVALIDITY.

In the case that one of the provisions of these general terms and conditions is held to be invalid or contrary to a provision of public order by a competent court, these general conditions will continue to effects for all other provisions provided that the nullity pronounced does not affect all the contractual stipulations.

### 11. NON-WAIVER.

Any failure or renunciation by MARTY SPORTS to avail itself of the performance of one of the obligations can not be interpreted as the will of MARTY SPORTS to renounce subsequently the execution of the said obligations.

### 12. DISPUTE – ATTRIBUTION OF JURISDICTION.

IN THE ABSENCE OF AGREEMENT, ANY DISPUTE RELATING TO THE CONCLUSION, INTERPRETATION, PERFORMANCE OF THE PRESENT GENERAL CONDITIONS AND ORDERS WILL BE SUBMITTED TO THE COMMERCIAL OF ANGERS EXCLUSIVELY COMPETENT, INCLUDING REFERRED, NOTWITHSTANDING THE GUARANTEE CALL OR THE PLURALITY OF DEFENDERS.

### 13. APPLICABLE LAW.

By express agreement between the parties, this contract is governed and subject to French law. The application of the Vienna Convention of 11 April 1980 is excluded. For convenience, an English translation has been established. However, in case of dispute, only the French text shall prevail.


### FOR THE SALES WITH INSTALLATION OF THE MATERIALS BY MARTY SPORTS

14. The installation of material by Marty Sports must be considered as a complementary service to the sale and consequently can not have the effect of modifying the legal nature of the contractual relationship, the order remaining governed by the law applicable to the sale and by the present general conditions of sale. This qualification will be imposed to the judges in case of dispute over the present general conditions of sale.

15. In addition, MARTY SPORTS is not subject to the obligation to join a bad weather of paid vacation fund, to provide individual basic insurance and/or participate in the pro-rata account, the latter being obligations specific to the activity Building not belonging to MARTY SPORTS.

### 16. Limits of the work of the batch SPORTS EQUIPMENT.

These benefit limits are specified and are those specified in the AFNOR 52-400 standard.



Headquarter

49370  
St Clément de la Place  
+33(0)2 41 77 03 86

South East  
Agency

26000  
Valence  
+33(0)9 63 44 44 57



*la passion de tous les sports*

# MARTY Sports

**Fabricant Français de matériel Sportif**

**ROUTE DE LA MEIGNANNE 49370 SAINT CLÉMENT DE LA PLAGE - FRANCE**

Tel : +33 (0)2 41 77 03 86 Fax: +33 (0)2 41 77 02 77

contact@martyssports.com - www.martyssports.com

Société anonyme à directoire et conseil de surveillance au capital de 287 810€  
R.C. Angers 79B215 - R.M.343.09 - SIRET 317 121 747 00024 - Code APE 3230 Z

